

Schizopera

G.O. Sars, 1905.

(M).
S. longicauda.

Syn. Schizopera, Sars, 1905, a, p. 383.

Amphiascus, Sars, 1906, p. 148.

Schizopera, Sars, 1909, p. 39.

Monard 1935, p. 21. (Shoule be merged
with Amphiascus)

Gurney 1927, p. 514; 1932, p. 38

Nicholls 1941 b, p. 88 - derived from Amphias-
coides

Chappius 1937 p. 585. Key

- Lang, 1965: 323 - 327 Key

Body slender, cylindrical; cephalic segt narrow-lanceolate; epimeral plates rounded; urosome no narrower than metasome; caudal rami lamellar, each with spine and seta outside, tip with 3 setae. 1st antennae 8-segd, hinged in male. 2nd antennae short, stout, exopod 2-segd. First legs prehensile, exopod 3-segd, endopod 2-segd. 3 next pairs with 3-segd rami, endopod of 2nd pair transformed in male. Distal segt of 5th leg with 6 unequal marginal setae, basal expansion short, with 4 setae; 5th leg in male smaller with reduced setae. Ovisacs narrow, closely juxtaposed, eggs sometimes in a single row.

SCHIZOPERA-N.G. SARS

2

- - , LANG, 1948, P. 737-741.
- , WELLS + RAO, 1976: 79-90
- , Soyer, 1976, p. 145
- BROOKS, J. 1950: 135, OCCURRENCE IN LAKE NYASA; 141.
- , BORUTZKY, 1960: 97; 106-108, KEY TO SOME SPP.
- ROUCH 1969: 423
- WILLIAMSON 1991: 811-813
- MIELKE 1992a: 88-92, DISCUSSES THIS + RELATED GENERA; REJECTS FOSCHIZOPERA

Schizopera Sars

card 3

- Gee & Fleeger 1990: 293-

- Apostolov 1982: 37-40, NEOSCHIZOPERA SUBGEN. N.

SCHIZOPERA SARS (NEOSCHIZOPERA APOSTOLOV, 1982)

-- APOSTOLOV 1982: 39, NEW SUBGENUS

-- MIELKE 1992a: 88, 90-91, REJECTS + RETURNS
ALL MEMBERS OF THIS SUBGEN. TO SCHIZOPERA

Schizopera aegyptica Kiefer, 1978
-- , Kiefer, 1978, passim

SCHIZOPERA AKATOUAE BORUTZKY

-- BORUTZKY 1960: 106, FIG. 44(1-2)

-- APOSTOLOV 1982: 39

SCHIZOPERA ANOMALA COULL, 1971

- COULL, 1971: 214-215 ♀♂; FIG. VIII
- WELLS & RAO, 1976: 80; TAB. 1
- MIELKE 1992a: 91
- APOSTOLOV 1982: 39

Schizopera aralensis Borutzky

-- Apostolov 1982: 40

Schizopera arenicola - see Schizoperopsis

SCHIZOPERA BALTICA LANG

--, Lang, 1965, p. 73-79, figs. 1-4 (description of n.sp.)

--, DRZYCINSKI, 1975: TAB. 1

--, WELLS & RAO, 1976: TAB. 1

- DRZYCINSKI 1986: 552-, BALTIC

-- JANSSON 1971: 133-

- HICKS & GRAHAM 1979: 328-

-- APOSTOLOV 1982: 40

SCHIZOPERA BORUTZKYI MONTSCHENKO, 1967

--, Montschenko, 1967, p. 368-370, fig. 1

--, COULL, 1971: 210

--, WELLS & RAO, 1976: 86: TAB. 1

--, Monchenko, 1974, p. 98-100, fig. 1

~~Monchenko~~

- APOSTOLOV 1982: 40

SCHIZOPERA BOZICI (Bozic, 1964)

- , COOK, 1971: 210
- , WELLS & RAO, 1976: TAB. 1
- , SOYER, 1976, p. 147
- BOZIC, 1969: 870-873, fig. 2-3
- APOSTOLOV 1982: 79, in SCHIZOPERA S.STR.

Schizopera bradyi Soyer, 1974

Soyer, 1974f: 1172 - 1175, fig 1-2.

--, Soyer, 1976, p. 145

-- KUNZ 1983: 159

-- Apostolou 1982: 40

Schizopera brusinae Petkovski

---1954, Petkovski, Trajan K., pp. 94-97, fig. 1-13

--, WELLS & RAO, 1976 : 80 ; TAB. 1

--, Kunz, 1974, p. 262-264, figs. 23-33, 45, 46

-- FIERs 1986 F: 104, PAPUA NEW GUINEA

-- BRUCINAE, APOSTOLOV 1982: 39

-- RAO & GANAPATI 1969: 11

SCHIZOPERA CALIFORNICA LANG, 1965

— Lang, 1965: 327-331, fig. 180-181

-- WELLS & RAO, 1976: TAB. 1

- APOSTOLOV 1982: 40

SCHIZOPERA CAROLINENSIS COULL, 1971

- COULL, 1971: 210 - 214 ♀♂; FIG. VII - VIII
- COULL, 1973 d: TAB. I
- COULL, 1972: 49 SPECIES DIVERSITY
- WELLS & RAO, 1976: 90; TAB. 1
- APOSTOLOV 1982: 39

Schizopera chaetosa Petkovski^k

---1954. Petkovski, Trajan K., pp. 100-102, figs. 26-31.

--, WELLS & RAO, 1976: TAB. 1; p. 80

- (NEOSCHIZOPERA) -, APOSTOLOV - 1982: 40

Schizopera chiloensis Mielke 1992

-- Mielke 1992a:79, 82-92, Figs. 2-6, n. sp. female +
male, Quellon Viejo, Isla Chiloe, Chile

Schizopera (Schizopera) cicollanii Galassi & Pesce 1988

- Galassi and Psce, 1988, new species, pp. 145-148
figs 1-12, Apulia, South Italy.

SCHIZOPERA CILIATA G. O. SARS, 1927

(NOMEN NUDUM)

- G. O. SARS, 1927: 328, CASPIAN SEA; IN LIST,
NO DESCRIPTION.

SCHIZOPERA
CLANDESTINA

Diosaccidae - Harpacticoida

Amphiascus clandestinus Klie, ♂♀.

①

syn.

A. — Klie, 1923^{VI}, p. 335: figs. 1-6, WESER, GERMANY

Amphiascus longicauda Klie 1925, Klie 1925

Schizopera clandestina, Chappuis 1959, p. 260, Mediterranean.

A. — Pesta, 1932, p. 63-4-5, fig. 69

A. — SCHIZOPERA CLANDESTINA, PESCE 1983c: 64

Habitat. Brackish water

--, Dolzonolskaya, 1970, p. 85, a syn. of Schizopera c.

SCHIZOPERA CLANDESTINA (KLIÉ) ②

SEE AMPHIASCUS — KLIÉ

— —, LANG, 1948, P. 748

— —, NOODT, 1954, P. 5-6

— —, NOODT, 1956, P. 51

— —, NOODT, 1956³, P. 11, FIGS. 22-26. — KIEL BAY, GERMANY

— —, BORUTSKY, 1952, P. 120,

— — —, Drzyeinski, 1967, pp. 491,

HABITAT: GERMANY: KIEL, BULGARIA,

— —, ACADEMIA SINICA, 1979: 192-194; FIG. 101; SEE P. 192

FOR SYNONYMIES

--, Dolzonolskaya, 1970, p. 85, pl. XXII, fig. 2, syn.:
Amphiascus c.

--, DRZYCIMSKI, 1975: TAB. 1

Schizopera clandestina (KLEIN)

card 3

--, Montschenko, 1967, p. 373

-- PESCE 1983c: 63, 64-65, 79

-- LEWIS 1984: 306, NEW ZEALAND

-- Michailova - Neikova, 1968: 217

-- BORUTZKY 1960: 108, FIG. 44 (3)

-- Bozic 1964: 485

-- Kiefer, 1978: 217, 216

-- SERBAN, 1959: 270, ROMANIA

-- 1967: 255

Schizopera clandestina (Klie)

card 4

- Rouch 1986b: 352, vs. subterranea

- DRZYCINSKI 1986: 552, PUCK BAY, POLAND

- ARLT 1988: 302-, SOUTH WEST BALTIC

- DAHMS 1988b: 16-, FIGS., BANTER-SEE (NORTH SEA)

- GEE & FLEEGER 1990: 294, FIG. 8B

- KUNZ 1983: 159

- APOSTOLOV 1982: 40

- KIEFFER 1965: 464-465

SCHIZOPERA CLANDESTINA BREVICAUDA - KIEFFER, 1965

... KIEFFER 1965: 463-465, FIGS. 5-15, N. SSP.,
GERMANY

S. c. BREVIFURCA, KUNZ 1983: 159

SCHIZOERA CLANDESTINA BREVI FURCA -

SEE S. C. BREVICANDA .

Diosaccidae-Harpacticoida

Schizopera compacta Lint, ♂♀.

— — Lint, 1922, p. 301: figs. 5-6, a-g.

— —, LANG, 1948, P. 747.

-- --, Por, 1960, pg. 113, tab. 7 fig. 35-39, tab. 9
fig. 56

--, Dolzonolskaya, 1970, p. 84, pl. XXI, fig. 3

Habitat. Zvüider Zree,

--, DRZYCIMSKI, 1975: TAB. 1

--, WELLS & RAO, 1976: TAB. 1

Schizopera compacta

card 2

- , Montschenko, 1967, p. 367
- DRZYCINSKI 1986: 552; PUCK BAY, POLAND
- Galassi & Pesce, 1988: 148 Black sea, Germany,
Nether Lands
- KUNZ 1983: 159
- Apostolov 1982: 40
- Por 1962: 32, MEDITERRANEAN COAST OF ISRAEL

Schizopera consimilis Sars. ♀.

①

- — Sars, 1909, p. 42: pl. II, figs. 64-67.
 — — Gurney, 1928, p. 326: text-fig. 5, a-c.
 — —, LANG, 1948, p. 745.

- , Jakobi, 1959, p. 274
 --, Kiefer, 1952, p. 115

Habitat. Lake Tanganyika.

- , Kiefer, 1956, p. 265

- , WELLS & RAO, 1976: TAB. I

- KONDALARAO 1984: 82.

Schizopera consimilis Sars 1909

card 2

-- Brehm 1955c: 261

-- ROUCH & CHAPPAIS 1960: 283, LAKE TANGANYIKA

-- ROUCH 1986b: 352

-- APOSTOLOV 1982: 40

SCHIZOPERA CONSIMILIS LONGIFURCATA Chappuis

— — — Chappuis, 1955

. Lake Tanganyika.

— — —, Fryer, 1956, pp. 246-248, fig. 50-51. Lake Nyassa.

Schizopera crassispinata Chappuis

Chappuis, P.A. --- 1954, pp. 46-49, figs. 6-14.

--, = Eoschizopera c., Wells & Rao, 1976:
80, 81

-- Bozic 1964: 486

- Por & Marcus, 1972: 257

SCHIZOERA

ELATENSIS

KAHAN & BAR-EL, 1982

Schizopera fimbriata Sars, ♀.

— — Sars, 1909, p. 45: pl. 12, figs. 82-86.

— —, LANG, 1948, p. 747.

--, Jakobi, 1959, p. 274

-- BREHM 1955c: 261

-- BOZIC 1964: 484

Habitat. Lake Nyasa. LAKE TANGANYIKA.

- (N.) -, APOSTOLOV 1982: 40

Schizopera gauldi - see Schizoperopsis

Schizopera giselae Alvarez, 1988

- - Alvarez, 1988, new species, pp. 435, 443-444
figs 5,6 S. Paulo, Brazil

- - MIELKE 1992a: 91

Schizopera gligici Petkovski

1957---pp. 2-7, figs. 1-7.

--, = EOSCHIZOPERA G., WELLS & RAO, 1976: 80, 81

--, Michailova-Neikova, 1966, p. 129-133, figs. 1-8

— Michailova-Neikova, 1968: 219

Schizopera grimalschii Jakubisiak, ♂♀

— — Jakubisiak, 1938, p. 289: text figs. 1-5.

— —, LANG, 1946, p. 752,

--, Dolzonolskaya, 1970, p. 84, pl. XXI, fig. 2

--, Montschenko, 1967, p. 371

-- BOZIC 1964: 483

Habitat. Shore of Black Sea, ROMANIA,

— Serban, 1959: 270-271 Romania

— GRIMALSCHI, Apostolou 1982: 40

-- POR 1962: 36

Schizopera haitiana Kiefer ♂♀

①

- — Kiefer, 1934, p. 230: figs. 7-10.
- —, LANG, 1948, p. 750,
- , Jakobi, 1959, p. 274
- , WELLS & RAO, 1976: TAB. 1
- , Kiefer, 1979, p. 224-232.

Habitat. Hayti.

- , Infante, 1978, passim
- BREHM 1955c: 261
- BOZIC 1964: 486

Schizopera haitiana Kiefer, 1934

card 2

-- Reid 1990g:198

-- MIELKE 1992a:91

-- APOSTOLOV 1982:39

SCHIZOPERA INDICA RAO & GANAPATI, 1969

-- RAO & GANAPATI 1969: 10-11, FIG. 7, N. SP. ♀♂
LAWSON'S BAY, WALT AIR, INDIA

-- COULL, 1971: 210, 214

-- = EOSCHIZOPERA I., WELLS & RAO, 1976: 80, 81

Schizopera inopinata Sars. ♀. ①

— — Sars, 1909, p. 40: pl. 10, figs. 43-58.

— — Gurney, 1928, p. 327.

— —, LANG, 1949, p. 743,

--, Jakobi, 1959, p. 274

--, Kiefer, 1956, p. 264

Habitat. Lake Tanganyika.

--, WELLS & RAO, 1976: TAB. 1

--, Kiefer, 1978, p. 48 9

-- BREHM 1955c: 261

SCHIZOPERA INOPIATA SARS, 1909

CARD 2

-- BOZIC 1964: 486

-- APOSTOLOV 1982: 40

SCHIZOPERA ISSYKKULICA MAJYILOVA, 1966

-- MAJYILOVA, 1966:

-- WELLS, 1979: 3

Diosaccidae - Harpacticoida

Schizopera jugurtha Blanchard et Richard ♀, ♂

---, Borutzky, 1931, p. 69 : fig. 18,

---, Borutzky, 1952, p. 119, USSR.

---, HANG, 1948, p. 741.

---, Dolzonolskaya, 1970, p. 84, pl. XXII, fig. 1, syn.:

Dactylopus j.

Habitat. Russia, ALGERIA,

---, Jakobi, 1959, p. 274

---, Monchenko, 1974, p. 100

Schizopera jugurtha

card 2

Schizopera jugurtha

- , Montschenko, 1967, p. 372-373, fig. 5
- BREHM 1955 c: 261
- ROUCH 1987: 71, CAVE, ALGERIA
- Pesce, 1988: 416, SICILY
- Galassi & Pesce, 1988: 148 Black Sea, Africa
- APOSTOLOV 1982: 40

SCHIZOPERA KNABENI LANG, 1965

1

- LANG, 1965: 326, 331-334 ♀♂; FIGS. 182-183
- , COULL, ET AL., 1979: 183, 186; FIG. 1; TAB. 2
- , COULL & BELL, 1979: 219
- , ROSENFELD & COULL, 1974: 314
- , WELLS & RAO, 1976: TAB. 1
- , ROSENFELD 1967: 324.
- , Fleeger, et al., 1983, passim
- Fleeger, 1985: 327
- WELLS 1986: 133

SCHIZOPERA INORNATA NOODT

— — 1954, P. 2. figs. 1-11.

-- DRZYCINSKI, 1975 'TAB. 1

-- ROUCH 1962: 255

SCHIZOPERA ISSYKKULICA MAUYILOVA, 1966

-- MAUYILOVA, 1966:

-- WELLS, 1979: 3

Diosaccidae - Harpacticoida

Schizopera jugurtha Blanchard et Richard ♀, ♂

— —, Borutzky, 1931, p. 69 : fig. 18.

— —, Borutzky, 1952, p. 119, USSR.

— —, HANG, 1948, p. 741.

--, Dolzonolskaya, 1970, p. 84, pl. XXII, fig. 1, syn.:
Dactylopus j.

Habitat. Russia, ALGERIA,

--, Jakobi, 1959, p. 274

--, Monchenko, 1974, p. 100

Schizopera jugurtha

card 2

- , Montschenko, 1967, p. 372-373, fig. 5
- BREHM 1955 c: 261
- ROUCH 1987: 71, CAVE, ALGERIA
- Pesce, 1988: 416, SICILY
- Galassi & Pesce, 1988: 148 Black Sea, Africa
- Apostolou 1982: 40

Schizopera jugurtha stephanidesi Pesta, 1937

Pesta, 1937.

-- --, Kunz, 1963. p. 260, fig. 1-5. Yugoslavia

-- Apostolov 1982:40

SCHIZOPERA KNABENI LANG, 1965 1

- LANG, 1965: 326, 331-334 ♀♂; FIGS. 182-183
- , COULL, ET AL., 1979: 183, 186; FIG. 1; TAB. 2
- , COULL & BELL, 1979: 219
- , ROSENFELD & COULL, 1974: 314
- , WELLS & RAO, 1976: TAB. 1
- , ROSENFELD 1967: 324.
- , Fleeger, et al., 1983, passim
- Fleeger, 1985: 327
- WELLS 1986: 133

Schizopera knabeni Lang, 1965

card 2

- Brickman 1972:134-, New Jersey, USA
- FIERs + RUTLEDGE 1990:106, FIG. 1, LOUISIANA, USA
- KASK ET AL. 1982: 36, NANAIMO, BRITISH COLUMBIA
- GEE + FLEEGER 1990: 294, FIG. 8A
- KUNZ 1983: 159
- APOSTOLOU 1982: 40
- FERRARI 1993b: 766-, TAB. 1
- FIERs 1995: 302, YUCATÁN GULF COAST, MEXICO

SCHIZOPERA KUNZI APOSTOLOV, 1967

-- COULK, 1971: 210

-- WELLS & RAO, 1976: TAB. 1

-- APOSTOLOV 1982: 40

SCHIZOPERA LACUS-AMARI POR & MARCUS, 1972

- Por and Marcus, 1972, new species, pp. 253-257
figs 16-31, 51, N. Red Sea

--, WELLS & RAO, 1976: 80; TAB. 1

- (N.) LACUSAMARI, APOSTOLOU 1982: 40

Schizopera (Schizopera) lagrecai Pesce, 1988

- Pesce, 1988, New species, pp. 413-417, figs 1-12
Sicily

-- PESCE + GALASSI 1987d: 223-, SICILY

Schizopera langi Petkovski

----1954, Petkovski, Trajan K., pp. 97-99, figs. 14-21

--, WELLS & RAO, 1976: TAB. 1

-- APOSTOLOV 1982: 40

Schizopera lindae Apostolov & Pesce 1987

-- Apostolov & Pesce 1987: 298-302, figs. 1-13, n. sp.

♀♂, south Italy

-- PESCE 1984b: 308-

Schizopera longicauda G.O. Sars, ♂♀.

①

— — Sars, 1905, c, p. 384: pl. 16, figs. 53-69.

Amphisiscus claudestinus ^{= syn} Klie, 1925.

— —, Borutsky, 1952, p. 116. USSR.

— —, Hanč, 1948, p. 743.

— —, ACADEMIA SINICA, 1979: 190

Habitat, Chatham Island, EGYPT, BIRKET EL KURUN

— —, Wells & Rao, 1976: TAB. 1

— — BREHM 1955 c: 261

— — Bozic 1964: 486

Schizopera (Schizopera) longicauda G. O. Sars, 1905

②

- Apostolov & Pesce 1987: 302
- GAGERN 1924: 335, GERMANY (GREIFSWALD)
- APOSTOLOV 1982: 39, TYPE OF SCHIZOPERA N. SUBGEN.
- ISHIDA 1989: 25, 26, HOKKAIDO, JAPAN

Diosaccidae - Harpacticoida

Schizopera longicauda G.O.Sars ♂, ♀

var. clandestina ~~miti~~ Klie

— — Klie, 1925, p. 128: figs. p. 129:

Schizopera longicauda clandestina, Pesta, 1932, p. 63

---, Behning, 1926, p. 46

Habitat Oldesloe

Schizopera longifurcata (Chappuis, 1955)

-- Rouch 1986b: 327, 352

-- Apostolov 1982: 40

SCHIZOPERA LONGIROSTRIS (DADAY, 1901)

CANTHOCAMPTUS -, DADAY 1901: 36, FIG. 15a-h,
N.SP., DUTCH NEW GUINEA.

C. -, CHAPPUIS 1924: 96, NEW GUINEA; SYN. OF
DACTYLOPUS JUCKERTHA.

SCHIZOPERA -, LANG 1948: 742.

S. -, BREHM 1955: 261

S. -, JAKOBI 1959: 274

S. -, APOSTOLOV 1982: 40

C. -, FORRO' 1986: 559

SCHIZOPERA MAJOR G.O. SARS, 1927 (NOMEN NUDUM)

-- G.O. SARS, 1927: 328, CASPIAN SEA; IN LIST,
NO DESCRIPTION

SCHIZOPERA MARLIERI ROUCH & CHAPPUIS, 1960

-- ROUCH & CHAPPUIS 1960: 283-286, Figs. 1-6,

1 sp. ♀ ONLY, LAKE TANGANYIKA

-- = KOSCHIZOPERA M., WELLS & RAO, 1976: 80, 81, 84

Schizopera (?) meridionalis Petkovski

— Petkovski, 1954

~~Mielke~~

— Mielke, 1974: 31, fig 16C

— (N.)-, Apostolov 1982:40

Schizopera meridionalis listensis Mielke

- Mielke, 1975: 56-59, fig. 35-36

SCHIZOPERA MINUTA NOODT +

- 1955, P.P. 152-53.
- 1955, P.P. 93, figs. 25-37.
- , WALSH & RAO, 1976 : TAB. 1
- , Soyer, 1976, p. 147
- Bozic 1964:485
- Rouc H 1962:255
- Apostolov 1982:40

Schizopera minuticornis Sars, ♀.

— — Sars, 1909, p. 43: pl. 12, figs. 72-77.

— —, LANG. 1948, p. 746.

--, Jakobi, 1959, p. 274

--, Kiefer, 1956, p. 265

-- BREHM 1955c: 261

Habitat. Lake Tanganyika.

-(N.)-, APOSTOLOV 1982: 40

Schizopera monardi Petkovski

---1955 Petkovski, Trajan K., pp. 96-98, figs. 52-59.

--, WELLS & RAO, 1976: TAB. 1

--, Michailova-Neikova, 1966, p. 129

-- KONDALARAO 1984: 82.

- (NEOSCHIZOPERA) -, APOSTOLOU 1982: 40

SCHIZOPERA NANA NOODT+

-- 1955, P.P. 94, Figs. 38-48.

-- 1955, P.P. 152-53.

--, WELLS + RAO, 1976: TAB. 1

-- BOZIC 1964: 485, 486

-- ROUCH 1962: 255

-- APOSTOLOV 1982: 40

Schizopera neglecta Akatova ♂♀.

— — Akatova, 1935, p. 324: figs. 13-18

— —, LANG, 1948, p. 751.

— —, Por, 1964, pp. 93-94, pl. 15 figs. 152-154

— —, Sterba, 1967, p. 330

— —, Monchenko, 1974, p. 100, figs. 1

Habitat, Caspian Sea.

— —, ACADEMIA SINICA, 1979: 192, 194-195; FIG. 102

— —, WELLS + RAO, 1976: 90; TAB. 1

— —, Montschenko, 1967, p. 370-372, fig. 2-4

- , Kiefer, 1978, p. 489
- BREHM 1955c: 261
- BORUTZKY 1960: 108, FIG. 44(4)
- LÖFFLER 1961c: 392-, IRAN
- HEMSEN 1952: 587, 628-630, FIGS. 45-50, CASPIAN SEA
- APOSTOLOU 1982: 40

Schizopera nichollsi - see Schizoperopsis

SCHIZOPERA NOODTI ROUCH, 1962

-- ROUCH 1962: 238, 240, 254-256, FIGS. 57-67, n.sp.

♀♂, PUNTA CANTERAS, ARGENTINA.

-- WELLS & RAO, 1976: 90; TAB. 1

-- MIELKE 1992a: 91

-- APOSTOLOV 1982: 40

SCHIZOPERA ORNATA NOODT & PURASTORI 1953

— — 1956, p. 51, N. SEA AREA.

--, DRZYCINSKI, 1975: TAB. 1

--, WELLS & RAO, 1976: TAB. 1

--, Michailova-Neikova, 1966, p. 129

— Mielke, 1974: 29, fig 15-16B

-- ROUCH 1962: 255

-- DRZYCINSKI 1986: 552-, BALTIC

-(NEOSCHIZOPERA)-, APOSTOLOV 1982: 140

Schizopera ornata meridionalis Petkovski

---1954. Petkovski, Trajan K., pp. 99-100, figs. 22-25.

--, Michailova-Neikova, 1966, p. 129

Schizopera paradoxa (Daday).

Nitocera — Daday, 1904, p. 492.

Schizopera — Gurney, 1920, p. 219.

— —, BORUTSKY, 1952, P. 117, F. 44, 45. USSR

— —, LANG, 1948, P. 743,

--, Šterba, 1967, p. 330

Habitat. Turkestan, Chatham Islands.

U.S.S.R.

--, WELLS + RAO, 1976: TAB. 1

- , Jakobi, 1959, p. 274
- BREHM 1955c: 261
- BORUTZKY 1960: 108, FIG. 44(5)
- APOSTOLOU & PESCE 1987: 301-302, SUBGEN.
SCHIZOPERA S. STR.
- MIELKE 1992a: 91
- APOSTOLOU 1982: 40

SCHIZOPERA PARVULA

NOODT

— —, 1955, P.P. 152-53.

— —, 1955, P.P. 92, figs. 18-24.

~~— —, 1964, p. 485~~

--, COLL, 1971: 214

-- ROUCH 1962: 255

Schizopera parvula Bozic 1964

-- Bozic 1964:481, 485-486, Fig. 2(2-5), n. sp. ♀ only,
from Réunion.

- Apostolou 1982:40

Schizopera petkovski Apostolov

-- Apostolov 1982:39, in Schizopera s. str.

Schizopera pontica Chappuis & Şerban

Chappuis, P.A. & M. Şerban--1953, pp. 95-96, figs.3-5.

--, Dolzonolskaya, 1970, p. 84, pl. XXI, fig. 4

--, WELLS & RAO, 1976 : TAB.1

--, Montschenko, 1967, p. 367

-- PLEŞA 1963: 805

— Şerban, 1959: 271 Romania

-- ROUCH 1962: 255

-- APOSTOLEV 1982: 39

Schizopera pori Alvarez, 1988

- - Alvarez, 1988, new species, pp. 435-444, figs 1-4
S. Paulo, Brazil

-- MIELKE 1992a: 91

Schizopera pratensis Noodt

-- --, Noodt, 1958. pp. 223-225, fig. 1-19

--, WELLS & RAO, 1976 : TAB. 1

-- BOZIC 1964: 485

-- ALVAREZ, 1988: 444

-- BRICKMAN 1972: 134-

-- (NEOSCHIZOPERA) --, APOSTOLOV 1982: 40

SCHIZOPERA PROPINQUA G.O. SARS, 1927

(NOMEN NUDUM)

- G.O. SARS, 1927: 328, CASPIAN SEA; IN
LST, NO DESCRIPTION

Schizopera pseudojugurtha Borutzky, 1972

-- Rouch 1986b: 327

SCHIZOPERA AUSILLA G.O. SARS, 1927

(NOMEN NUDUM)

-- G.O. SARS, 1927: 328, CASPIAN SEA; IN LIST,
NO DESCRIPTION

Schizopera reducta (Borutzky

-- Apostolov 1982: 40

Schizopera rotundipes Gurney. ♀.

— — Gurney, 1928, p. 327: text-fig. 6, a-e.

— —, LANG, 1948, p. 749,

--, Jakobi, 1959, p. 274

--, Kiefer, 1956, p. 265

--, WELLS + RAO, 1976: TAB. 1

Habitat. Lake Tanganyika.

-- BREHM 1955c: 261

Schizopera rotundipes Gurney 1928

card 2

-- Rouch & Chappuis 1960: 285-286

- (N.) -, APOSTOLOV 1982: 40

Schizopera scalaris Sars, ♀.

— — Sars, 1909, p. 46: pl. 13, figs. 87-92.

— —, LANG, 1948, p. 747.

--, Jakobi, 1959, p. 274

--, Kiefer, 1956, p. 265

-- BREHM 1955 ci 261

Habitat. Lake Tanganyika.

— Apostokou 1982140

Schizopera soyeri Kunz, 1983

-- Kunz 1983: 120, 156-162, Figs. 22-24, n. sp. female
only, Azores

Diosaccidae Harpacticoida

Schizopera spinulosa Sars, ♀. ①

-- Sars, 1909, p. 44; pl. 12, figs. 78-81.

--, LANG, 1948, p. 746.

--, Chappuis, Delamare-Debatteville, + Paulian, 1956 (Mém. Inst. Sci. Madagascar)

p. 56. Reunion Id., in FW spring.

--, Jakobi, 1959, p. 274

Habitat. Lake Tanganyika.

--, Kiefer, 1956, p. 265

-- BREHM 1955c: 261

Schizopera spinulosa Sars, 1909

card 2

S. (Neoschizopera) -, Apostolov 1982: 40

SEMIZOPERA

STEPHANIDESI

PESTA 1937

--, LANG, 1946, P. 752

--, BORUTZKY, 1952, P. 415, - U.S.S.R.

--, WELLS + FAO, 1976: TAB. 1

--, TIEFER, 1978, p. 489

HABITAT:

-- RAIBAUT 1967: 562 - , CAMARGUE

Diosaccidae-Harpacticoida

Schizopera subterranea n. sp.

_____ Lang 1948, p. 752

--, Jakobi, 1959, p. 274

-- PESCE 1983 C:64 - SYN OF S. CLANDESTINA

HABITAT: ITALY: BARI BAY.

-- BOZIC 1964: 485

-- ROUCH 1969: 423

-- ROUCH 1986b: 327, RECORDS; 352

-- APOSTOLOU 1982: 40

SCHIZOPERA SYLTENSIS MIELKE, 1973

— Mielke, 1973: 10-14, fig. 3C-E, 4-6

--, = EOSCHIZOPERA S., WELLS & RAO, 1976: 80, 81, 84

— Mielke, 1975: 56; fig. 34

Schizopera taricheana Por

-- -- Por, 1968, pp. 38-40, plate III

--, COULL, 1971: 210

--, WELLS & RAO, 1976: TAB. 1 ; P. 80

-- APOSTOLOU 1982: 39

Schizopera tobae Chappuis ♂♀

①

— — Chappuis, 1931, p. 569: figs. 122-129

— —, LANG, 1948, p. 749.

--- , Petkovski, 1973, p. 125

--, Jakobi, 1959, p. 274

-- YEATMAN 1983: 57, 80-81, FIG. 14g-c.

Habitat. Malaysia, SUMATRA, CELEBES.

-- CRANDELL 1967: 38

-- BREHM 1955c: 261

-- REID 1990g: 184

Schizopera tobae Chappuis, 1931

card 2

-- Mielke 1992a: 91

- TOBAE S. STR., KUNZ 1983:159

- APOSTOLOU 1982:40

Schizopera tobae cubana Petkovski, 1973

n. ssp., Petkovski, 1973, pp. 126-128, fig. 2-4.

--, PETKOVSKI, 1976: 63

-- ROUCH 1986b: 327

-- REID 1990g: 184

-- MIELKE 1992a: 91

-- APOSTOLOU 1982: 40

Schizopera tobae wolterecki
BREHM + CHAPPUIS 1935

--, BREHM 1947: 240.

-- - KUNZ 1983: 159

-- WOLTERESKI, APOSTOLOVA 1982: 40

Schizopera triacantha Kiefer ♀

— — Kiefer, 1934, p. 231: figs. 11-12.

— —, LANG, 1948, p. 751,

--, Jakobi, 1959, p. 274

--, WELLS & RAO, 1976: TAB. 1

-- BREHM 1955 c: 261

Habitat, Hayti.

-- REID 1990g: 198

-- MIELKE 1992a: 91

- TRIALANTA, APOSTOLOV 1982: 40

Schizopera unguolata Sars, ♀.

— — Sars, 1909, p. 43: pl. II, figs. 68-71.

— —, LANG, 1948, p. 745:

--, Jakobi, 1959, p. 274

--, Kiefer, 1956, p. 265

-- BREHM 1955c: 261

Habitat. Lake Tanganyika.

-- ROUCH & CHAPPUIS 1960: 283, LAKE TANGANYIKA

-- APOSTOLOV 1982: 40, TYPE OF NEOSCHIZOPERA

N. SUBGEN.

Schizopera validior Sars, ♀.

— — Sars, 1909, p. 41: pl. 11, figs. 59-63.

— —, LANG, 1946, p. 745,

--, Jakobi, 1959, p. 274

--, Kiefer, 1956, p. 265

Habitat. Lake Tanganyika.

--, WELLS & RAO, 1976: TAB. 1

-- KUNZ 1983: 159

-- BREHM 1955c: 261

Schizopera validior Sars, 1909

card 2

S. validor, Apostolov 1982:40, in Schizopera str.

Schizopera variseta Bozic, 1964

- Bozic, 1964, p. 483-485, FIG. 1 (1-11),
n.sp. ♀ ONLY - RÉUNION ISLAND.
- , Coull, 1971: 210, 214
- , Wells & Rao, 1976: TAB. 1
- , Soyer, 1976, p. 147
- REID 1978: 45, NORTH CAROLINA
- Apostolou 1982: 39

Schizopera varnensis - see Schizoperopsis

Schizopera vicina Herbst

-- -- Herbst, 1960. pp. 49-50, 52-62 (figs), PERU

--, WELLS & RAO, 1976: TAB. 1

--, REID & ESTEVES, 1984: 310, 313, 320, RJ, BRAZIL,
NEW RECORD

-- DUSSART 1984: 65

-- ALVAREZ, 1988: 435, 443

-- DEL RIO & VALDIVIA 1989: 73-

-- REID 1990g: 184

-- MIELKE 1992a: 91

-- APOSTOLOV 1982: 40

Schizopera sp.

- spec., ANGER & SCHIEBEL 1976: Tab. 2.
- - , MASHIRO, 1951b, p. 154, fig. 7n.
- REID 1978: 45-, NORTH CAROLINA
- DURANT & MAAS 1988b: 4, 6, IVORY COAST
- CRANDELL 1967: 38-, YAQUINA BAY, OREGON
- MIELKE 1992a: 92
- COTTARELLI 1971c: 29, ITALY
- POR ET AL. 1984: 224-, SAO PAULO, BRAZIL

SCHIZOPERA spp.

-- BANARESCU 1973: 20, TETHYS ORIGIN.