

OF THE
AMERICAN MUSEUM
OF NATURAL HISTORY

59.06 (49.2) L1

NOTES

FROM THE

LEYDEN MUSEUM

FOUNDED BY THE LATE

Prof. H. SCHLEGEL,

CONTINUED BY

Dr. F. A. JENTINK,

Director of the Museum.

~~~~~  
**VOL. XXXIV.**  
~~~~~

LATE E. J. BRILL
PUBLISHERS AND PRINTERS.
LEYDEN. — 1911/1912.

CONTENTS OF VOL. XXXIV.

MAMMALIA.

	Page
On a probably new species of the genus <i>Cercopithecus</i> . By Dr. J. BÜTTIKOFER. (With two text-figures)	1.
Beobachtungen über die Lebensweise von <i>Felis minuta</i> Temm. Von E. JACOBSON	31.

AVES.

Report on Birds from the Netherlands received from 1 September 1910 till 1 September 1911. By Dr. E. D. VAN OORT	37.
On a small collection of Birds from Mount Tengger, East Java. By Dr. E. D. VAN OORT	44.
<i>Eudynamis minima</i> , an apparently new Cuckoo from Southwestern New Guinea. By Dr. E. D. VAN OORT	54.
Bird-marking in the Netherlands. By Dr. E. D. VAN OORT	55.
On some new or rare Birds from Sumatra, Java, Ceram and the Poeloe-Toedjoegroup, north of Ceram. By Dr. E. D. VAN OORT	59.
On the Catalogue of the collection of Birds brought together by A. VROEG. By Dr. E. D. VAN OORT	66.
On <i>Aestrelata aterrima</i> (Bonaparte). By Dr. E. D. VAN OORT	70.
Report on Birds from the Netherlands received from 1 September 1911 till 1 September 1912. By Dr. E. D. VAN OORT	231.
Bird-marking in the Netherlands. II. Recovery of marked Birds. By Dr. E. D. VAN OORT.	243.

AMPHIBIA.

Javanische Amphibien, gesammelt von EDW. JACOBSON. Bearbeitet von Dr. P. N. VAN KAMPEN	75.
--	-----

PISCES.

Vorläufige Mitteilung über neue Fische von Lombok. Von Dr. C. M. L. POPTA	9.
Fortsetzung der Beschreibung von neuen Fischarten der Sunda-Expedition. Von Dr. C. M. L. POPTA ¹⁾	185.

1) Correction. pp. 185 and 187: „*Fierasfer frantii*“ read „*Fierasfer trautii*“, the fish being named after Dr. TRAUT (Dr. POPTA).

MOLLUSCA.

	Page
<i>Petricola pholadiformis</i> Lam. on the Dutch coast. By Dr. J. H. VERNHOUT. (With a sketch of the Dutch coast)	240.

CRUSTACEA.

Note on <i>Orchestia parvispinosa</i> M. Weber, a terrestrial Amphipod from Java. By CHARLES CHILTON, M. A., D. Sc., F. L. S. (With plates 6 and 7).	163.
Description of a new species of terrestrial Isopoda from Java. By Dr. GUSTAV BUDDE-LUND. (With plate 8)	169.
Ueber eine kleine Brachyuren-Sammlung aus unterirdischen Flüssen von Java. Von J. E. W. IHLE. (Mit Tafel 9)	177.

INSECTA.**Coleoptera.**

Two new Sumatran species of Longicorn Coleoptera. By C. RITSEMA Cz.	4.
Protective resemblance between the species of <i>Nothopeus</i> Pasc. and Fossorial Wasps. By C. RITSEMA Cz.	22.
A species of the Coleopterous genus <i>Helota</i> from Formosa. Described by C. RITSEMA Cz.	51.
<i>Psammoecus</i> nouveaux du Musée de Leide. Par ANT. GROUVELLE.	81.
A new species of the Rhynchophorid genus <i>Cryptoderma</i> . Described by C. RITSEMA Cz.	95.
A new species of the Callichromid genus <i>Euchitonia</i> . By C. RITSEMA Cz.	123.
Third supplementary list of the described <i>Apogonia</i> -species, with an alteration in nomenclature. By C. RITSEMA Cz.	128.
Beschreibung neuer Käfer aus Celebes. Von K. M. HELLER.	171.
Description of a new Sumatran species of the genus <i>Aulacochilus</i> (Coleoptera: Erotylidae). By C. RITSEMA Cz.	175.
A Cladognathid with five pubescent leaflets in the clava of the antennae (Coleoptera: Lucanidae). Described by C. RITSEMA Cz.	183.
Etude sur les <i>Aphanocephalus</i> et descriptions d'espèces nouvelles. Par A. GROUVELLE	197.

Lepidoptera.

Description of a new species of the Lepidopterous genus <i>Thestias</i> . By R. VAN EECKE.	80.
On the differences between the female of <i>Brassolis sophorae sophorae</i> (L.) and that of <i>sophorae lurida</i> (Stich.). By R. VAN EECKE. (With 2 text-figures).	257.

Hymenoptera.

	Page
Ameisen aus Java, beobachtet und gesammelt von EDW. JACOBSON, bestimmt und beschrieben von Dr. A. FOREL. (III. Theil). . .	97.
Ameisen aus Java, beobachtet und gesammelt von EDW. JACOBSON, bestimmt und beschrieben von Dr. A. FOREL. Biologische Beobachtungen von EDW. JACOBSON. (Mit Tafel 1—3) . . .	113.

Neuroptera.

Ueber die Gespinnste von <i>Archipsocus recens</i> ENDERL. 1903. Von Dr. GÜNTHER ENDERLEIN, mit biologischen Beobachtungen von EDWARD JACOBSON. (Mit Tafel 4 und 5)	157.
Ueber einige Orientalische Copeognathen des Leidener Museums. Von Dr. GÜNTHER ENDERLEIN.	161.
Plecoptera aus Java. Eine neue <i>Nemura</i> -Art. Von Prof. FR. KLAPÁLEK. (Mit 6 Abbildungen im Text).	194.
Zur Kenntniß der Mecopteren Javas. Von Dr. GÜNTHER ENDERLEIN.	235.

Orthoptera.

Ueber eine Myrmecophile Gryllide. Von EDW. JACOBSON . . .	230.
---	------

Dermaptera.

On Dermaptera collected in Java by Mr. EDW. JACOBSON. By MALCOLM BURR, D. Sc., etc.	25.
Dermaptera from Java and Sumatra. By MALCOLM BURR, D. Sc., etc.	225.

ARACHNIDA.

Opiliones aus Java, Nusa Kambangan und Krakatau, gesammelt von EDW. JACOBSON (1908—1911). Bearbeitet von Dr. C. FR. ROEWER. (Mit 2 Textfiguren).	71.
--	-----

PSEUDOSCORPIONIDAE.

Einige Chelonethiden aus Java und Krakatau. Beschrieben von ALB. TULLGREN. (Mit 10 Figuren im Text).	259.
Vier Chelonethiden-Arten auf einem javanischen Käfer gefunden. Mitgeteilt von ALB. TULLGREN. (Mit 1 Figur im Text) . .	268.

VERMES.

On the synonymy of <i>Pherecardia lobata</i> Horst. By Dr. R. HORST. (With 1 text-figure)	17.
---	-----

ECHINODERMATA.

	Page
Descriptions of twenty new recent unstalked Crinoids, belonging to the families Antedonidae and Atelecrinidae, from the Dutch East Indies. By AUSTIN H. CLARK	129.

Vol. XXXIV was issued in parts in the following order:

N^o 1. — 1 December 1911, Note I—XIV.

N^o 2. — 1 April 1912, Note XV—XXVIII.

N^{os} 3 and 4. — 15 November 1912, Note XXIX--XLV.

NOTE XXIX.

DESCRIPTION OF A NEW SPECIES OF TERRESTRIAL
ISOPODA FROM JAVA ¹⁾

BY

Dr. GUSTAV BUDDE-LUND.

(With Plate 8).

The following new species was found in a small collection of Terrestrial Isopoda from Java made by Mr. E. Jacobson, all the others being species already known.

Kisuma papillosa, sp. nov.

Superficies papillis minutis obtecta ut minute granulata videatur, in primo segmento in series transversas circiter quatuor ornatis, in segmentis 2, 3, 4, 5 in series duas; segmenta 6, 7 sublaevia.

Caput breve, latum. Frons ante marginata, linea marginalis in medio leviter arcuate producta, utrinque ad processus laterales leviter incurva; processus laterales prominentes, angustiores, rotundati.

Trunci segmenta 1—2 margine postico utrinque levissime incurvo; segmenta 3—7 margine postico in medio post sensim incurvo.

1) The MS. and drawings for this paper were found among the papers of the late Dr. G. Budde-Lund nearly ready for the printer. Dr. Budde-Lund had examined a small collection of Terrestrial Isopoda collected in Java by Mr. E. Jacobson and had determined the species, all of them being already known, except the one now described. The drawings were left without full indication of the parts of the animal to which they referred. At Mr. Jacobson's request I have added an explanation of the figures and have arranged the MS. for publication.

Plymouth, 19. III. 12.

CHAS. CHILTON.

Caudae segmenta 3—5 epimeris majoribus, epimera segmenti quinti leviter divergentia.

Telson late triangulum fere duplo latius quam longius, lateribus rectis, apice obtuse rotundato.

Uropodes breviores, scapus brevior quam telsum, latus, latere exteriori integro, processus endopoditi multo brevior quam scapus; endopoditum quam exopoditum angustius sed vix brevius.

Long. 3 mm. Lat. 1.8 mm.


Subunicolor, brunneus, vel flavo-brunneus, partibus muscularibus trunci superficiei albidis. Antennae albae, trunci et caudae margines laterales et posteriores segmentorum anguste albidi.

Patria: Java, at Batavia, September 1908 2 specimens, and at Semarang, December 1909 2 specimens; taken by Mr. E. Jacobson, sent by Professor F. Silvestri, Portici.

Type in the British Museum; co-types in the Leyden Museum.

EXPLANATION OF PLATE 8.

- Fig. 1. Antenna, $\times 50$.
 " 2. Right mandible, $\times 200$.
 " 3. Left mandible, $\times 200$.
 " 4. Extremity of outer lobe of first maxilla, outer surface, $\times 350$.
 " 5. Extremity of outer lobe of first maxilla, inner surface, $\times 350$.
 " 6. Extremity of inner lobe of first maxilla, $\times 300$.
 " 7. Extremity of maxilliped, $\times 250$.
 " 8. Inner lobe of maxilliped, $\times 350$.
 " 9. Uropod, dorsal surface, $\times 50$.
 " 10. Uropod, ventral surface, $\times 50$.
-



Budde-Lund del.

P. W. M. Trap impr.

KISUMA PAPILOSA *Budde-Lund.*

NOTES

FROM THE

LEYDEN MUSEUM

EDITED

BY

Dr. F. A. JENTINK,
Director of the Museum.

VOL. XXXIV.

~~~~~  
**Nos. III and IV.**  
~~~~~

LATE **E. J. BRILL**
PUBLISHERS AND PRINTERS
LEYDEN.

LIST OF CONTENTS.

Parts III and IV — Vol. XXXIV.

	Page
Note XXIX. Description of a new species of Terrestrial Isopoda from Java. By Dr. GUSTAV BUDDE-LUND. (With Plate 8).	169.
Note XXX. Beschreibung neuer Käfer aus Celebes. Von K. M. HELLER.	171.
Note XXXI. Description of a new Sumatran species of the genus <i>Aulacochilus</i> (Coleoptera: Erotylidae). By C. RITSEMA Cz.	175.
Note XXXII. Ueber eine kleine Brachyuren-Sammlung aus unterirdischen Flüssen von Java. Von J. E. W. IHLE. (Mit Tafel 9).	177.
Note XXXIII. A Cladognathid with five pubescent leaflets in the clava of the antennae (Coleoptera: Lucanidae). Described by C. RITSEMA Cz.	183.
Note XXXIV. Fortsetzung der Beschreibung von neuen Fischarten der Sunda-Expedition. Von Dr. C. M. L. POPTA ¹⁾	185.
Note XXXV. Plecoptera aus Java. Eine neue <i>Nemura</i> -Art. Von Prof. FR. KLAPÁLEK. (Mit 6 Abbildungen im Text).	194.
Note XXXVI. Etude sur les <i>Aphanocephalus</i> et descriptions d'espèces nouvelles. Par A. GROUVELLE.	197.
Note XXXVII. Dermaptera from Java and Sumatra. By MALCOLM BURR, D. Sc., etc.	225.
Note XXXVIII. Ueber eine Myrmecophile Gryllide. Von EDW. JACOBSON.	230.
Note XXXIX. Report on Birds from the Netherlands received from 1 September 1911 till 1 September 1912. By Dr. E. D. VAN OORT.	231.
Note XL. Zur Kenntnis der Mecopteren Javas. Von Dr. GÜNTHER ENDERLEIN	235.
Note XLI. <i>Petricola pholadiformis</i> Lam. on the Dutch coast. By Dr. J. H. VERNHOUT. (With a sketch of the Dutch coast)	240.
Note XLII. Bird-marking in the Netherlands. II. Recovery of marked Birds. By Dr. E. D. VAN OORT	243.
Note XLIII. On the differences between the female of <i>Brassolis sophorae sophorae</i> (L.) and that of <i>sophorae lurida</i> (Stich.). By R. VAN EECKE. (With 2 text-figures).	257.
Note XLIV. Einige Chelonethiden aus Java und Krakatau. Beschrieben von ALB. TULLGREN. (Mit 10 Figuren im Text)	259.
Note XLV. Vier Chelonethiden-Arten auf einem javanischen Käfer gefunden. Mitgeteilt von ALB. TULLGREN. (Mit 1 Figur im Text).	268.
Index	271.
Titlepage and Contents	I—VIII.

CORRECTION. pp. 185 and 187: „*Fierasfer frantii*” read „*Fierasfer trautii*”, the fish being named after Dr. TRAUT (Dr. POPTA).