Dichromadora apapillata new species


Description. Cuticular ornamentation homogeneous; rods heavier at anterior and set on cuticular bands which are separated from each other by clear areas; rods of posterior region on simple bands. Lateral alae from anterior to near tail tip, 4.5\pm wide, bordered by large dots and crossed by forward, curving bands. Labial rugae prominent. Cephalic setae 6\pm long or 50\% of the head diameter. Amphids obscure, slit-like. Stoma with hollow triangular dorsal tooth and 2 small triangular subventral teeth. Ocelli absent. Esophageal bulb well-developed, 25\% of the esophageal length. Excretory pore 15\pm above bulb. Nerve ring 53\%. Tail uniformly tapering, with finger-like tip 8\pm long.

Female: 729μ ; a, 15.2; b, 5.4; c, 7.2; V, 48%; Ov1, 18.8%; Ov2, 20.8%. 1 egg in each uterus, $43 \times 34\mu$, with thick clear shell. Tail 5.7 anal diameters long.

Male: 820 ; a, 17 ; b, 5.5 ; c, 5.5. Spicules 38 \times long or 1.3 anal diameters, distinctly cephalated. Gubernaculum 16 \times long, with 2 teet \text{distally.} No preanal supplements.

Habitat: Bottom mud.

Discussion. This species differs from the previous one in the larger size and heavier cuticular ornamentation. It is even closer to D. punctata, from which it differs in the longer tail and tail tip. There is a strong possibility of synonomy.



25. Dichromadora apapillata n.sp., a. male head; b. male tail.