Metalinhomoeus trichosoma n. sp.

Fig. 222 a, b


Locality and material: — South Georgia, St. 23: 13

Dimensions: 3 L = 4,606 mm., a = 108,38, $\beta = 19,6$, $\gamma = 20,84$

Body exceedingly elongated and very slender, absolutely evenly thick throughout. Cuticle finely annulated. Head truncate, provided with 4 slender, submedian bristles, in length 11,9 μ i. e. 3/5 of the corresponding head diameter at their level. Buccal cavity typical. Oesophagus short, with a strongly muscular bulb. Lateral organs 20 μ behind the front end, measuring in section 3/13 of the corresponding head diameter. Tail cylindro-conical tapering gradually and very little and only more strongly thinned in its hindmost part, at its end rounded. Spicules short, plump, strongly curved; their accessory piece small, arch-like, with a dorsally and posteriorly directed apophysis.

St. 23. South Georgia. Off the mouth of the Moraine-Bay. 54° 23′ S. — 36° 26′ W. Grey clay with gravel and stones. 64—74 m. Bottom temp. + 1,65 C. 16. 5. 1902.

Number of species found: 32; Number of specimens found: 147.



222. Metalinhomoeus trichosoma n. sp. a. Anterior end, b. Tail, × 364