

in)

Acartiidae - Calanoida.

Acartiella valid

Sewell, 1914.

A. kempi. [⊕]

Type species: Acartia tortaniformis Sewell 1912 + Acartiella kempi Sewell 1914

Syn. Acartiella Sewell, 1914, p. 245.

Fifth legs in ♀ biramous, the endopod small and rudimentary. Male 5th legs uniramous and 3-seg'd: basal (2nd basipod) segt of right leg with a clasping claw like that in Epischura, probably representing an endopod.

First antennae in ♀ 21-seg'd: grasping antenna of ♂ resembles that of Acartia: caudal rami 4 or 5 times as long as wide and symmetrical,

ACARTIELLA SEWELL, 1914

CARD 2

- BRADFORD 1976: 162, IN ACARTIIDAE; 163

- LAYLY 1978: 818-, C.F. PARALABIDOCERA

ACARTIELLA GRAVELYI, SEWELL (1918)

— — SEWELL, 1918⁹ P. 10 - Pl. IX fig. 7, Pl. X, fig 1-4+5.

--, Shen & Lee, 1963, p. 585

--, Tranter & Abraham, 1971, p. 224-, figs. 2, 13, 16,
17, 18

HABITAT: INDIA

- - Pillai, P.P. 1971, pp. 165, 171.

--, GOSWAMI & GOSWAMI, 1974: 109, 112, 113; TAB. 1, 2

--, Madhupratap et al 1975: passim.

--, Madhupratap ~~et al~~ 1979: passim

--, Madhupratap, 1980: passim.

-- Madhupratap & Haridas, 1975: passim

-- UYE & KASAHARA 1978: 112

-- GOSWAMI 1983: 254-257, INDIA

ACARTIA(-), MADHUPRATAP & HARIDAS, 1986: 111, INDIA

— Sarkar, et al, 1986: 178 India

-- SOLTANPOUR - GARGARI & WELLERSHAUS 1985: 190

Acartiidae - Calanoida.
Acartiella kempi Sewell, ♀♂.

subgenus Acartia

— — Sewell, 1914, p. 246: pl. 20, figs. 1-5: pl. 21, f. 4.
— — Steuer, 1915, p. 394.

Acartia — — Sewell 1932, p. 393

--, Shen & Lee, 1963, p. 585

--, ACADEMIA SINICA, 1979: 161

Habitat. Coast of India = Ceylon.

card 2

Acartiella kempi

--, Connell & Grindley, 1974, p. 93

ACARTIA (A.) -, MADHUPRATAP & HARIDAS, 1986: 111, INDIA

Acartiella keralensis Wellershaus figs. 37-44.

Acartia (Acartiella) keralensis Wellershaus 1969:265-267,
-- , Tranter & Abraham, 1971, p. 224-, figs. 2, 14, 16,

17, 18

-- Pillai, P.P. 1971, p. 165.

-- Goswami & Goswami, 1974: 109, 110-112, 113; TAB. 1-2

-- Madhupratap & Rao, 1979: 10

-- Madhupratap, et al 1975: passim.

-- Madhupratap, ~~et al~~ 1979: passim

-- Madhupratap, 1980: passim.

-- Madhupratap & Haridas, 1975: passim

-- Uve & KASHARA 1978: 112.

ACARTIA (-) -, MADHUPRATAP & HARIDAS, 1986: 111, INDIA

Acartiidae - Calanoidae

Acartiella major Seymour-Sewell, ♀.

— — Sewell, 1919, p. 13: pl. 9, f. 8: pl. 10, f. 2, 3, 6.

— — Sewell, 1924, p. 791: pl. 46, fig. 1.

Acartia — — Sewell 1932, p. 393

— —, Shen & Lee, 1963, p. 585

— — Pillai, P. D. 1971, p. 165, 171.

Habitat. Chilka Lake.

— — RANGA REDDY + RADHAKRISHNA 1982: 261

ACARTIA — —, MADHUPRATAP + HARIDAS, III, INDIA

Acartiidae - Calanoida -

Acartiella minor Seymour-Sewell, ♀.

— — Sewell, 1919, p. 15: pl. 9. f. 6; pl. 10. fig. 7.

— — Sewell, 1924, p. 791: pl. 46. fig. 2.

Acartia ——— Sewell 1932, p. 393

--, Shen & Lee, 1963, p. 585

-- Pillai, P.P. 1971, p. 171.

Habitat, Chilka Lake.

-- RANGA REDDY & RADHAKRISHNA 1982: 261

ACARTIA(-), MADHUPRATAP & HARIDAS, 1986: 111, INDIA

Acartiella natalensis (Connell & Grindley) 1974

-- Dussart 1989:14-15, range-Africa

Acartiella Sewelli

--, Shen & Lee, 1963, p. 585

-- Pillai, P.P. 1971, p. 165.

-- GOSWAMI 1983: 254-257, INDIA

ACARTIA (-)-, MADHU PRATAP & HARIDAS, 1986: 111, INDIA

-- Sarkar, et al, 1986: 178

-- OHTSUKA, UEDA & LIAN 1995: 156, 159, TAB. 1

Acartiella sinensis Shen & Lee, 1963

- n. sp., Shen & Lee, 1963, pp. 583-5, 594, figs. 30-40
off mouth of ZaiKong R., Lei-chou Pan-tas, China.
- , *ACADEMIA SINICA*, 1979: 162-163; FIG. 85
 - , Connell & Grindley, 1974, p. 93
 - Chen, 1980: table 1
 - SHEN & LEE 1966: 219
 - CHEN, Q.-C. & ZHANG 1986: 274, SOUTH CHINA SEA
 - CHEN, Q.-C. 1986: 524-
 - ORSI 1995: 16, TAB. I, CALIFORNIA, USA; INTRODUCED.

Acartiidae - Calanoida

Acartiella tortaniformis (Sewell). ♀

Acartiella Sewell, 1914, p. 245.

Acartiella Steyer, 1915, p. 394.

Acartia Sewell, 1912, p. 346; pl. 21, figs. 1-10.

Acartia _____ Sewell 1932, p. 393

-- Pillai, P.P. 1971, p. 165, 171.

Habitat. Gulf of Bengal:

ACARTIA (-) -, MADHUPRATAP & HARIDAS, 1986: III, INDIA