

in

Acontiocephoridae. — Cyclopoida.

Acontiocephorus

Brady, 1880.

A. scutatus ^(M.).

Syn. Solenostoma Brady & Robertson, 1873, p. 141.

Acontiocephorus Brady, 1880, vol. 3, p. 69.

Acontiocephorus Claus, 1889, p. 31 (357).

Acontiocephorus Sars, 1915, p. 110.

Acontiocephorus Giesbrecht, 1899, p. 103.

Acontiocephorus Giesbrecht, 1895, p. 179.

Cephalothorax 5 segts. Abdomen 3 segts. ♀, 4 segts ♂. 1st. antennae 11-16 joints in ♀. Siphon elongate, reaching 4th. thorax segt. or even to anal laminae. Mandibles styliform, coxopod ending in slender and flexible seta, distal region transformed into a long plumose seta. First maxillae bilobed, 2 lobes equal, armed with four long setae. Second joint of 5th. legs large and armed with 5 setae.

Acontiophorus Brady, 1880

card 2

- Stock 1987: 466, in key

- GOTTO 1993: 168-, DIAGNOSIS, KEY

- — Thompson, 1888a, p. 153: pl. 12, f. 6-11; pl. 13, f. 5-6.
-- synonym of A. scutatus see Eiselt 1969 p 182
-- HUMES 1989 f: 919

Habitat. Madeira -

Acontiophorus antennatus Hansen, ♀

- Hansen, 1923, p. 11: pl. 1, fig. 7, a-d
— Eiselt, 1969 p. 177
— Schirl, 1973: 77-79
— Humes 1989 f. 922

Habitat. Davis Strait - 1435 fath.

Acontiocephoridae - Cyclopoida.

Acontiocephorus armatus Brady, ♀.

Ascomyzon ornatum Brady & Robertson, 1875, p. 197.

Acontiocephorus armatus Brady, 1880³, p. 71: pl. 87, figs. 8-15.

— — Claus, 1889, p. 33: pl. 7, figs. 6-10.

— ornatus T. Scott, 1902, b, p. 472.

— Eiselt, 1969 (passim) p. 181

Habitat. British Seas -

-- GOTTO 1993: 168-, FIGS. 41J-L

— ornatus T. Scott, 1906, b, p. 358.

Acontiophorus bracatus - see Orecturus

Acantiphorus brevifurcatus Stock, 1966

— — Stock 1966

— — Eiselt 1969, p. 183

-- Humes 1989f: 922

Acontiophoridae - Cyclopoida

Acontiophorus elongatus T. & A. Scott, ♀.

— — T. & A. Scott, 1894, p. 145: pl. 9, figs. 15-20

— Thompson, 1895: 102

Habitat Firth of Forth.

Acontiophorus excavatus - see Orecturus

Acontiophorus maldivensis Sewell, 1949

1949---Sewell, R.B. Seymour, pp. 60-62, text-fig.

13, A-H.

-- , Eiselt, 1969 p. 183

-- Humes 1989: 922

Acontiophoridae - Cyclopoida.

Acontiophorus ornatus (Brady & Robertson), ①

— T. Scott, 1902, 3, p. 472.

Ascomyzon ornatum, Brady & Robertson, 1875, p. 197.

A synonym of Acontiophorus armatus.
(Brady, 1880, vol. 3, p. 72)

— Giesbrecht, 1897, p. 6 (sep.). 18.6a

Acontiophorus ornatus Hausen, 1923, p. 10: pl. I,

— Giesbrecht, 1895, p. 179.

Acontiophorus ornatus (Brady & Robertson, 1876) card 2

-- Humes 1989f: 922

Acontiophoridae - Cyclopoida.
Acontiophorus scutatus (Brady & Robertson), ♂. ♀.

Solenostoma scutatum T.B. & R., 1873, p. 141.

- A — scutatus Brady, 1880³, p. 69: pl. 90, figs. 1-10
— — Claus, 1889, p. 33: pl. 7, figs. 1-5.
— — Norman & Brady, 1909, p. 150.

Host. Free among algae. Norway Coast:
France: Mediterranean: Faroes.
British Seas.

- — T. Scott, 1906, b. p. 358.
— — Sars, 1915, p. 110 : pl. 67.
— — Giesbrecht, 1897, p. 6 (sep.).
— — Hansen, 1923, p. 10.
— — Giesbrecht, 1895, p. 179.
— — Thompson, 1893, p. 211 : pl. 26, f. 8, a-c.
— — Stephensen, 1929, p. 2.
— — Eiselt, 1969, p. 182
— STOCK 1960: 223, CAP BÉAR, FRANCE, ASSOC.
SPONGELIA FRAGILIS VAR. RAMOSA
— HUMES 1989 f: 922
— GOTTO 1993: 168-, Fig. 41E-I

Acontiophorus scutatus

(2)

- Hammond, 1973, p. 343, as A. scutatus
- Holmes 1983: 91, IRELAND

Acontiophorus tynani Eiselt, 1965

-- Eiselt 1965: 166 pl. 8

--, Eiselt, 1969, p. 183

-- HUMES 1989 f. 922

Acontiophoridae-Cyclopoida
Acontiophorus zealandicus Nicholls

--, Nicholls 1944, p. 20-22, fig. 8, S.-Australia ♀ ♂

New Zealand

--, Eiselt, 1969 p. 172

-- Humes 1989 f. 922