

in) Taeniacanthidae - Cyclopoida -

Anchistrotos.

Brian, 1906

A. gobi <sup>(M)</sup>.

Syn. Anchistrotos Brian, 1906, p. 32.

Eucanthus Claus, 1864, p. 378.

Anchistrotos, Wilson, 1911, p. 391.

ἀγκίστρος, armed with barbs or hooks.

Brian has spelled the name wrongly for this derivation; it should be Ankistrotos.

Anterior antennae slightly enlarged at the base, but lacking the r. a. curve characteristic of Bomolochus; 5-jointed (basal seg't divided into two); 2 first joints elongated.

First maxilla in normal position and provided with 2 slender processes prolonged backward - Cephalothorax armed, on v. side frontal margin, with two claws like those in Eucanthus.

TAENIACANTHIDAE:

(2)

Poecilostomatoida

ANCHISTROTOS BRIAN, 1906

- BAHARAMAN 1983b: 41

-, HUMES & DOJIRI 1984: 260

-, DOJIRI & CRESSEY 1987: 1-7, 142-143, DIAGNOSIS & KEY; 143,  
GIVE SYNONYMY; ASSECULA GURNEY A SYNONYM; TYPE-SPECIES

BOMOLOCHUS (ANCHISTROTOS) GOBII BRIAN

- KABATA 1992: 195-197, SYNONYMIZED WITH

TAENIACANTHUS & TRANSFERRED ALL BRITISH  
SPECIES TO I.

Anchistrotos aluteri Avdeev, 1977

- AVDEEV 1977: 132-135, FIG. 2, N. SP. HOST ALUTERA SERIOLA,
- Holmes 1985: 24. \ GULF OF CARMENTARIA
- DOJIRI & CRESSY 1987: 3, 4, 6, 10, 16-22, FIGS. 5-9,  
TRANSFERRED TO TAENIACANTHUS.

Anchistrotos balistae, (Claus), ♂. ♀.

Eucanthus ♂ —, Claus, 1864, p. 378: pl. 36, figs. 24-27.

— —, Claus, 1885, p. 353.

— —, Richiardi, 1880, p. 148.

— —, Brian, 1906, p. 25

Host. Gills of Balista sp.

Balistes caprisens, Toinn. (Richiardi).

Mediterranean.

Achistrotos b-, Wilson, 1911, p. 384.

Anchistrotos balistae Claus

card 2

-- Holmes 1985: 24.

-- DOJIRI + CRESSEY 1987: 26, 31, now in  
TAENIACANTHUS.

-- AUDEEV 1977: 135

-- HUMES + ROSENFELD 1960: 185

ANCHISTROTOS CALIGIFORMIS (GURNEY, 1927)

ASSECULA CALIGIFORMIS, GURNEY 1927 F: 477, FIG. 119 A-G,  
N. SP.; PORT SAID, AMONG WEEDS.

ANCHISTROTOS -, DOJIRI + CRESSY 1987: 143, 147, TRANS-  
FERRED TO ANCHISTROTOS; 152



ANCHISTROTOS CALLIONYMI - SEE IRODES

anchistrotos gobii, Brian ♀, ♂.

Ergasilidae.

①

— —, Brian, 1906, p. 32: pl. XIII, figs. 1-10.

— — Wilson, 1911, a, p. 392 (key).

-- HOLMES 1985: 24.

-- DOJIRI + CRESSEY 1987: 4, 6, 143-147, FIGS. 100-102, 161 A, B, REDES-  
CRIBED ♀; HOST Gobius cobitis, LEBANON

Host. Mouth cavity of Gobius capito, Cuv. & Val.

Naples.

Anchistrotos gobii Brian, 1906

card 2

-- Carli & Bruzzone 1973b: 129

-- AVDEEV 1977: 138

-- HUMES + ROSENFELD 1960: 185

Anchistrotos gracilis (Heller) - see Irodes

Anchistrotos hematus Rounds - see <sup>TAENIACANTHUS</sup>  
~~A.~~ laqueus

OR HAMATUS

ANCHISTROTOS KOJIMENSIS Do & Ho, 1983

-- DOJIRI & CRESSAY 1987: 143, 147-148

Anchistrotos laqueus - see Taeniakanthus

Anchistro+os lucipetus - see Taeniakanthus



Anchirotos - marchesetti, Della Valle, ♀.

Eucanthus m —, Della Valle, 1884, p. 1. no description

— —, Carus, 1885, p. 354.

— marchesetti, B-Smitk. 1903, p. 107.

— marchesetti, Brian, 1906, p. 25.

Host. Gills of Motella tricornata.

Mediterranean

Anchistrotos moa Lewis 1967

- , Ho & Dojiri, 1976, p. 259, fig. 3  
--, Lewis, 1967, pp. 10, 11, 13, 15, figs. 4, 5 - *n. sp.*  
-- Holmes 1985: 24.  
-- DOJIRI + CRESSAY 1987: 71, 76 - TRANSFERRED  
TO TAENIACANTHUS.

ANCHISTROTOS OCCIDENTALIS - SEE TAENIACANTHUS

Anchistrotos onosi - see Taeniacanthus

ANCHISTROTOS OSTRACIONIS - SEE TAENIACANTHUS

Anchistrotos pareupenei Uma Devi & Shyamasundari 1980

-- Holmes 1985: 24.

- PARUPENEI, DOJIRI & CRESSY 1987: 180, 184, SYNONYMIZED  
WITH IRODES UPENEI.

ANCHISTROTOS PLEUROMICHTHYDIS - SEE TAENIASTROTOS

ANCHISTROTOS SAURIDI - SEE IRODES



ANCHISTROTOS TRACHURI - SEE TAFENIASTROTOS

Anchistrotos upenei ~~Uma~~ Devi & Shyamasundari, 1980

-- Holmes 1985: 24.

-- DOJIRI + CRESSEY 1987: 176, 180, SYNONYMIZED WITH  
TRADES SAURIDI (PILLAI).

ANCHISTROTOS ZEUGOPTERI - SEE TAENIA-CANTHUS