

in)

caligidae. Caligoidea.

Anuretes

Heller, 1865.

A. heckelii<sup>(M)</sup>

Syn. Anuretes Heller, 1865, p. 186.

Caligus (pars) Kollar, 1835.

Tereophtheirus Krøyer, 1863 p. 110,

Anuretes Wilson, 1905, p. 647.

av primitiv, öupà = tail.

Carapace large, rounded; frontal plates without lunules. First and fourth swimming legs uniramous, second and third biramous; rudiments of a fifth pair. Gen. segt. rounded, cut away posteriorly; abdomen lacking, the anal laminae attached directly to ventral surface of gen. ségt.

Anuretes HELLER, 1865

2

--, Ho & Dojiri, 1977, p. 95-96

--, Price, 1968, p. 119

-, DOJIRI, 1983: 108-118

- DOJIRI & CRESSAY 1991: 604-, CF. ARRAMA N.G.

- PRABHA 1983: 50 -

ANURETES ANOMALUS Pillai, 1967

--, Pillai, 1967: 358-369

--, Hameed - Pillai, 1973c: 409

--, Hameed, 1976b: 42

--, Pillai, 19?, p. 1609-1610, fig. 116

-- PRABHA 1983: 68, Fig. 20

-- Pillai 1977: 53-

Anuretes anurus (Bere, 1936)

card 1

Eirgos anurus, Bere 1936: 593-, figs. 112-124, n. sp.

mouth of Chaetodipterus faber, Florida; type of  
Eirgos, n. gen.

Anuretes -, n. comb., Ho 1970: 107-109

E. -, Zwerner & Lawler 1972: 84, Chesapeake Bay, host  
C. faber

E. -, Hameed & Pillai 1973c: 409

E. anurus, Prabha 1983: 58, in Anuretes

E. -, Kabata 1988b: 5

A. -, Pillai, 1977: 58

Anuretes branchialis Rangnekar, 1953.

A. branchialis Rangnekar, 1953, P. Pl.

Anuretes branchialis Rangnekar, 1953

--, Pillai, & Mohan, 1965, p. 270, = Hemiochophilus  
branchialis

—Dojiri, 1983 : 126 - 132, fig 42-44

- Pillai 1977: 53 -

Anuretes fedderni n. sp.

--, Price, 1968, p. 119-122, figs. 1-14

Caligidae

Anuretes furcatus Capart

---- 1953, Capart, André, pp. 651-653, figs. 2, A-E

Anuretes heckelii, (KRÖGER, 1863)  
Kollar, ♀.

Caligidae.  
①

Caligus h-, Kollar, 1835,

Lepeophtheirus h-, Kröger, 1863, p. 110; pl. VII, fig. 4.

Anuretes h-, Heller, 1865, p. 186.

— —, B-Smit, 1899, p. 457.

— —, Causey, 1960, p. 328. Gills & opercular chamber of Chaetodipterus faber,  
Tuxpan, Veracruz, Mexico.  
Host. Gills of Ephippus gigas, Brazil.

— Wilson, 1905, p. 647; pl. 25, fig. 316-321,

--, Ho, 1970, p. 108

--, HAMEED & PILLAI, 1973c: 409

--, HAMEED, 1976b: 42

CALIGUS —, PARKEA, 1965: 363, TRANSFERRED BY  
KREYER, 1863-64

CALIGUS —, MARGOLIS ET AL. 1975: 37

CALIGUS —, CAUSEY 1955: 4, LOUISIANA, MISSISSIPPI,  
TEXAS, USA.

Anuretes heckelii (Kroyer, 1863) (2)

— Dojiri, 1983: 118–126, fig. 37–41  
— Pillai 1977: 58

Amuretes menehune Lewis, 1964

1964, Lewis. pp. 195-203, fig. 15a-o, 16a-e

--, Ho, 1970, p. 108

--, Lewis, 1967, pp. 75

--, Hameed, 1976 b: 42

--, Pillai, 1977: 58

Anuretes parvulus Wilson ♀

—. Wilson, 1913, p. 223; pl. 33, figs. 139-147.

--, Lewis, 1967: 91

--, Hameed, 1976b: 42

Host. Gills of Pomacanthus arcuatus

Dry Tortugas, Fla.

Anuretes perplexus B-Smith, ♀.

- — B-Smith, 1898, b, p. 89: pl. 5, fig. 3, a-e.  
— — B-Smith, 1899, p. 457.  
— — Wilson, 1905, p. 647 (in key).  
— — Hameed, 1976 b : 42

— — Pillai, 19? , p. 1610, fig. 117

Host. Gills of Toutjanius sp.

Ceylon.

Caligidae - Caligoidea

Anuretes pectorhynchi Yamaguti, ♀

— — Yamaguti, 1936, p. 15: pl. II, f. 172-183; pl. I2, f. 184-185.  
— —, Yamaguti, 1954, pp. 386-387. Gill of Plectorhynchus sp.,  
Macassar, Celebes.

Host. Gills of Plectorhynchus pictus (Thunberg).  
Japan

ANURETES PLECTORHYNCHI Yamaguti, 1936

--, Hameed, 1976: 42

Anuretes polyrhynchi Yamaguti, 1936

---, Ho, 1970, p. 108

Anuretes quadrilaterus Shiino, 1954

1954—Shiino, Sueo M., pp. 264-269, figs. 3-5.

Host: Zonopsis nebula (T. & S.).

— HAMEED 1976 b: 42

-- PRASHA 1983: 56 --

Anuretes renalis Heegaard

Anuretis ? renalis, Heegaard 1945, p. 10, ♀, Host:  
Diodon, Japan. (figs. 29-39)

-- PRABHA 1983: 56

HNUKETES ROTUNDIGENITALIS HAMEED, 1976

-- HAMEED, 1976: 39-42 ♀; FIG. 1-17; EX

DIAGRAMMA CRASSISPINUM GILLS (FISH)

Anuretes rotundus Prabha & Pillai 1983

-- Prabha & Pillai 1983: 26-29, figs. 133-144, n. sp.

♀ only; host Pomacanthodes imperator, Trivandrum,  
India

-- PRABHA 1983: 68, FIG. 21

Anuretes serratus Shiino

1954---Shiino, Sueo M., pp. 260-264, figs. 1 & 2.

Host: Xesurus scalprum C. & V. )

--- ---, Lewis 1964. pp. 188-195, fig. 13a-n, 14a-f

---, Lewis, 1967, pp. 75, 92

-- PRABHA + PILLAI 1983: 31

-- PRABHA 1983: 56

Anuretes shiinoi Prabha & Pillai 1983

-- Prabha & Pillai 1983: 29-31, figs. 145-153, n. sp.,  
♀ only; host Naso sp., Trivandrum, India