

~~Bomolochidae~~ Cyclopoida Ergasilidae.
Artacolax - valid

Wilson, 1908 - A. cornutus ①

Includes certain species formerly
called Bomolochus.

Αρτιάω, to hang on, and κόλαξ, a
parasite.

First seg't united with v head to form the
carapace = 2nd. free = 3rd & 4th fused together = 5th
free. Gen. seg't. enlarged a little - abdomen
narrow, linear. 1st anten. very large, basal
joint often armed with large spinous processes.
2^d ant. two-jointed: Mouth-organs close to anten.
2^d mspds large, lateral, with rather weak
terminal claw & without plumose setae -
no first maxillae = 2^d pair like those in
Bomolochus. 1st legs with very wide rami:
armed with large plumose setae: others like
Bomolochus -
Male like female - 2^d mspds armed with or-
dinary curved claw.

Artacolax Wilson 1908

considered a synonym of Bomolochus by
Stöck, 1953 (Beaufortia No. 24), pp. 11-12, figs. 45-47.

- BALARAMAN 1983a: 27-, INVALID



Artacolax ardeolae (Krøyer) - see Holobomolochus



Artacolax chatoëssi, (Kröyer), ♀.

Bomolochus chatoëssi, Kröyer, 1863, p. 214;
pl. XI, fig. 5, a-i.

— — —, B-Smitk, 1899, p. 442.

Artacolax — Wilson, 1911, p. 361 (key).

Host, Gills of Chatoëssa. sp

East Indies.



Artacolax cornutus - see Nothobomolochus



Artacolax cypseluri - see Nothobomolochus

Ergasilidae Cyclopoidea


Artacolax hirsutus (Hesse) ♀

Metopocatacotinus — Hesse, 1871, p. 15: pl. 2, figs. 7-10

Metopocatacoptinus, Zoolog. Record, 1872 -

Artacolax — Wilson,

Host. Gills of Belone vulgaris, French Coast.



Artacolax ideolae - see Holobomolochus

Artacolax lateolabracis Yamaguti & Yamasu, 1959

n. sp. Yamaguti & Yamasu, 1959, pp. 90-92, pl. I,
figs. 1-11



Virgastillac - Cyclopoidea,

Artacolarax monodi Brian. ♀

— — Brian, 1924, p. ³⁷² 11: text - figs. 7, 9-12.

-- CARLI & BRUZZONE 1973b: 130

BOMOLOCHUS -, N. OOMB, VERVOORT 1962: 91

Host. Gills of Tetrodon laevigatus.

Mauritania



Artacolax palleucus Wilson - see Holobomolochus

Artacolax saetiger - see Nothobomolochus

Artacolax scumberesocis (Kröyer) ♀.

Bomolochus 5—, Kröyer, 1863, p. 217:
 pl. IX, fig. 5 a—f.

— — B. Smith, 1899, p. 442.

— —, Thompson & Scott, 1903, p. 293.

Host. Gills of Scomberesox cauperi, Atlantic
 " " Caranx leptolepis. Ceylon

— — Wilson, 1911, p. 361 (key).

-- DELAMARE DEBOUTTEVILLE + NUNES-RUIVO
1958: 217, ON SCOMBERESOX RONDELETTI, MEDITERRAN.

Artacolax unicirrus (Richiardi) ♀
Bomolochus —. Richiardi, 1880, p. 147, no description
or figs.
— —, Carus, 1885, p. 353.
— —, Brian, 1899, d, p. 197
— —, Brian, 1902, p. 30; pl. I, figs. 1-8
— —, Thompson & Scott, 1903, p. 293.

Host, Gill cavity of Lichia glauca, L. ami
and Amphisile scutata -

Ceylon -
(over).

— — Brian, 1906, p. 30.

Artocolax —, Wilson, 1911, p. 361 & 366 (key).