

in ^{Monstrellidae - Eupurostomidae}
^{Siphonostoma} Aspidoecia. ^{NICOTHOIDAE.} valid - Gaid & Bonnier ^(M)
Gaid & Bonnier - 1889 - A. normani.

Syn. Aspidoecia G. & B., 1889, p. 342.
Aspidoecia Hansen, 1897, p. 184

Ἀσπίς = a shield and οἶκος = dwelling upon
or inhabiting.

Aspidoecia Giard & Bonnier, 1889

card 2

- Gotto 1993: 182-, diagnosis

^{Monstrilloida - Chonistomataceae}
^{Siphonostomatoida}
Aspidoecea normani. G. & B. ♀. ♂.

— —, Gies & Bonnier, 1889^a, p. 903.

— —, " " , 1889^b, p. 342; pls. X, XI.

— —, " " , 1895, p. 479.

— —, Hansen, 1897, p. 187; pl. XII, figs. 3a-n.

Host. Aspidophryxus cariei. G. & B.

The genus Erythropo (Hansen).

(both Crustacea)

1. Aspidophryxus peltatus. G. & B.

Norway
Coast.

— — T. Scott, 1898, p. 279.

— — T. Scott, 1906, b, p. 375.

--, Giard & Bonnier, 1889, p. 903

-- GOTTU 1993: 182-, FIG. 45 E-H