

17/
Briarella, ~~Σπιρανκλιοτροφιαδε - Αεφνασοροδοαοδα~~
Bergh, 1875. Poecilestomatoida (M)
B. microcephala.

Syn. Briarella Bergh, 1875, p. 408,

"Anthescheridae"

-- BELCIK 1981: 22-24

- HARDING 1964: 286

- HUYS 2001: 106 -, TRANS-
PHILOBLENNIDAE

FERRED TO FAMILY

Chondracanthidae - Lerna eopodoida
Splanchnotrophidae

Briarella disphaerocephala, Monod & Dollfus. ♀.

— — Monod & Dollfus, 1932, p. 169: figs. 20, A-B: 22,
A-B: 23, A-H: 24, A-D: 25: 26, B-D: 27.

-- JENSEN 1987: 76-

-- HUYS 2001: 135-136

Host. Platydoris cruenta: Centrodoris inframaculata

Splanchnotropidae - Kernaepoda

Briarella microcephala Bergh, ♀

-- Bergh, 1875, p. 409: pl. 49, figs. 11-13

-- Monod, 1928, p. 8, 13.

-- Monod & Dollfus, 1932, p. 167: fig. 17, D.

-- JENSEN 1987: 76-

-- HUYS 2001: 135-136

Host. Urinary cavity of Ceratosoma
trilobata

Red Sea.

Chondracanthidae - Lernaeopoda.
Splanchnostrophidae

Briarella risbeci Monod ♀

- — Monod, 1928, p. 9: figs. 5A-8, 10.
— — Risbec, 1928, p. 37: fig. 1. Nos. 2-4: fig. 1, bis, No. 4.
— — Monod & Dollfus, 1932, p. 168: figs. 21:24, E-F: 26A.
— — JENSEN 1987: 76—
— — Huys 2001: 135-136

Host, In Platydoris cruenta & Hexabran-
chus marginatus.

New Caledonia,

BRIARELLA spp.

-- JENSEN 1987:76-