

in

Cancerillidae - Cyclopoidea.

Siphonostomataida (M)

Cancerilla

Dalyell, 1851

C. tubulata.

Caligidium vagabundum - Claus. 1889

Th. & A. Scott, 1893 -

Cancerilla Dalyell, 1851, p. 223.

Cancerilla G.O. Sars, 1915, p. 138.

Cancerilla Giesbrecht, 1899, p. 112.

♀. Ant. body swollen - semi-elliptical to heart-shaped - Abdomen 2-segts - 1° Ant! 6-jointed - 2° Ant! without Re, Mds. flattened at end & finely toothed. 10 mx 1-jointed - End claw of 2° mx. 1-joint - Legs rudimentary - 1° + 2° pair with 1-jointed rami. 3° pair stumps. Egg mass spherical, 15 to 17 eggs -

♂ Body elongate, narrowed from Thorax 3 - Abdomen 4-segts. 10 ant! 9-joints - 1° + 2° legs of normal size, with setae! Re of 1° leg one joint, Ri 2 joints! both rami of 2° legs 3-joints.

CANCERILLA DALYELL

- , CHANGEUX 1960: 112
- CHANGEUX 1957: 303 -
- HUMES & HENDLER 1972: 545, LIST SPP.
- GOTTO 1993: 176-, DIAGNOSIS

Cancerilla alata Heegaard

1951---Heegaard, Poul, pp. 174-176, figs. 2 a-l.

--, Humes & Hendler, 1972, p. 545

-- BARTSCH 1975: 292

-- CHAMGFUX 1957: 307-

-- CARTON 1968: 11

Cancerilla ampla Heegaard

1951---Heegaard, Poul, pp. 172-174, figs. 1 a-l.

--, Humes & Hendler, 1972, p. 545

--, Stock, Humes & Gooding, 1963, p. 10

--, Carton, Y., 1968, p. 11

-- *CHANGEUX* 1957: 307-

-- *BARTSCH* 1975: 292, 293.

Asterocheridae - Cyclopoida

Cancerilla durbanensis Stephensen, ♀,

— — Stephensen, 1933, p. 198: Fig. 1.

--, Humes & Hendler, 1972, p. 545

--, Stock, Humes & Gooding, 1963, p. 9-10

--, Bartsch, I., 1975, p. 292, 293

--, Carton, Y., 1968, p. 11

Host. Amphipholis squamata D.Ch. Durban.

--, KENSLEY, 1970: III

Cancerilla durbanensis

2

--, Carton, Y., 1968, p. 11

-- CHANGEUX 1957: 307-

Asterocheridae - Cyclopoidea

Cancerilla neozelanica Stephensen. ♀

— — Stephensen, 1927, p. 377: fig. 32. 1-4. text.

--, Humes & Hendler, 1972, p. 545

--, Stock, Humes & Gooding, 1963, p. 9-10

Habitat. On Amphipholis squamata

--, Carton, Y., 1968, p. 11

--, KENSLEY, 1970: 111

New Zealand.

--, Bartsch, I., 1975, p. 292,293

- NEOZELANDICA, CHANGREUX 1957: 307 -

Cancerilla oblonga Bartsch

--, Bartsch, 1975, p. 290-293, Fig. 1-13

Cancerilla oblonga n . sp.

Cancerilla tubulata Dalyell, ♀.

— — Dalyell, 1857, p. 223: pl. 62, figs. 1-5.

— — Giard, 1879, p. 452.

— — Giard, 1887, p. 148

Caligidium vagabundum Claus, 1889, p. 36: pl. 1, figs. 1-7.

— Thompson, 1895: 101

Host. Amphiuma squamata: British Isles:
French Coast: Mediterranean: Norway.
Wimereux.

— — Canu, 1892, p. 255: pl. 29, §. 5-13.

— — T. Scott, 1902, b, p. 473: pl. 25, §. 7.

— — I. C. Thompson, 1893, p. 101.

Caligidium vagabundum T. & A. Scott, 1893, p. 343.

— — Canu, 1892, p. 256.

— — Giesbrecht, 1899, p. 95 & 112: pl. 10, §. 1-11.

— — Sara, 1915, p. 139: pl. 80.

Cancerilla tubulata, Giesbrecht, 1897, p. 12 (sept)

— — —, Bocquet, 1952, p. 497. On *Amphipholus squamata*. Roscoff.

— — —, Zavodnik, 1960, pp. 81-83. On *A. squamata*. Adriatic.

— — —, Carton, 1968, pp. 11-27, figs. 1-9

Cancerilla tubulata Dalyell, 1851

card 2

--, Humes & Hendler, 1972, p. 545

--, Gotto, 1966, p. 195

--, Bartsch, I., 1975, p. 293

--, Carton, Y., 1968, pp. 12, 15, 19, 21, 22, 24, 25, 26,
27,

-- Hamond, 1973, p. 343.

--, KEESLEY, 1970: III EX AMPHIPHOLIS SQUAMATA

-- Laubier, 1959: 318

-- LONNING & VADER 1984: 133

-- KEESLEY & GRINDLEY 1973: 122

Cancerilla tubulata Dalyell, 1851

card 3

-- Izawa 1987: 154-

-- STOCK 1960: 234, CAP BÉAR, FRANCE, ASSOC.

AMPHIURA SQUAMATA

-- CHANGEUX 1957: 305-

-- MCKINNON 1988: 1000

-- GOTTO 1993: 176-, FIG. 43 K-N

-- RAIBAUT 1985: 241-, FIG. 4, CYCLE; 254

Cancerilla sp. Mortensen 1940.
Dan. Sci. Invest. Iran, Pt. III, p. 71

on 3 specimens of Ophiactis

parva Mortensen.