

n)

~~Lernaeopodoida - Lernaeopodidae~~
~~Siphonostomatoida~~
valid

Clavellisa,

Wilson, 1915-

C. spinosa [Ⓢ].

Syn. Clavellisa Wilson, 1915, p. 693,
Anchorella (pars) Krøyer: Kurz.

Clavella and the ending 'os' = likeness.

Clavellisa

- , Kabata, 1967, p. 1299
- CASTRO & BAEZA 1984: 693-694
- FRYER 1978a: 345
- CRESSEY ET AL. 1983: 232-
- KABATA 1988: 43, 64, DIAGNOSIS
- KABATA 1988b: 7
- Dojiri & Deets 1988: 682
- KABATA 1992: 126, DIAGNOSIS, KEY TO BRITISH SPECIES.

Clavellisa cordata, new species ①

—, Wilson, 1915, p. 697, pl. 26, fig F: pl. 50,
Fig. 187: pl. 52, figs. 201-208.

—, Wilson, 1932, p. 518: fig. 307.

-- Chordata, Pillai 1962. pp. 78-79, fig. 13

--, Ho, 1977, p. 8, 12, fig. 11

Host. Gills of Hickory Shad, Pomolobus
mediocris.

Woods Hole. Mass.

--, Pillai, 1967, p. 1663-1664, fig. 249

CLAVELLISA CORDATA WILSON, 1915 CARD 2

-- RUBEC & HOGANS, 1987: 1559-1563, FIGS. 1-17,
REDESCRIBED - EASTERN CANADA, HOSTS ALOSA
AESTIVALIS & A. PSEUDOHARENOS.

-- KABATA 1988: 64, FIG. 306, H; HOST LIST.

Ternaeopodidae-Ternaeopodoidea

Clavellisa dorosomatis Yamaguti ♀

— — Yamaguti, 1939, p. 564: pl. 53, f. 202-203; pl. 54, f. 204-206

Host. Gills, *Dorosoma thrissa* (Linn.)

Take Hamana, Japan.

Clavellidae-Lernaeopodoida

Clavellisa dussumieriae Gnanamuthu

Gnanamuthu, C.P.-- 1947, --- pp. 748-754, 7 text-figs.

-- --, Pillai 1962. pp. 76-78, fig. 12

-- --, Pillai, 1967, p. 1663, fig. 250

Lernaeoidea — Lernaeopodidae.

Clavellisa emarginata (Krøyer) ♂♀.

Anchorella —, Krøyer, 1837, p. 287, pl. 3, fig. 7, a-e.
See card Anchorella emarginata.

Clavellisa —, Wilson, 1915, pp. 669, 694.
Anchorella — Pearson, 1906, p. 30.

Host Gills of Alosa (Clupea) finca, etc. Anar-
rhicus lupus; Clupea pontica; Scorpaena porcus;
Atherina hepsetus; Alosa vulgaris; Tagellus centro-
doutus.
Norway.

- — Carus, 1885, p. 377: M-Edwards, 1840, p. 51
 — — v. Beneden, 1851, p. 113: pl. 6, fig. 4-6: 1861, a, p. 15
 — — Krøyer, 1863, p. 309: Olsson, 1868, p. 45.
 — — v. Beneden, 1870, p. 68: pl. 2, fig. 4.
 — — McIntosh, 1874, p. 262: Vogt, 1877, p. 432.
 — — Kurz, 1877, p. 398: pl. 25, fig. 8-11: pl. 26, fig. 26-28: pl. 27, fig. ³¹⁻³43-
 — — Valle, 1880, p. 79: Stossich, 1880, p. 269.
 — — B. Smilt, 1896, a, p. 163: 1899, p. 503.
 — — Briau, 1898, p. 22: pl. 4, fig. 20.
 — — T. Scott, 1900, p. 176: pl. 8, figs. 49-51.
 — — Hofer, 1904, p. 188: Richiardi, 1880, p. 152
 — — Pillai, 1962. pp. 74-76, fig. 11

Clavellisa emarginata

- —, Pillai, 1967, p. 11663, fig. 248
- , AULOQUE, 1899: 205, or ANCHORELLA EMARGINATA
- FRYER 1978a: 365
- RUBEC & HOGANS 1987: 1563
- ANCHORELLA -, NERESHKIMER 1909b: 80, FIG. 335, GERMAN
- FRYER 1982: 10, BRITISH COASTS
- KABATA 1992: 126, FIG. 28A-D, SYNONYMY, HOST LIST

Clavellisa ilishae Pillai

-- -- Pillai, 1962. pp. 79-80, fig. 14

— —, Pillai, 1967, p. 1664-1665, fig. 251

-- KENSLEY & GRINDLEY 1973: 116

-- Leaman & Kobata: 1987 2582

Clavellisa cf. ilishae Pillai

-- Kensley & Grindley 1973: 115-116, fig. 32a-f, ♀♀ from
Sardinops ocellata, False Bay, South Africa; p. 127.

Clavellisa obcordatus Rangnekar

1957---pp. 17-19, text-fig. 6, a-d.

— —, Pillai, 1967, p. 1665, fig. 252

Clavellisa ovalis (Krøyer) ♀ 1837
Bernaepodidae.

Anchorella —, Krøyer, 1837, p. 289: pl. 3. fig. 6 arb.

— —, Krøyer, 1863, p. 383.

— —, M-Edwards, 1840, p. 519.

Clavellisa o —, Wilson, 1915, p. 670. and 696.

Host, Gills of Trigla gurnardus

Locality unknown.

Anchorella — P.S. v. Beneden, 1870, p. 31: pl. 2, fig. 8,

= C. emarginata, Kabata, 1973, p. 10.

— —, Nunes-Ruivo, 1957, p. 105, fig. 5

— —, Aclouque, 1899: 205, as ANCHORELLA OVALIS.

CLAVELLISA PELLONE

-- RUBEC + HOGANS 1987: 1563

Clavellisa scumbri (Kurz) ♀

Dernaeopodidae.

①

Anchorella — Kurz, 1877, p. 403: pl. 25, figs. 12, 35, 41.

See card Clavella scumbri.

Clavellisa s., Wilson, 1915, pp. 670, 694

--, Kabata, 1968, p. 518

Host. Gills of Scomber scomber

Europe.

--, CRESSEY + CRESSEY 1980: 45: Figs 95-108

CLAVELLISA SCOMBRI (KURTZ, 1877)

(2)

-- RUBEC & HOGANS 1987:1559

-- KABATA 1992:128, FIG. 28 F-F, SYNONYMY, HOST LIST

-- SOMDAL & SCHRAM 1992:25, EX SCOMBER SCOMBRUS,
NE ATLANTIC

Clavellisa spinosa, new species.

—, Wilson, 1915, p. 694, pl. 50, figs. 188, 189:
 pl. 52, fig. 200.

— Wilson, 1932, p. 517: fig. 306.

Host Gills of Menkaden, Brevortia
tyrannus
 Beaufort, N.C.

Clavellisa spinosa

card 2

--, Ho, 1977, p. 8, 12, fig. 10

-- RUBEC & HOGANS 1987: 1559, 1563

-- ZWERNER & LAWLER 1972: 85, CHESAPEAKE
BAY, HOST BREVORTIA TYRANNUS

-- KABATA 1992: 124