

Congericola

van Beneden, 1854.

Dichelestiidae. Caligoidae.

C. pallida ^(M)

Syn. Congericola Beneden, 1854, p. 583.

Cyenus (preoccupied) M. Edwards, 1840, p. 49.

Congericola T. & A. Scott, 1913, p. 124.

Congericola Norman, 1903, p. 369.

Conger = an eel: cola = inhabiting.

Congericola Wilson, 1922, p. 57.

Hatschekiidae: Siphonostomatoid

CONGERICOLA VAN BENEDEEN, 1854

2

- RAIBAUT 1982: 321
- KABATA 1988b: 7, ORIGIN OF NAME
- CASTRO & BAEZA 1989a: 139
- KABATA 1992: 162, DIAGNOSIS

Congericola gracilis, M-Edwards, ♀.

- ^{us} — —, M-Edwards, 1840, p. 496; pl. 41, fig. 1.
 — —, Heller, 1865, p. 216; pl. xxii, fig. 6.
 — —, " , 1866, p. 754.
 — —, Carus, 1885, p. 366.

Host. Gadidae.

An unknown fish (Heller).

Adriatic.

—, B-Smith, 1899, p. 475.

—, Valle, 1880, p. 67. Gills of Cerna gigas Bp

—, Stossich, 1880, p. 262.

Ygnus —, Szidat, 1955, p. 15.

CONGERICOLA CONGERI (YAMAGUTI & YAMASU, 1959)
METAHATSCHKEA -, YAMAGUTI & YAMASU 1959: 131-132,

PL. XII FIGS. 256-265, N. G. N. SP.

C. BOXSHALL 1987: 197

CONGERICOLA KABATAI

1976

-- BOXSHALL 1987:197

Congericola pallida^{us}, T. J. van Beneden, ♀. ♂. Dichelestiidae.

pl. n.n. figs. 1-6

Congericola pallida, T. J. van Beneden, 1854, p. 583
—, —, 1861, p. 148 : 1870, p. 82.

—, E. van Beneden, 1870, a, p. 227: pl. n.n.
Cygnus pallidus, B. Smitt, 1899, p. 475.

C. pallidus, Hewitt, 1969, p. 24-27, Fig. 78-88
Host. Gills of Conger vulgaris.

European Seas.

(over)

us —, T. Scott, 1900, p. 160 : 1901, p. 127.

— —, A. Scott, 1901, a, p. 350.

— —, A. Scott, 1904⁶, p. 120 : 1904. a. p. 40

Cygnus pallida, B. Smith, 1896, a, p. 159.

Cygnus pallidus Brian, 1898, p. 15.

— — Carus, 1885, p. 366.

— — Brian, 1924, p. 39

--, Beneden & Bessels, 1868?, p. 43

Congericola pallidus

card 2

--, Hewitt & Hine, 1972, p. 82

- PALLIDA, DELAMARE DEBOUTTEVILLE & NANNES-
RUIVO 1958: 225-226, FIG. 6 a-f, ON CONGER
VULGARIS, BANYALS-SUR-MER, FRANCE

-- KABATA 1992: 162, 163; FIG. 36 I-K, DISTRIBUTION,
SYNONYMY, HOST LIST

-- BOXSHALL 1987: 197