

Cylindropsyllidae Sars, 1903-11

①

- Krishnaswamy 1957d:90-91
- BODIOL 1977: 282-285, NOTOPONTIA, N.G.
- BODIOL & COLOMINES 1986: 61-63, KEY TO GENERA
- WILLEMS 1981: 200-, BOREOPONTIA N.G.
- WILLEMS & CLAEY 1982: 1-, SYRTICOLA N.G.; LIST OF
GENERA.
- COTTARELLI 1971: 57-70, ICHNUSELLA N.G.
- COTTARELLI ET AL. 1986: 170; PARASEWELLINA N.G.

Harpacticoida

Cylindropsyllidae Sars, 1903-11

card 2

- Huys & Conroy-Dalton 1993: 273, 283-284, n. gen

Willemsia; revised Boreopontia; NAVALONIA N. GEN.

- Huys 1992: 70 -

- MARTINEZ ARBIZU + MOURA 1994: 55-77,

FAMILY INVALID.

CYLINDROPSYLLIDAE SP.

-- CRANDELL 1967: 38-, YAQUINA BAY, OREGON

Canthocamptidae-Harpacticoida
Subfam. CYLINDROPSYLLINAE, ~~nov.~~ SARS, 1909

_____ Lang 1948, p. 1195

-- Huys 1992: 70-

- Huys & Willemis 1993: 347, LIST OF GENERA

- MARTINEZ ARBIZU + MOURA 1994: 55, TRANSFERRED
FROM CYLINDROPSYLLIDAE TO C-ANTHOCAMPTIDAE.

CYLINDROPSYLLUS BRADY

CARD 2

- BODIQU & COLOMINES 1986: 62, IN KEY
- WILLEMS & CLEAY ~~1992~~: 1982: 5 -
- HUNTS & CONROY-DALTON 1993: 293
- HUNTS & WILLEMS 1993: 347-353, REVISION, KEY; DEFINE
LAEVIS - & REMANEI - GROUPS
- MARTÍNEZ ARBIZU & MOURA 1994: 73; TRANSFER TO
CANTHOCAMPTIDAE (CYLINDROPSYLLINAE)

Cylindropsyllus brevicornis Van Douwe - see Leptocaris

Cylindropsyllidae - Harpacticoida

Cylindropsyllus fairliensis T. Scott, ♀.

— — T. Scott, 1899. b. p. 258: pl. 10, figs. 11-14: pl. 11, figs. 1-4

Habitat. Clyde & Moray Firth.

Cylindropsyllus govaerei Huys & Willems, 1993

-- Huys & Willems 1993: 347, 348, 351-353, figs. 3,4,
n. sp. male only; Bay of Calvi, Corsica

Cylindropsyllus ibericus Huys & Willems, 1993

-- Huys & Willems 1993: 347, 348-350, figs. 1,2, n. sp.

male only; beach, Peniche, Atlantic coast of Portugal

Cylindropsyllus kunzi Huys, 1988

-- Huys & Willems 1993: 347- 353

Cylindropsyllidae—Harpacticoida.

Cylindropsyllus laevis Brady, ♀.

— — Brady, 1880, vol. 3, p. 30: pl. 84, figs. 1-8.

— — T. Scott, 1892, p. 258: pl. 13, figs. 1-18.

— — Norman & Brady, 1909, p. 121.

— — T. Scott, 1902, b, p. 468.

--, COLL., 1971: 224

Habitat. English coast (Brady); Norway
Coast (Sars);

- — T. Scott, 1906, b, p. 341.
— — Sars, 1910, p. 321: pl. 215.
— — Thompson, 1893, p. 206: pl. 25, f. 6, a-b.
— — Monard 1935a, p. 87, Roscoff, France.
— —, NOODT, 1955, P. 152-53.
— —, NOODT, 1955, P. 98.
— —, LANG, 1948, P. 1195.
— —, Klie, 1950, p. 112
— —, BOBIN, 1968: 271, 276
— —, WELLS, ET AL., 1975: 189
— —, Coffin, 1978-79, p. 593
— — Hocutt 1984: 319-20, ENGLAND

Cylindropsyllus laevis

card 2

- Huys and Boxshall, 1988:205-211, Skagerrak

- HUYS & CONROY-DALTON 1993: 293
- HUYS 1992: 75-
- HUYS & WILLEMS 1993: 347-353
- MARTÍNEZ ARBIZU & MOORA 1994: 73
- CARMAN & DOBBS 1997: 121, TAB. 1

Cylindropsyllidae - Harpacticoida.

Cylindropsyllus minor T. Scott.

— T. Scott, 1892, p. 260: pl. 11, fig. 17-24.

— T. Scott, 1900, b, p. 349: pl. 14, fig. 23-32.

— T. Scott, 1906, b, p. 341.

Stenocaris — Sars, 1911, p. 434: suppl. Pl. 50, (14 figs.)

Habitat. British Seas.

CYLINDROPSYLLUS REMADEI (KUNZ, 1949)

- , BOBIN, 1968: 276
- , COULL, 1971: 224
- HAYS & WILLEMS 1993: 347-353

in ~~Cylindropsyllidae~~ — Harpacticoida.
CANTHOCAMPTIDAE

Cylindropsyllus, valid.

Brady, 1880

C. laevis ^(M)

Syn. Cylindropsyllus Brady, 1880³, p. 30, vol. 3.

Cylindrosoma Brady, 1878, vol. 1, p. 31.

Cylindropsyllus G. O. Sars, 1909, p. 320.

Κύλινδρος, cylinder, ψύλλα = flea —

♀ of equal width thruout, abdomen as wide
as cephalothorax and not separated from it.
with 4 joints. 1^o antennae short, 5-jointed.
2^o pair 2-jointed, without accessory ramus.
Posterior mixed. small, with apical curved
spine and marginal setae. First 4 pairs
of legs with Exopod 3-jointed and endopod
2-jointed; 5^o legs rudimentary, 1-jointed,
foliaceous.