

SUPERFAM. CENTROPAGOIDEA — CALANOIDA ①

Diaptomidae ~~Shoemaker, 1907~~ BAIRD, 1850

- , key, Alfred, et al., 1973, p. 137, 140
- STELLA 1984: 33-34, DIAGNOSIS, KEY TO ITALIAN GENERA.
- STELLA 1982: 29-30, DIAGNOSIS, KEY TO ITALIAN GENERA.
- MAUCHLINE 1988: 699, 712
- DUSSART 1989: 6, 15 - KEYS TO AFRICAN SPECIES
- RAJENDRAN 1973: 106 - , KEYS TO INDIAN SPECIES
- RAYNER 1992: 303-306, DIAGNOSIS, KEY TO AFRICAN GENERA
- GAVIRIA 1989: 113, 116, COLOMBODIAPTONUS N.G.
- BORUTZKY ET AL. 1991: 142-144, DIAGNOSIS, KEYS, spp.-USSR

Diaptomidae Sars, 1903 BAIRD, 1850

card 2

- Borutzky et al. 1991: 1-501, new taxa:

Hemidiaptomus (Occidodiaptomus) Borutzky, subgen. nov.

Arctodiaptomus (Mesodiaptomus) Borutzky, subgen. nov.

Diaptomus (Chaetodiaptomus) Stepanova, subgen. nov.

Neutrodiaptomus (Mariaediaptomus) Stepanova, subgen. nov.

- Kiefer 1968: 9, 70, Copidodiaptomus gen. nov.

- KIEFER 1978: 156-157, DUSSARTIUS GEN. NOV.

- LIGHT 1938: 71, LEPTODIAPTONUS N. SUBGEN.

Diaptomidae ~~Sars, 1903~~ BAIRD, 1850

card 3

- Wilson, M.S. 1951: 168, Psychrodiaptomus Kiefer a syn.  
of Leptodiaptomus Light.

- SANTOS-SILVA ET AL. 1994: 121, KERALADIAPTOMUS N.G.  
- REID 1997: 581, 582-594, ASTRINODIAPTOMUS N.G.

DIAPLOMIDAE G. sp.

---, Borutzky 1960: 199

## DIAPATOMIDAE - CALANOIDA

DIAPTOMINAE KIEFER, 1932. SARS, 1903, S. RESTR. KIEFER, 1932

- STELLA 1984: 33-39, DIAGNOSIS, KEY TO ITALIAN GENERA
- DUSSART 1989: 41-, DIAGNOSIS, KEY TO AFRICAN GENERA
- RAYNER 1992: 304, DIAGNOSIS
- KIEFER 1978C: 76-77, DIAGNOSIS, KEY TO EUROPEAN SH.
- BORUTZKY ET AL. 1991: 154-, DIAGNOSIS, RAYS-GENERA
- LIGHT 1939: 473-484, NEW SUBGENERA..

CALANOIDEA

SUPERFAMILY DIAPTOPOIDEA BAIRD, 1850

- ANDRONOV 1991: 133-134, NAME CHANGED FROM  
CENTROPAGOIDEA GIESBRECHT, 1892

Diaptomus valid.

Westwood. 1836

D. castor.

D., WESTWOOD 1836: 228, N.G., TYPE CYCLOPS CASTOR

Syn. Glaucea Koch, 1836. Heft. 35.

Cyclopsina M-Edwards (pars).

Diaptomus Westwood, 1836, art "Cyclops"  
Pontie Ouchakov, 1855.

Diap., through and irrapai, to fly.

Diaptomus G.O. Sars, 1902, p. 84

Diaptomus Brady, 1878, p. 58.

Diaptomus Westwood, Schmeil, 1896, p. 10.

Body slender : urosome in ♀ 3-jointed -  
1° antennae slender, sometimes longer than  
the body. Exopod of 2° antennae longer than  
endopod. Legs variously modified in  
the several species.

Monoculus (pars), Linnaeus, 1758, p. 634.

Cyclops (pars), Müller, 1776, p. 200.

Diaptomus Schacht, 1897, p. 97.

Omettia Tempteton, 1838, p. 118.

Glaucea Koch, 1835-41, fasc. 35.

Diaptomus

(2)

Cyclopsina (pars) M-Edwards, 1840, p. 427

Cyclopsine Claus, 1858, p. 1.

Pontia (pars) Ouchakov, 1855, p. 245

Diaptomus Giesb. & Schmeil, 1898, p. 66.

Diaptomus Claus, 1863, p. 200

Diaptomus Kiefer, 1932, p. 463.

DIAPTONUS WESTWOOD

CARD 3

- , BORUTZKY, 1960: 17, 18
- , CLAUS 1893e: 298-301, 334, Pl. III, FIG. 5, 16, 17
- ZIEGELMAYER 1925: 494, 500
- LABBÉ 1929: 614, 615
- KAMAL & ARMITAGE 1967: 572-573
- GRANDORI 1913: 364
- STELLA 1984: 21, 25, 34-35, DIAGNOSIS, KEY TO ITALIAN spp.
- HUMES 1955: 441, 454, 457
- VANDER PLOEG ET AL. 1987: 1899-

Diaptomus

card 4

--, Miegel, 1960, p. 15 (tbl. 5)

--, Rosenthal, 1972, p. 159

--, Scheffer, 1933, p. 24 (tbl. 1)

--, Wilson, M.S., 1953, p. 1-30

-- GRINDEY 1984:222

-- RANGA REDDY + RADHAKRISHNA 1981:161.

-- SPRULES 1984:322.

-- SMITH + FERNANDO 1980b: 9-10; KEY TO CUBAN spp.

-- DAVIS 1967: 1685, EGG HATCHING.

Diaptomus

- , Rader, 1970, p. 97
- , Pesta, 1928, pp. 32-3, key
- , Robertson, 1975, pp. 206-215.
- , MAIN, 1962 : 34, 84, 107, 110
- , GAUD, 1966 : 313, 17, 24, 33
- , BALDI 1936 : p. 836. Key to genus.
- , CLAUS 1893 : 224.
- , Sawchyn & Hammer, 1968, p. 511-520
- , Moore, 1913, p. 131-133
- , Hunt, 1952, p. 16, 22
- , Holmquist, 1973, p. 53

DIAPTONUS WESTWOOD, 1836

CARD 6

- HAUCHLINE 1988: 712-, PORE SIGNATURE
- DAMKAER 1988: 137-
- BALCER ET AL. 1984: 81-82
- BLADES - ECKELBARGER 1986: 36
- BJÖRNBERG, T. 1986: 61
- Mahoon & Zia, 1985: 253
- WECKER 1914: 191-196, DIAGNOSIS, KEY TO N.A. SPECIES
- VAN DOUWE 1909: 6 - 8, DIAGNOSIS, KEY - EUROPEAN spp.
- KABATA 1988b: 4, ORIGIN OF NAME

Diaptomus Westwood, 1836

card 7

- Dussart 1989:41-42, diagnosis
- FERRARI 1991:117-, DEVELOPMENT
- WILLIAMSON 1991: 788-
- KIEFER 1978c: 77-, DIAGNOSIS, KEY TO EUROPEAN spp.
- BORUTZKY ET AL. 1991:150-, DIAGNOSIS, KEY- USSR spp.
- LIGHT 1939: 473-, NEW SUBGENERA; DISCUSSES "GROPS" OF MARSH.
- PALLARES 1963: 39-42, REMOVED D. gibber TO NOTODIAPATOMUS

DIAPTONUS WESTWOOD, 1836

CARD 8

- REED 1994: 666 -

- G. WHIPPLE 1899: 242, PL. 17 FIG. 6

SUBGENUS DIAPTONUS S. STR. WESTWOOD

- STELLA 1984: 35, IN KEY
- STELLA 1982: 30-31, KEY TO ITALIAN SPECIES.
- DUSSART 1989: 42, DIAGNOSIS, AFRICAN SP.
- BORUTZKY ET AL. 1991: 160, DIAGNOSIS
- LIGHT 1939: 473 -

DIAPTONUS (AGLAODIAPTONUS) - SEE AGLAODIAPTONUS

DIAPTONUS (ARCTODIAPTONUS) - SEE ARCTODIAPTONUS

- DIAPTONUS (CHAETODIAPTONUS) STEPANOVA, 1991 IN  
KIEFFER, 1978 BORUTZKY  
-- KIEFFER 1978C: 82-83, N. SUBGEN., NO TYPE ET AL.  
1991
- STELLA 1984: 35, IN KEY
- DASSART 1989: 43-, DIAGNOSIS / AFRICAN SP.
- N. SUBGEN., BORUTZKY ET AL. 1991: 165, DIAGNOSIS;  
TYPE D. MIRUS; 440

DIAPTONUS (HESPERODIAPTONUS) - SEE

HESPERODIAPTONUS

DIAPTONUS (LEPTODIAPTONUS) - SEE LEPTODIAPTONUS

DIAPTONUS (NOTODIAPTONUS) - SEE NOTODIAPTONUS

DIAPTONUS (ONYCHODIAPTONUS) - SEE ONYCHODIAPTONUS

DIAPTOOMUS (SINODIAPTOOMUS) - SEE SINODIAPTOOMUS

DIAPTONUS (SKISTODIAPTONUS) - SEE SKISTODIAPTONUS

DIAPTONUS (TRICHO DIAPTONUS) LIGHT, 1939

D. (T.), LIGHT 1939: 474, 476, NEW SUBGENUS;  
SUBSEQUENTLY WRITTEN "EUTRICHODIAPTONUS"  
ON P. 483


Calanidae - Calanidae.

Diaptomus abdominalis Tubbcock, ♀

— Tubbcock, 1856, p. 22: pl. 10, f. 1-8.

— Tubbcock, 1860, p. 8

A synonym of Pleuromamma abdominalis.  
(Giesbrecht, 1892, p. 347).



Diaptomus aculeatus Douwe - see Argyrodiaptomus

Diaptomidae - Calanoida

Diaptomus acutulus Brian ♂♀.

— mucronatus, Rylor, 1927, p. 59

not — Brian, 1925, p. 178: figs. 1-3

changed to acutulus Brian, 1927, p. 131.

— acutulus, Smirnov, 1930, p. 57: figs.

Habitat Russia.

DIAPIOMUS ACUTILOBATUS - SEE ARCTODIAPIOMUS

Diaptomus admotus Kiefer

-- Stella 1979a: 321

Diaptomidae - Calanoida,  
Diaptomus aegyptiacus Barrois, ♀.

- — Barrois, 1891, p. 316 : text-f. 12-14.  
— — (= D. galebi or D. allaudi) Schmeil, 1898, p. 178  
— — Giesbrecht & Schmeil, 1898, p. 94.

Habitat. Mediterranean : Egypt.

DIAPTONUS AETHIOPICUS - SEE METADIAPTONUS

Diaptomidae - Calanoida.

Diaptomus affinis Uljanin, ♂. ♀.

- — Uljanin, 1875, p. 24: pl. 6, fig. 11-15.  
— — De Guerne & Richard, 1889, pl. 18: table  
— — Herrick, 1895, p. 77: pl. 10, fig. 10.  
— — Schmeil, 1898, p. 177.

Habitat. Turkestan.

-- Giesbrecht & Schmeil, 1898, p. 94.

-- FORRO' 1986: 560

Diaptomidae - Calanoida

Diaptomus africanus Daday ♂♀.

— — Daday, 1910, p. 111: pl. 5. figs. 1-13.

-- FORRO' 1986: 560

Habitat. Dutch East Africa.

Diaptomidae - Calanoidae

Diaptomus agegedensis Wright & Tressler ♂♀

— — Wright & Tressler, 1928, p. 374: pl. 53, figs. 2-4, 6  
Agegede, Nigeria, in pool.

Transferred to Tropodiaptomus Kiefer, 1932, p. 498.

Diaptomus alaskaensis Wilson - see Nordodiaptomus

Diaptomus albuquerquensis and subspecies - see

Mastigodiaptomus

Diaptomus alluaudi Guerne & Richard - see Paradiaptomus

Diaptomidae - Catadromous  
Diaptomus alpinus Imhof,

— — Imhof, 1885,

— — DeGuerne & Richard, 1889, pl. 18: table.

— —, BALDI 1936a: p. 838.

— —, STELLA 1984: 68, = ARCTODIAPTOMUS (RH.) ALPINUS

Habitat. Switzerland.

DIAPTONUS ALTER HERBST - SEE

ARCTODIAPTONUS DORSALIS

Diaptomus amatitlanensis - see Mastigodiaptomus

Diaptomus amazonicus Wright - see Notodiaptomus

Diaptomidae - Calanoida.

Diaptomus ambiguus Lilljeborg, ♀

- — Lilljeborg, 1887, p. 155. [p. 83: text-fig. 28]  
— — DeGuerne & Richard, 1889, pl. 18; table n.  
— — Schmeil, 1898, p. 178.  
— — Giesbrecht & Schmeil, 1898, p. 94.

Habitat. Siberia.

over

C. D. Marsh considers ambiguus syn. of  
*D. baillifer*. He so corrected the type card  
in the Museum files.

Diaptomidae - Calanoida.  
Diaptomus amblyodon Marenzeller, ♂. ♀.

- — Marenzeller, 1873, p. 593: pl. 6, fig. 1-7.
- — Kortchaguine, 1873,
- bogdanowi Kortchaguine, 1887, p. 28: <sup>text fig. 1-4</sup> ~~table~~
- amblyodon De Guerne de Richard, 1889, pl. 18: <sup>text fig. 1-4</sup> 1.
- Lucks, 1937: 1-7, fig 1-10.

Habitat. Austria : Russia : Siberia.

- SARS 1903: 235-, RECORDS, CENTRAL ASIA
- See (Hemidiaptomus amblyodon)

- Herrick, 1895, p. 78: pl. 9, fig. 2.  
— Meissner, 1904, p. 60.  
— Schmeil, 1898, p. 176.  
— Daday, 1889, p. 117: pl. 4, figs. 1-3.  
— Giesbrecht & Schmeil, 1898, p. 92.  
— Sars, 1903, p. 200: pl. II, figs. 1, a-h.  
— Matile, 1897, p. 137.  
— Rylor, 1930, p. 165: figs. 47, 48, 49.  
— Kiefer, 1927, p. 405: figs. 1-5.  
— Vrzalova, 1929, p. 83.  
— Pesta, 1928, p. fig. 27  
— Spaniol, 1926: 121

Diaptomus amurensis Rylov - see Neutrodiaptomus

Diaptomus anahitae Meshkova - see D. serbicus

Diaptomus anceps Brehm - see Notodiaptomus

Diaptomus angustilobus Sars - see Leptodiaptomus

Diaptomus anisitsi Daday - see Notodiaptomus

Diaptomidae - Calanoidae

Diaptomus apennicus, Brian. ♂♀.

— — Brian, 1928. p. 30: figs.

— , BALDI 1936a: p. 838.

— , BRIAN 1927: p. 30; 1 Pl.

— , STELLA 1984: 81, SYNONYM OF MIXODIAPTONUS TATRICUS.

Habitat. Alpine lakes.

Diaptomus arapahoensis Dodds - see Arctodiaptomus

DIAPTONUS ARCTICUS MARSH - SEE

HESPERODIAPTONUS ARCTICUS

*Diaptomus argentinus* - see ARGYRODIAPTOMUS

--- --- Brehm, 1965, p. 6, Argentina.

Diaptomidae - Calanoida.

Diaptomus armatus Herrick, ♂·♀· ·

- Herrick, 1882, p. 223: text-fig.-1.
- Herrick, 1884, p. 139.
- DeGuerne & Richard, 1889, pl. 18: table
- Herrick, 1895, p. 72.

Habitat. Minnesota.

— — Schmeil, 1898, p. 178.

— Giesbrecht & Schmeil, 1898, p. 94.

Diaptomus arnoldi - see Eudiaptomus



Diaptomus ashlandi Marsh - see Leptodiaptomus ashlandi

Diaptomus asiaticus Uljanin - see Metadiaptomus

Diaptomus assiniboaensis Anderson - see Leptodiaptomus

Diaptomus asymmetricus - see Arctodiaptomus

Diaptomus atropatenus (Weisig, 1931) - see

Eudiaptomus

*DIATOMUS AUGUSTAENSIS* - SEE *HESPERODIATOMUS*

Diaptomidae - Calanoidae

Diaptomus auredanus Lorenzi. ♂♀.

— — Lorenzi, 1912, p. 86: figs. 1-5

—, BALDI 1936a: p. 838.

—, STELLA 1984: 81, SYNONYM OF MIXODIAPTONUS TATRICUS

Habitat. Friuli, Italy.

DIAPLOMUS AUSTRALIS

--; BRAUDORFF, 1976 : 620

Diaptomus azevedoi - see Argyrodiaptomus

Diaptomus azureus Reid

- Reid, 1985: 579-587, fig 29-59.
- Reid & Epteves, 1984: 310-311, 317, 321
- REID 1987a: 378

Diaptomus bacillifer and subspecies - see Arctodiaptomus

A. - BACILLIFER & A. ALPINUS

Diaptomus bakeri - see Hesperodiaptomus franciscanus

~~5~~<sup>10-</sup>  
Diaptomus banforanus(Kiefer 1932)

Bull. Soc. Stiinte Cluj. 6: 523-528

-- Kiefer, Jour. Linnaean Soc., vol. 10, pp. 1-31 1932

-- ALVAREZ, M.P.J. 1985: 183

-

See *Tropodiaptomus*

---

Diaptomus bangaloricus

-- Forró 1986: 560

Centropagidae - Calanoidae.

Diaptomus bateanus Tubbuck, ♀.

— Tubbuck, 1857, p. 404: pl. II, fig. 1-3.

A synonym of Centropages hamatus.  
(Brady, 1878, p. 67).

Diaptomus bergi Richard - see Argyrodiaptomus

Diaptomidae - Calanoida

Diaptomus bidens Brehm, ♂♀.

— — Brehm, 1924, p. 62<sup>64</sup>: no figs., b.s.p., CHINA

--, BREHM 1930: p. 147.

Habitat.

Yunnan, China.

DIAPTONUS BIDIGITATUS BREHM, 1958

--, BRANDORFF, 1976: 618; FIG. 3

-- DUSSART 1984: 64 (as N. (BIDIGITATUS)?)

-- BRANDORFF 1972: 47, DISTRIBUTION

NOTODIAPTONUS -, DUSSART & FRUTOS 1986: 307

DIAPTONDS BIRABENI BREHM, 1957

-- BREHM, 1957: 58-60; FIG. 67-71

--, BREHM, 1965: 7

-- DUSSART 1985: 201, SYN. OF ARGYRODIAPTONDS(?)  
SPINIGER (BRIAN)

-- BRANDORFF 1972: 47, DISTRIBUTION

Diaptomus birgei Marsh - see Onychodiaptomus

Diaptomus birulai Rylov - see Mongolodiaptomus

Diaptomidae - Calanoida.

Diaptomus biseratus Gjorgjewić, ♀.

— — Gjorgjewić, 1907, p. 204: text-figs. 6-7.

Habitat. Serbia.

Diaptomidae - Calanoida.

Diaptomus blanchardi De Guerne & Richard, f.

— De Guerne & Richard, 1888, a, p. 160

A synonym of Diaptomus salinus (DADAY)  
(Herrick, 1895, p. 59).

-- STELLA 1984: 70, = ARCTODIAPTONUS (R.H.) SALINUS.

D., STELLA & FANO 1974: 132

Diaptomus blanci Guerne & Richard - see Phyllodiaptomus

DIAPTONUS BOGALUENSIS + SUBSPECIES - see

SISTODIAPTONUS

Diaptomus bouvieri Daday - see Lovenula falcifera

Diaptomus brasiliensis Lubbock - see Boeckella

Diaptomus breweri - see Hesperodiaptomus

Diaptomidae - Calanoida

Diaptomus budapestiensis Jungmayer.

— — Jungmayer, 1914, p. 95; figs.

— —, STELLA 1984: 77, SYNONYM OF MIXODIAPTONUS

KUPALWIESERI

Habitat. Budapest.

Diaptomus caducus Light - see Hesperodiaptomus

Diaptomidae - Calanoida.

Diaptomus caesius (Koch), ♀.

Glaucea caesia Koch, 1838, fasc. 35, No. 7.

Diaptomus caesius Giesb. & Schmeil, 1898, p. 95

Habitat.

Diaptomus calamensis Wright - see Rhacodiaptomus

Diaptomidae - Calanoida.

Diaptomus capensis Sars, ♀.

— — Sars, 1907, p. 4 : pl. 1 : pl. 2, figs 1-2.

— — Stebbing, 1910, p. 531.

— — Sars, 1927, p. 98; pl. 8; figs 1-12.

Metad. — Kiefer, 1934, p. 135 : fig. 50.

—

Habitat. So. Africa, fresh-water.

— Ruhe, 1914 : 26-27, fig 8

Diaptomidae - Calanoida

Diaptomus cardinifera Towneres, ♂♀.

— — Towneres, p. 102, 1934; fig. 5, a-g.

-- BRANDORFF, 1976: 618; FIG. 3

- s. lat. -, BREHM 1958a: 166 ~ Key.

-- DUSSART 1984: 64

-- REID 1987a: 378

Habitat. Brazil. Paraguay.

-- BRANDORFF 1972: 47, DISTRIBUTION

-- WRIGHT 1937: 77

-- J. WRIGHT 1938: 562

Diaptomus cornicus Senna 1890

--, BALDI 1936a: p. 839.

Diaptomus carolinensis Yeatman - see Skistodiaptomus

Diaptomus carteri Lowndes - see Notodiaptomus

Diaptomidae - Caranocida

Diaptomus castaneti Burckhardt ♂♀

— — Burckhardt, 1920, p. 125: figs. 1-17.

— — Kiefer, 1932, p. 490. (key).

— — Dussart, 1957, p. 176-178.

— , BREHM 1947: 68, 70; Fig. 4.

— , Kiefer, 1974, p. 212-214, figs. 14, 15, 18, 20, 23, 26, 28, 32  
and 40

Habitat. Spain

— Armengol, 1978: 63-66, fig. 57

— Mirade, 1978: passim. (184-185)

— Kiefer, 1978: 21

DIAPTONUS CASTANETI BURCKHARDT, 1920

CARD 2

-- STELLA 1984:25, 41

-- KIEFER 1978c:80-, Pl. 15A, EUROPE

-- CASTANETI, BOCHUTZKY ET AL. 1991: 163, FIG. 61, DIST. - USSR

*Diaptomus castaneti major Dussart*

1957-- Dussart, B. Bull. Soc. Zool. France, Vol.

LXXXIII, Nos. 2-3, pp. 170, figs. 1,4,7,8.

Region of Besse-en-Chandesse, France,


--, Kiefer, 1974, p. 214-215, figs. 16,26,29,33,39

~~- Afmengot, 1978:63~~

~~- Kiefer, 1978:211~~

~~-- KIEFER 1978C: 81-82~~

D.(D.)--, Borutzky et al. 1991: 163, DIST. - USSR



Diaptomidae — Calanoidae.

Diaptomus castor (Jurine), ♀, ♂

[♀. 1 & 5; pl. 6, 8, 14-17]

Monoculus — Jurine, 1820, p. 50: pl. 4, fig. 1-6: pls. 5,

Glaucea rubens Koch, 1835, pl. 4 (♂): pl. 5 (♀) heft 35.

Diaptomus castor Tillaeborg, 1853, <sup>p. 134;</sup> pl. 12, fig. 10; pl. 13, fig. 1-10; pl. 14, fig. 1-4

DIAPTONUS — N. COMB, WESTWOOD 1836: 228, TYPE OF DIAPTONUS  
Habitat. Minnesota: England: Greenland:  
France: Germany: Switzerland: Spain:

D., SARS 1889: 60

D., STEUER 1897: 528, AUSTRIA-HUNGARY

- De Guerne & Richard, 1889, p. 11: pl. 2, figs. 1-15.
- Herrick, 1883, p. 382: pl. 7, figs. 23-24: pl. 1.
- Herrick, 1895, p. 74: pl. 9, figs. 5 [5. fig. 1-9, b.]
- Matscheck, 1910, p. 39: pl. 7, figs. 69-90.
- Brady, 1878, p. 59: pl. 6, figs. 6-13.
- Brady & Norman, 1909, p. 113.
- Sars, 1904, p. 92: pl. 11, figs. 1-6.
- Sars, 1902, p. 85: pls. 57 and 58.
- Richard, 1891, p. 121: pl. 5, figs. 6, 8, 12, 14, 19; pl. 7, figs. 3, 4, 5, 19; pl. 8, figs. 1-19, 21, 22, 25-27.
- T. Scott, 1906, p. 300.
- Schmeil, 1896, p. 35: pl. 1: pl. 4, figs. 8-9.

D. castor ②

— Stephensen, 1916, p. 303; 1913, p. 305.

*Cyclops castor* Desmarest, 1825, p. 363: pl. 53, fig. 5.

— Baird, 1837, p. 324: pl. 10, fig. 1-8.

*Cyclops coeruleus* Müller, 1776, no. 2411.

— Müller, 1785, p. 102: pl. 15, fig. 1-9.

— Batreille, 1802, vol. 4, p. 265.

— Bosc, 1802, vol. 2, p. 257.

*Monoculus coeruleus* Fabricius, 1775, p. 295

— Manuel, 1792, pl. 264, fig. 1-9.

— Gmelin, 1790, p. 2997, no. 12

— Haberhösch, 1920: 65

*Cyclops lacinulatus* Müller, 1776, no. 2410.

— Müller, 1785, p. 105; pl. 16, fig. 4-6.

— Raundohr, 1805, p. 7; pl. 2, fig. 4-12.

— Latreille, 1802, vol. 4, p. 266.

— Bosc, 1802, vol. 2, p. 258.

— Baird, 1835, a, p. 97.

*Monoculus lacinulatus* Manuel, 1792, pl. 264, fig. 15-17.

— Gmelin, 1790, p. 2997, no. 14.

*Cyclops rubens* Müller, 1785, p. 104; pl. 16, fig. 1-3 (♂).

— Latreille, 1802, vol. 4, p. 266.

— Bosc, 1802, vol. 2, p. 258.

— Baird, 1835, a, p. 97; pl. 2, fig. 2 (young).

*Diaptomus castor* Hammond, 1897, p. 385.

D. castor (3)

*Monoculus rubens* Fabricius, 1775, p. 295.

— — Manuel, 1792, pl. 264, §. 10-11.

— — Gmelin, 1790, p. 2997, No. 13.

*Diaptomus castor* Westwood, 1836. Art. "Cyclops".

*Disptomus castor* (misprint), Baird, 1835, a. p. 97.

— — Phil. Trauæt., no. 288, 1703; pl. n.n. §. 6.

— — Baker, 1743, p. 93: pl. 9, §. 2.

*Cyclopsina Castor* M-Edwards, 1840, vol. 3, p. 427.

— — Baird, 1845, p. 154.

*Glaucea caerulea* Koch, 1835, heft 35; pl. 6.

- Diaptomus westwoodic* Lubbock, 1863, p. 196; pl. 31, figs. 1-6.  
D—*castor* Fric, 1871, p. 225; textfig. 22. 116  
— Herrick, 1882, p. 221; pl. 1, figs. 1-7; pl. 2, figs. 1-2,  
— Herrick, 1884, p. 137.  
*Cyclopsine castor* Claus, 1858, p. 1.  
*Diaptomus* c— Heller, 1871, p. 76.  
— Scourfield, 1898, p. 322.  
— Scourfield, 1903, p. 532.  
— Baird, 1850, p. 219; pl. 26, figs. 1, 2, a-j.  
— Claus, 1863, p. 201; pl. 35, figs. 15-16.  
— Brady, 1891, p. 27; pl. 11; figs. 1-6.  
— Sowinsky, 1891, p. 142; pl. 2, figs. 1-10.  
— *sowinskyi* De Geer & Richard, 1891, p. 3; pl. 5, figs. 21-22.

D. castor (4)

D. castor Giesbrecht & Schmeil, 1898, p. 88.

— — Gurney, 1931, p. 131.

— — Pesta, 1924, p. 554.

— — Rylov, 1930, p. 145 : fig. 39.

— — Heberer, 1926, p. 141 : figs. 7

— — Dussart, 1957, pp. 176, fig. 13-17. France.

— —, Heberer, 1924. (Oogenese)

— —, Roen, 1957, pp. 34~~38~~ - 38, 10, fig. 11, 84

— —, Pesta, 1928, p. 41-2, fig. 31

— —, Sramek-Husek, 1941, p. 43

— —, Herbst, 1953, p. 146

--, Kiefer, 1958, p. 47

--, Maly and Maly, 1974, p. 332.

--, Forbes, 1876, p. 16

Diaptomus castor Lillj.

--, Proszynska, 1962, p. 29

--, GILLANDT & MARTENS, 1975 : 182

--, CIPOLLA, 1973: 597-603, 607, 608

--, COMITA & COMITA, 1957: TAB. I

--, COMITA & McNEIL, 1976 : 123

--, BALDI 1936a: 839-840.

--, BREHM 1947: 68, Fig. 4.

--, DAHLGREN 1916: 808, 810 - light production.

--, COLE 1968: 466.

--, Hensen, 1911: 303

- Loeffler, 1958:23

card 6

Diaptomus castor

--, Kiefer, 1974, p. 210-212, figs. 1-13, 18, 19, 25-27, 31,  
35, 37

--, Maemets, 1959, p. 36

—, Chappuis, 1927:41

—, de Lepinay, 1962a:215

—, Punji 1956a:259

—, Spaniol, 1926:121

--, Accoque, 1899:194

--, Sproston 1942:462.

— Heberer, 1932: 265, passim, fig. 3, 11, 17, 18, 20, 23

Diaptomus castor ~~Lillj.~~ (JURINE)

card 7

-- RØBEN 1970: 115-146, Germany

-- WICKSTEAD 1962: 546

-- ROEN 1962: 158, GREENLAND

- MÄEMETS & VELDRE 1956a: 19, 54, 56-57, PL. IV,  
FIGS. 1-3, ESTONIA

-- DUSSART ET AL 1984: 118

- BORUTZKY, 1960: 27, FIGS. 7(1, 2), 69(8-13)

- Kiefer, 1978: 211

-- GRANDORI 1913: 368, 371-372, 387-390, 426, 428

DIAPTONUS CASTOR (JURINE)

- STRLLA 1984: 20, 25, 34; TYPE-SPECIES OF GENUS; 41
- RICHARD 1887a: 161, RECORDS - FRANCE
- CHINNAPPA 1986: 532
- FORRO' 1986: 560
- FERRARI + HAYEK 1990: TAB. I
- BREHM 1908a: 453-
- VAN DOUWE 1909b: 13-14, FIGS. 32-34, GERMANY
- STEPHENSEN 1917: 303; LAKES, GREENLAND
- HARDING + SMITH 1974: 14, FIGS. 6a, 7d, 8a, 9a, BRITAIN

Diaptomus castor (Jurine)

card 9

-- Basson & Van As 1991: 154-

-- SOWINSKY 1888: 233-, UKRAINE

-- KIEFER 1978C: 12-, FIGS., EUROPE

D. (D.) -, BORUTSKY ET AL. 1991: 160-, FIG. 60, DIST. - USSR

D. -, ALI, T. H. ET AL. 1987: 240-241, IRELAND

D. -, LABBE' 1927e: 435-

D. -, EINSLER 1996: 176, 177, GERMANY

D. -, S. A. FORBES 1882: 646

D. -, REHBERG 1884: 11

DIAPTONUS CASTOR (JURINE)

10

-- BREEMEN, VAN 1907: 6-8, PL. II FIGS. 1-4, NETHERLANDS  
-- STRELTSKAYA 1986: 95

Metridiidae-Calanoidae  
Diaptomus castor Buchholz, ♀.

— Buchholz, 1874, p. 392.

A synonym of Metridia longa?  
(Giesbrecht, 1892, p. 339).

Diaptomidae - Calanoidae  
Diaptomus caucasicus Sowinsky, ♀.

— — Sowinsky, 1891, b, p. 1: 1 text-fig.

A synonym of Diaptomus salinus.  
(Schmeil, 1896, p. 48).

-- STELLA 1984: 70, SYNONYM OF ARCTODIAPTOMUS (R.H.)  
SALINUS

Diaptomus cearensis Wright - see Notodiaptomus

Diaptomus chaffanjoni Richard, ♀.      ①  
Decapodidae - Calanoida.

- — Richard, 1897, c, p. 131 : Text-figs. 1-3.  
— chaffanjoni Giesb. & Schmeil, 1898, p. 82.  
— — Ryl'ov, 1930, p. 189. : fig. 61.

Transferred to Sinodiaptomus Kiefer, 1932, p. 509.

Sinodiaptomus <sup>SARS,</sup> E. Shen et Tai, 1962 : 162

Habitat. Mongolia.

- Horasawa, 1930a : 1-7, figs 1-25.  
— Shen, 1956, p. 6  
— Horasawa, 1930b : 1-6, figs 1-29.  
— BREHM 1909c : 211.

Diaptomus chaffanjoni Richard

card 2

-- K.S. Bricker et al. 1978: 4,13.

--, CHANG + KIM 1986: 53-54, D.C. OF SARS, 1903 +  
KIKUCHI, 1928 = SINODIAPTOOMUS SARS1

D. CHAFFARYONI, FORRO' 1986: 560

-- RYLOV 1932: 249, 270

D. -, RYLOV 1923:70, Pl. II FIG. 12, MANCHARIA

-- BOONSOOM 1984: 227-, THAILAND

Diaptomus chaffanjoni sarsi - see Sinodiaptomus sarsi

Diaptomidae—Calanoida

Diaptomus chappuisi Kiefer ♂, ♀

— — Kiefer, 1926, p. 263 : fig. 2a-c.

— — Kiefer, 1928, p. 95 : figs. 10—15.

Transferred to Eudiaptomus Kiefer, 1932, p. 502

Habitat Morocco

Diaptomidae - Caranocera.

♂

Diaptomus chevreuxi Guerne & Richard. ♀

— Guerne & Richard, 1894, p. 176: text-f. 1-5.

— Giesbrecht & Schmeil, 1898, p. 94.

--, BELK & COLE, 1975: 213

--, COLE 1968: 465.

-- GURNEY 1906a: 131, 132

Habitat. Algeria.

Diaptomidae - Calanoida

Diaptomus cinctus Gurney, ♀, ♂.

— — Gurney, 1907, p. 29: pl. 1, figs. 11-12

— — Tollinger, 1911, p. 109.

— — Sewell, 1924, p. 788: pl. 45, fig. 4, ♂.

Transferred to Heliodiaptomus Kiefer, 1932, p. 508

Allodiaptomus — Kiefer, 1936, 323

Habitat. India: Chilka Lake.

Diaptomus —, Brehm, 1950, pp. 1. Madras

— — , Abraham, S., 1972, p. 249, 257.

HELIODIAPTONUS - , RANGA REDDY 1987: 113

Diaptomus Claviger Müller, ♀.  
Euphausiidae - Calanoida.

— — Müller, 1785, p. 108: pl. 16, fig. 7-9.  
— — De Guerne & Richard, 1889, pl. 18: table.  
Monoculus c. Manuel, 1792, vol. 7, p. 721: pl. 264, fig. 18-20

Habitat. Denmark.

Diaptomus clavipes Schacht - see Aglaodiaptomus

Diaptomus clavipoides Wilson - see Aglaodiaptomus

Calanoidae

Diaptomus coeruleus(Fischer), ♀.♂.

Cyclopsina coerulea Fischer, 1853, p. 75; pl. 2, figs. 1-3.  
D - coeruleus Kessler, 1868, p. 92. 18-33  
— — Krimmel, 1910, p. 778; text-figs. 1-16.  
— — Richard, 1891, p. 249; text-fig. 16

Habitat. Onega Sea.

- Lubbock, 1863,  
— Poggenpol, 1874, p. 74: pl. 15, f. 29: pl. 16, f. 22-27,  
— Uljanin, 1874, pl. 17, f. 4-7  
— De Guerne & Richard, 1889, pl. 18: table.  
— Herrick, 1895, p. 65: pl. 9, f. 7,  
— Vosseler, 1886, p. 198: pl. 6, f. 10 & 17.  
— De G. & Richard, 1889, p. 65: pl. 2, f. 9: pl. 3, f. 11.  
— Daday, 1890, p. 124: pl. 5, f. 2-5.  
— Thallwitz, 1890, p. 78.  
— Fric & Vávra, 1894, p. 111: text. fig. 77.  
— Schmeil, 1896, p. 5 9: pl. 2, f. 1-10.  
— Sars, 1903, p. 210, pl. 14, figs. 1, a-f.

Diaptomus coeruleus Diaptomus D. coeruleus ②

— Rylow, 1930, p. 89 : figs. 18-19.

--, Pesta, 1928, p. 33

--, Gurney, 1946, p. 162 (= D. vulgaris = Cyclopsina c. =  
Cyclops c.)

--, BALDI 1936a: p. 840.

-- OF DADAY, 1890: STELLA, 1984: 52, = EUDIAPTONUS VULGARIS

— Smirnov, 1929: 156-157

-- YEMBERGENOV ET AL. 1987: 24-, LAKE SARYKAMYSH,  
RUSSIA

-- FORRO' 1986: 560

Diaptomus coeruleus (Fischer)

card 3

-- Brehm 1908a: 450-

-- STEUER 1897: 527, AUSTRIA-HUNGARY

-- S. A. FORBES 1882: 646

DIAPTONUS COERULEUS VAR. VULGARIS RYLOV, 1930

--- STELLA 1984: 52, = EUDIAPTONUS VULGARIS  
--- RYLOV 1932: 270

Diaptomidae-Calanoida

Diaptomus (Microdiaptomus) cokeri Osorio Tafall

- SEE MICRODIAPTOMUS

Osorio Tafall --- 1942, pp. 206-210, figs. 1-17.

-- REDDELL 1981: 81

Diaptomus colombiensis Thiébaud - see Prionodiaptomus

Diaptomus coloradensis - see Leptodiaptomus

Diaptomidae — Calanoida

Diaptomus congruens Sars, ♀, ♂

— G.O. Sars, 1927, p. 106 : pl. 9; figs. 9-13.

Habitat Ongka, Oramboland, So. W. Africa.

Diaptomus conifer G. O. Sars - see Notodiaptomus

Notodiaptomus coniferoides Wright - see Notodiaptomus

DIAPTOCUS CONIPEDATUS - SEE AGLAODIAPTOCUS

Diaptomus connexus Light - see Leptodiaptomus

Diaptomus consors

-- Forró 1986: 560

Diaptomidae - Calanoidae

Diaptomus contortus Gurney, ♀♂.

— — Gurney, 1907, p. 28: pl. 1. figs. 9-10.

— — Tollinger, 1911, p. 110.

— — Sewell, 1924, p. 788: pl. 45, fig. 5 ♂.

Transferred to *Heliodiaptomus* Kiefer, 1932, p. 507.

Habitat. India: Chilka Lake.

--, BREHM, 1958: 12

Diaptomidae - Calanoidae.

Diaptomus cookii King, ♀.

— — King, 1855, p. 74.

— — De Guerne & Richard, 1889, pl. 18: table.

— — Schmeil, 1898, p. 177.

— — Giesbrecht & Schmeil, 1898, p. 95.

Habitat. Australia.

Diaptomus corderoi Wright, 1936 - see

Scolodiaptomus corderoi

Diaptomus coronatus Sars - see Dasydiaptomus

Diaptomidae - Calanoida

Diaptomus ctenopus Kiefer ♂, ♀

— — Kiefer, 1930, p. 43: figs. 1 — 5  
— KIEFER 1930: 120, 122, 123

Habitat. Madagascar.

*Diaptomidae* *Culicoidae*  
*Diaptomus cuauhtemoci* Osorio-Tafall

— — — Osorio-Tafall, B. F., 1941, pp. 296-298,

figs. 1-11. Mexico ♀ ♂

-- SALCER ET AL. 1984: 89, POSSIBLE SYN. OF

LEPTODIAPTONUS SICLOIDES

-- REID 1990g: 179, POSSIBLE SYN. OF L. SICLOIDES

Diaptomidae - Calanoida

Diaptomus cunningtoni Sars, ♂, ♀.

— — Sars, 1909, p. 37; pl. 9, figs. 33-42.

Transferred to Tropodiaptomus Kiefer, 1932, p. 498.

Habitat. Lake Nyasa.

Diaptomidae - Calanoida

Diaptomus cyaneus Gurney ♂♀

- — Gurney, 1909, p. 297: pl. 13, figs. 35-38; pl. 14, fig. 39  
— — Kiefer, 1932, p. 492.  
— —, Kiefer, PP. 323, Figs. 7-12 (MOrocco) 1954.  
— —, Herbst, 1951. pp. 246-249, fgi. 1-~~4~~5  
— —, Petkovski, 1961, pp. 176-179, f. 1-7

Habitat. Tunis.

- , Vaissiere, 1961, p. 25, photo 1  
—, BELKA & COLE, 1975: 213  
—, PESTA 1938: 154-155. Fig. 4

--, Herbst, 1953, p. 146

--, Aguesse & Dussart, 1957, p. 481

--, BREHN 1947: 68, 70; Fig. 4.

--, COLE 1968: 465.

--, KIEFER 1974: 279-284; Figs. 1-14, 21-25, 27-33,  
35-45; pp. 286-287.

- Kiefer, 1925: 49-60, fig 1-6

Diaptomus cyaneus Gurney

card 2

--, Stella & Fano, 1974, p. 138

--, Stella, 1970, p. 73-78, figs., figs. 7-13

--, Gauthier, 1934: 64, 122

--, Miracle, 1978: passim (182-184; Fig 4)

-- Pirocchi, 1949: 365-366

-- Pirocchi, 1947a: 469-474, fig. 1-3

-- Vaissière & Hanine, 1963: 1-12, fig. 1-3.

-- Alonso & Comelles, 1984: 1701

-- Borutzky, 1960: 29, FIG. 7(5,6)

— Kiefer, 1978: 211

-- STELLA 1984: 3, 20, 25, 35-38

FIGS. 6, 14 - DIAGNOSIS / DISTRIBUTION - ITALY; SYNONYMY; IN  
SUBGENUS CHAETODIAPTONUS; SYNS. D. ROSTRIPESS,

D.C. INTERMEDIUS, D.C. PEYRAFICAENSIS

-- STELLA 1979a: 317 - , DISTRIBUTION - ITALY  
-- ( CHAETODIAPTONUS ) - , STELLA 1979b: 334, RECORDS -  
ITALY; PROBABLE SYNS. PEYRAFICENSIS, INTER-  
MEDIUS, ROSTRIPESS.

-- STELLA 1982: 7, 27, 30-31  
FIGS. 5, 20

Diaptomus cyaneus Gurney

card 3

-- Stella & Margaritora 1975-76: 4-, Sardinia

-- Hutchinson 1953: 572 -

D. (CHAETODIAPTONUS) -, Dussart 1989: 44-45, FIG.  
25B, RANDA - AFRICA

D. (C.) -, Kiefer 1978c: 85-, Pl. 19, 20A, DIST.

D. (C.) -, Borutzky et al. 1991: 174-176, FIG. 69, DIST. - USSR

D. -, Ali, T. H. et al. 1987: 240-241, BRITAIN, IRELAND,  
NEW RECORD.

Diaptomus cyaneus admodus Kiefer 1978

— Kiefer,

— Kiefer, 1978:211

- (CHAETODIAPTONUS) --, KIEFER 1978c:85-86

Dussart

*Diaptomus cyaneus intermedius* Aguesse et Dussart  
A

1957— pp. 487-490, fig. 2 Aguesse & Dussart

— — — Dussart, 1957, p. 178-9. Fig. 26-27.

— — — , Aguesse, 1957, p. 242. (list).

— — — Champeau, A., 1970, pp. 155-189, photo 1 (p.185)

— , CHAMPEAU 1971: 159.

— , Stella, 1970, p. 74

— STELLA 1984: 35, 38, SYNONYM OF D. CYANEUS

— STELLA 1979b: 334, = D. CYANEUS

DIAPOMUS CYANEUS PEYRAFICAENSIS PIROCCHI, 1947

--- STELLA 1984: 35, 38, SYNONYM OF D. CYANEUS

-- PEYRAFICENSIS, STELLA 1979b: 334, = D. CYANEUS

Diaptomus cyaneus rostripes Herbst

--, Stella, 1970, p. 74

-- STELLA 1979: 334 = D. CYANEUS

Diaptomidae - Calanoida

Diaptomus cyrtomaphorus Kiefer, ♀

- — Kiefer, 1928, p. 12<sup>14</sup>: figs. 20 — 25  
— — Kiefer, 1934, p. 153: figs. 95 — 99.

Habitat: Gouritz River, So. Africa

Diaptomidae - Calanoidae

Diaptomus czekanowskii Grochmalicki, ♂♀.

— Grochmalicki, 1913, p. 531; pl. 53, fig. 6.

Habitat. East Africa.


Diaptomus dahli Wright - see Notodiaptomus

Diaptomus dampfi Brehm - see Acanthodiaptomus

Diaptomus deitersi Poppe - see Notodiaptomus

DIAPTONUS DENTICORNIS WIERZEJSKI, 1887 - SEE

A CANTHODIAPTONUS DENTICORNIS.



Diaptomus denticulatus - see Argyrodiaptomus

Diaptomidae - Calanoida

Diaptomus dentifer S.S. Smirnov ♀, ♂

— — Rylow, 1930, p. 126 : fig. 31.

— — Smirnov, 1928, p. 27; figs. I-III.

Transferred to Arctodiaptomus Kiefer, 1932, p. 505.

Habitat. Russia

Diaptomus diabolicus Brehm - see Tumeodiaptomus

DIAPTOCUS DILOBATUS - SEE AGLAODIAPTOCUS

DIAPTONUS DORIAI - SEE TROPODIAPTONUS

DIAPTONUS DORIAL VAR. VANDOUWEI —

SEE TROPODIAPTONUS VANDOUWEI



Diaptomus dorsalis - see Arctodiaptomus

Diaptomus drieschi - see Eudiaptomus

Tenoridae - Calanoida.

Diaptomus dubius Lubbock, ♀.

— — Lubbock, 1856, p. 21; pl. 2, fig. 1-7.

CL synonym of Temora stylifera.  
(T. Scott, 1894, p. 75).

--, (= Temora stylifera), Verwoert, 1965: 100

-- Pillai 1975: 93

Diaptomidae - Calanoidae

Diaptomus<sup>(A.)</sup> dudichi stephanidesi, Pesta

— — — Pesta, 1935, p. 312: figs. 2-4.

— — — STELLA 1984: 73, = ARCTODIAPTONUS (A.) STEPHANIDESI

Habitat. Corfu.

Diaptomus echinatus/echinulatus - see Notodiaptomus

Diaptomus eiseni var. occidentalis Rylov - see

Hesperodiaptomus arcticus

Diaptomus echinatus/echinulatus - see Notodiaptomus

Diaptomus eiseni Lilljeborg - see Hesperodiaptomus

Diaptomus eiseni var. occidentalis Rylov - see

Hesperodiaptomus arcticus

Diaptomus elegans

-- Forró 1986: 560

Diaptomidae - Calanoidae

Diaptomus episcopus Brehm. ♂ ♀.

— — Brehm, 1930, p. 145: figs. 5-6.

Transferred to Tropodiaptomus. Kiefer, 1932, p. 498.

= TROPODIAPTOMUS HEBERERI, (SHEU) TA, 1964: 442)

Habitat. China.

Diaptomidae - Calanoidae  
Diaptomus etruscus Losito, ♀.

— Losito, 1904, p. 150: figs.

—, BALDI 1936a: p. 840.

—, STELLA 1984: 59, SYNONYM OF EUDIAPTONUS PADANUS  
ETRUSCUS

Habitat. Lake Bracciano, Italy.

Diaptomus faddeevi Rylov - see Arctodiaptomus

Diaptomidae - Calanoida

Diaptomus falcifer, Daday, ♂♀.

149

— — Daday, 1905, p. 148: pl. 9, figs. 11-15.

— — Tollinger, 1911, p. 64.

— — Wright, 1927, p. 88: pl. 6, figs. 1-3.

— — Brehm, 1965, p. 6. Argentina, also p. 7.

— , Pesta, 1927, p. 80

Habitat. Paraguay.

— , BRANDORFF, 1976: 618, 620; FIG. 3

— , BREHM, 1957: 63-64; FIG. 77-80

— , BREHM 1959: 508; Key to species.

- S. lat. -; BREHM 1958a: 167 - Key.
- Ringuet, 1959: 314
- DÜSSART 1984: 49, 51 - as Noto. FALCIFER; 64 -  
as D. FALCIFER
- BRANDORFF 1972: 49, DISTRIBUTION
- WRIGHT 1938: 562

Diaptomus falso mirus KIEFER, 1972

①

-- KIEFER, 1972: 229, 230, 231-233 ♀ ♂, 235; FIGS.

17-31; 343: D. mirus. SERDICANA, KIEFER, 1938;

EUDIAPTOMUS NIETHAMMERI, MANN, 1940; D. mirus

KIEFER, 1962; NAIDENOW, 1964, 1966

- Petkovski, 1983: 113-115, fig. 19 A-H

- Kiefer, 1978: 21

-- STELLA 1979a: 321

- (CHAETODIAPTOMUS) -, KIEFER 1978c: 83-, Pl. 17

Diaptomus (Chaetodiaptomus) falsomirus Kiefer, 1972 2

--- Borutzky et al. 1991: 167-169, fig. 64, dist.-USSR;

?SYNONYM D. SERBICUS VAR. CHARINI

SIEWERTH, 1928, p. 443

- SEE TROPODIAPTOMUS Diaptomiidae - Calanoida

Diaptomus feminineus Kiefer. ♀

— — Kiefer, 1930, p. 123 : figs. 15-16.

Habitat. Sudan.

Diaptomidae — Calanoida

Diaptomus fischeri W. Rylor. ♀♂.

— — Rylor, 1930, p. 141 : fig. 37.

— — Smirnov, 1930, p. 55 : figs.

Transferred to Arctodiaptomus Kiefer, 1932, p. 505

— — Rylor, 1918, p. 219 : figs. 1-5.

— — Rylor, 1922, p. 67 : figs. 1-3, ♂.

Habitat Russia

Diaptomidae —  
Diaptomus flagellatus Uljanin, ♀.

- — Uljanin, 1874, p. 81.  
— — De Guerne de Richard, 1889, pl. 18: table  
— — Schmeil, 1898, p. 178.  
— — Giesbrecht & Schmeil, 1898, p. 95.

Habitat. Russia.

Diaptomus flagellifer Brehm 1953

-- Ranga Reddy 1985: 304

Diaptomus flexipes Wright - see Rhacodiaptomus

Diaptomus floridanus Marsh - see Arctodiaptomus

Diaptomus fluminensis Reid 1985

- Reid, 1985: 587-590, fig. 60-82
- Reid & Esteves, 1984: 310-311, 317, 321
- REID 1987a: 378

Diaptomus forbesi Light - see Aglaodiaptomus

Diaptomus formosus Kikuchi - see Neutrodiaptomus

Diaptomus franciscanus Lilljeborg - see Hesperodiaptomus

Diaptomus furcatus Sars - see Argyrodiaptomus

*Calanoidae*  
Diaptomus fuscatus Brady, ♂. ♀.

— — Brady, 1913, p. 465: pl. 34, figs. 7-10:  
pl. 35, fig. 1.

Natal.  
So. Africa.

Diaptomidae - Calanoida.

Diaptomus galebi Th. Barrois, ♀. ♂.

- Barrois, 1891, p. 231: text-figs. 1, 2, 4.
- Richard, 1893, p. 466: text-figs. 38-42.
- Mrázek, 1895, p. 6: pl. 3, figs. 4, 5, 8, 9.
- Giesbrecht & Schmeil, 1898, p. 86
- Chappuis, 1922: 169-

Habitat. Egypt: Dutch East Africa.

— — Poppe + Mrázeck, 1895, p. 131.

— — Ekman, 1903, p. 14 : fig. II, text.

— — Kiefer, 1928, p. 543 : figs. 11 — 15.

Transferred to *Thermodiaptomus*, Kiefer, 1932, p. 500

Diaptomidae—Calanoidae.

Diaptomus galeboides G.O.Sars, ♂♀.

— — Sars, 1909, p. 33 : pl. 6. figs. 1-8.

— — Cunningham, 1915, p. 83.

Transferred to Thermediaptomus. Kiefer, 1932. p. 500.

Habitat Lake Albert Nyanza-



Africa.

Diaptomus garciae - see Leptodiaptomus novamexicanus

Diaptomidae - Calanoidae.

Diaptomus gatunensis Marsh, ♂♀.

-- Marsh, 1913, p. 8; pl. 1, fig. 8-9; pl. 2, fig. 4, 7, 10.

-- BRANDORFF, 1976 : 622

--, DODDS 1926: 24.

-- GONZALEZ DE INFANTE 1988: 74-

-- COLLADO ET AL. 1984: 115-

Habitat. Panama -

-- Weers & Zaret, 1975: 1481

-- J. L. REID 1990: 178,  DISTRIBUTION

-- OHMAN 1990: 275 -

Diaptomus gibber Poppe - see Notodiaptomus

Diaptomidae - Calanoida.

Diaptomus giganteus Herrick, ♂. ♀.

— Herrick, 1882, p. 222; pl. 2. fig. 3-11, 15.

Habitat. Minnesota.

Diaptomidae - Diaptomus glacialis Lilljeborg, ♀, ♂.

- Lilljeborg, 1889, p. 98: pl. I, fig. 23; pl. III, fig. 15; pl. IV, fig. 30.  
— De Guerne & Richard, 1889, pl. 18: table.  
— Schmeil, 1898, p. 175: pl. 13, fig. 11-12.  
— Giesbrecht & Schmeil, 1898, p. 89.  
— Tash, 1971, p. 109, fig. 95, CAPE THOMPSON, ALASKA

Habitat. Siberia. Nova Zembla.

— Kiefer, 1978: 211

— BREHM 1824: 67

— STRELTSKAYA 1986: 95

— — Rylov, 1930, p. 147 : fig. 40.

— — Kiefer, 1932, p. 492. (key).

— — Reed, 1962, pp. 27-50.

— — BORUTZKY, 1960: 27, FIGS. 7(3)

— — REED 1959: 19-, RECORDS - ALASKA

DIAPLOMUS GLACIALIS LILLETHORPE, 1889 - 2-

-- BREHM 1908a: 452 -

-- KIEFER, 1970: 329, 330, 336-338 ♀ ♂

-- STELLA 1984: 25

-- STELLA 1979a: 321

-- TASH & ARMITAGE 1967: 132 -, CAPE THOMPSON, ALASKA  
- (CHAETODIAPLOMUS) -, KIEFER 1978c: 84 -, Pl. 18B, DIST.

- (C.) -, BORUTZKY ET AL. 1991: 172-173, FIG. 67, DIST. - USSR

D., REED 1958a: 155, COLVILLE RIVER AREA, ALASKA

Diaptomus gracilipes Bouwe - see Idiodiaptomus

Diaptomus gracilis G. O. Sars and subspecies -

see under Eudiaptomus

DIAPTONUS GRACILOIDES - SRF EUDIAPTONUS

Diaptomus granulosus Brehm - see Argyrodiaptomus

Diaptomidae - Calanoida

Diaptomus greeni Gurney ♂♀.

— — Gurney, 1906, p. 129; pl. 2, figs. 1-9.

Habitat. Ceylon.

Diaptomidae - Calanoidae.

Diaptomus guernei Imhof, ♀.

— Imhof, 1891, p. 33.

— Schmeil, 1896, p. 76; 1898, p. 178,

— Giesb. & Schmeil, 1898, p. 95.

Habitat. German Lakes.

Diaptomus gurneyi Roy - see Hemidiaptomus

Diaptomidae - Calanoida

Diaptomus hamatus Brehm, ♂♀.

— — Brehm, 1923, p. 163: no figs.

Habitat. China.

Diaptomidae - Calanoida.

Diaptomus hamatus Tilljeborg, ♀.

— Tilljeborg, ms.

A synonym of Diaptomus denticornis.  
(Sars, 1902, p. 87).

DIAPTOOMUS HANDELI - see NEODIAPTOOMUS  
SCHMACKERI

Diaptomidae - Calanoida

Diaptomus hebereri Kiefer, ♀, ♂

— — Kiefer, 1930, p. 185: figs. 1 — 4

— — Kiefer, 1932, p. 233: figs. 1 — 8.

— — Kiefer, 1933, pp. 537, 542: figs. 1 — 9.

Transferred to Tropodiaptomus Kiefer, 1932, p. 495.

= TROPODIAPTOMUS H., (SHEN-TAI, 1964 b : 442)

Habitat Sunda Island, Java;

Diaptomidae - Calanoidae.

Diaptomus helveticus Imhof, ♀.

— — Imhof,  
— — (= D. vulgaris) Schmeil, 1898, p. 168

Diaptomus hensenii Dahl - see Notodiaptomus

DIAPTONUS HESPERUS - SEE ONYCHODIAPTONUS

Diaptomidae - Calanoida.

Diaptomus hircus Brady, ♀. ♂.

- — Brady, 1891, p. 35: pl. 10, fig. 2-4.
- — T. Scott, 1906, p. 301.
- — Herrick, 1895, p. 57: p. 33, fig. 6-8.
- — Scourfield, 1903, p. 532.

Habitat. British Seas.

- — T. Scott, 1898, a. p. 119.  
— — Schmeil, 1897, p. 172: pl. 13, f. 13.  
— — Giesbrecht & Schmeil, 1898, p. 86.  
— — Lepeschkin, 1900, p. 4: pl. 2. f. 6, 13, 19, 23.  
— BREHM 1908a: 452 —

Diaptomus hirsutus - see Hesperodiaptomus

Diaptomidae - Calanoida

Diaptomus hutchinsoni Kiefer, ♀ ♂

— — Kiefer, 1928, p. 11: figs 16-19.  
Tropod. — Kiefer, 1934, p. 145: figs. 74-81.

Habitat. Gouritz River, So. Africa;

Diaptomidae - Calanoidae.

Diaptomus hyalinus (Koch), ♀.

Glaucea — a Koch, 1838, fasc. 35, No. 8.

Diaptomus — vs Giesb. & Schmeil, 1898, p. 95

— Rioja, 1942: 519

— HYALINA, KOCH 1984b: 102

Habitat.

Diaptomus iheringi Wright - see Notodiaptomus

Diaptomus imperfectus

---, Forbes, 1890, p. 477

D. sicilis var. imperfectus, Balcer 1984: 82, syn. of  
Leptodiaptomus ashlandi

Diaptomus incompositus Brian - see Notodiaptomus

Diaptomus incongruens Poppe - see Neutrodiaptomus

Diaptomidae - Calanoidae

Diaptomus incrassatus G.O.Sars, ♂.♀.

— — Sars, 1903, p. 202 : pl. II, figs. 2, a-g.

— — Rylov, 1930, p. 158 : fig. 44.

— — Kiefer, 1927, p. 104 :

— — Kiefer, 1928, p. 97 ; figs. 16 - 18.

Habitat. Fresh & Salt Lakes, Ponds & Rivers,  
Mongolia.

--, BRENM 1947: 58.

— — Gurney, 1909, p. 295,  
Transferred to *Mixodiaptomus* Kiefer, 1932, p. 507

Diaptomidae Calanoida

Diaptomus indicus Sewell, ♂♀.

①

— — Sewell, 1934, p. 73: fig. 2, 6-9.

— Brehm, 1954: 419

— BREHM 1954: 920, syn. SINODIAPTONUS GANESA  
SINODIAPTONUS -, PILLAI, P.P. 1971: 164

? SINODIAPTONUS (R.H.) -, DUSSART & DEFAYE 1983: 101

Habitat Salt Lake, Calcutta.

SINODIAPTONUS GANESA BREHM, syn.n., BORUTZKY  
ET AL. 1991: 924, 442-443

*tiefen*

Diaptomus indicus - see Sinodiaptomus

= DIAPTOMUS INDICUS SWARZ  
Sinodiaptomus ganesa Brehm

(2)

— — Brehm, 1950, pp. 4-8, fig. 2. Ghorawal,  
Mirzapore, India

— —, Brehm, V., 1953, p. 256, fig. 17-19;

Brehm, 1953 p. 417 II

— —, Brehm, 1954: 419

DIAPTONUS INEXSPECTATUS - SEE AUSTRINODIAPTONUS

Diaptomus inflatus Kiefer - see Notodiaptomus

Diaptomus inflexus Brian - see Notodiaptomus anisitsi

Diaptomus infrequens - see D. silvaticus infrequens

Diaptomidae - Calanocida

Diaptomus ingens Gurney ♂♀.

— — Gurney, 1909, p. 298; pl. 14, figs. 41-45

Transferred to Hemidiaptomus Kiefer, 1932. pp. 464: 494.

Diaptomus innominatus Brady 1907

-- Wright, S. & Tressler 1928: 372

Diaptomus insolitus Wright - see Rhacodiaptomus

DIANTOMUS INSULANUS - see FILIPINODIAPTONUS

Diaptomidae - Calanoida,

Diaptomus intermedius Steuer,

D - vulgaris var. intermedius Steuer.

D - intermedius Steuer, 1897, p. 622; pl. 3, f. 2-11  
— Schmeil, 1898.

— Steuer, 1900, p. 323(9); pl. 2, fig. 5.

--, STELLA 1984: 60, = EUDIAPTOMUS INTERMEDIUS

Habitat. The Balkans.

— — Giesbrecht & Schmeil, 1898, p. 72

— — Krmpotic, 1924, p. 27; pl. 4, figs. 18-21.

--, Baldi, 1932, p. 5

--, BALDI 1936a: p. 842.

Diaptomus intermedius Anderson & Fabris - see

Leptodiaptomus assiniboensis

Diaptomus isabelae Wright - see Notodiaptomus

Diaptomidae - Calanoida

Diaptomus japonicus Burckhardt, ♂. ♀.

— — Burckhardt, 1913, p. 394: pl. 13K, fig. 3, 5, 7,  
9-12, 18: pl. 13L, fig. 1, 3, 5-8, 10: pl. 13M, fig. 1-  
2, 8-13.

Transferred to Eodiaptomus Kiefer, 1932, p. 507.

Habitat Biwa Sea, Japan.

Diaptomus japonicus Burckhardt - see Eodiaptomus

Diaptomus jatobensis Wright - see Notodiaptomus

Diaptomus javanus Grochmalicki 1915.

---, Brehm, 1954, p. 275, fig. 1

---, Lai & Fernando, 1981: 170, fig 58-63

— Brehm, 1951: 100-103, fig. 12-17

Diaptomus javanus - see Dentodiaptomus

Diaptomidae — calanoida

Diaptomus javanus grochmalicki (Kiefer) ♀, ♂

— — Kiefer, 1933, p. 598: figs. 157 — 161

Habitat. Java

DIAPTONUS JUDAYI - SEE LEPTODIAPTONUS

DIAPLOMUS TVERISOVICHII

--, LOFFLER, 1969: FIG. 2

Diaptomus kenai M. S. Wilson - see Hesperodiaptomus

Diaptomus Renitraënsis Kiefer ♀, ♂

— — Kiefer, 1926; p. 264 : fig. 3 a-c

— — Kiefer, 1928, p. 91 : figs. 1-9.

— — Kiefer, 1932, p. 490 (key)

— — Dussart, 1957, p. 176, fig. 18-20.

— —, 1964, B. H. Dussart, p. 120;

Habitat Morocco

—, Kiefer, 1974, p. 215-217, figs. 17, 18, 21, 24, 26, 30, 34, 36  
and 38

—, BRENM 1947: 68; Fig. 4.

—, BORUTZKY, 1960: 27, FIG. 7(4)

- Kiefer, 1978: 211  
-- STELLA 1984: 25, 41  
-- DUSSART 1989: 42-43, FIG. 25A, RANGE - AFRICA;  
SYN. D. K. VAR. *IBERICA* DUSSART.  
-- KIEFER 1978a: ♂♂-, PL. 15B, EUROPE; SYN. D. K.  
VAR. *IBERICA*  
— (D.)-, BORUTZKY ET AL. 1991: 163-164, FIG. 62, DIST. - USSR

Diaptomus kenitraensis var. iberica Dussart, 1964

--- Dussart 1989:42, syn. of D. kenitraensis str.

--- KIEFER 1978c: 82, syn. of D. kenitraensis str.

Diaptomidae - Calanoida -  
Diaptomus kentuckyensis Chambers, ♀.

— Chambers, 1881, p. 48; pl. A. f. 12-18; pl. B, f. 19-23.  
— De Guerne & Richard, 1889, pl. 18; Table  
(Doubtful synonym of D. leptopus)  
Giesb. & Schmeil, 1898, p. 75.

Habitat. Kentucky.

Diaptomus kieferi - see Heliodiaptomus

Diaptomidae - Calanoida

Diaptomus kilimensis Daday ♂♀

— — Daday, 1910, p. 115: pl. 5, figs. 22-25: 28-34.  
Transferred to Tropodiaptomus Kiefer, 1932, p. 498.

Diaptomus kincaidi

-- Damkaer 1988: 140-141, species name changed.

Diaptomus kingsburyae Robertson - see Aglaodiaptomus

Diaptomus kiseri Kincaid - see Hesperodiaptomus

Diaptomus kostromanus Kiefer - see D. zografi

Diaptomidae - Calanoidae

Diaptomus kraepelini Poppe & Mrážek, ♂.♀.

- — Poppe & Mrážek, 1895, p. 129: pl. 1, fig. 10: pl. 2, fig. 14.  
— — Giesbrecht + Schmeil, 1898, p. 80  
— — Lowndes, 1930, p. 165: pl. 2, fig. 1-4: pl. 3, fig. 9-15.  
Troopod.— Kiefer, 1934, p. 141: figs. 68-73.

D. (Tro.) —, Harding 1942, p. 180, L. Rukwa, Africa

Habitat. Zanzibar.

DIAPTOMUS KUPELWIESERI BREHM - SEE

MIXODIAPTOMUS KUPELWIESERI

Diaptomus kurilensis - see Arctodiaptomus

DIAPTONUS LACINIATUS LILLJEBORG - SEE

MIXODIAPTONUS LACINIATUS

Diaptomidae - Calanoidae.

Diaptomus lacinulatus Wierzejski, ♀.

-- Wierzejski, 1882,

A synonym of Diaptomus tetricus.  
(Herrick, 1895, p. 65).

Diaptomidae - Calanoida

Diaptomus lamellatus (Spandl) ♂, ♀

— — Kiefer, 1930, p. 316 : fig. 4

— kupelwieseri, Kiefer, 1933, p. 601 : figs. 162-169.

--, Brehm, 1953, p. 163

--, STELLA 1984: 77, SYNONYM OF MIXODIAPTOUS KUPELWIESERI

Habitat. Southern France

Diaptomidae - Catanoidea

Diaptomus larianus Baldi, ♂♀.

— — Baldi, 1931, p. 219: figs. 1-13.

—, Baldi 1936a: p. 842.

—, STELLA 1984: 57, SYNONYM OF EUDIAPTONUS PADANUS

Habitat. Italy.

Diaptomus lariensis forma verbanica Baldi ~~1935~~

--, BALDI 1936a: p. 843.

Diaptomidae - Calanocauda.

Diaptomus laticeps G. O. Sars. ♀.

- Sars, 1862, p. 10 (219).
- Sars, 1902, p. 90 : pl. 61.
- De Guerne & Richard, 1889, pl. 18 ! table p. 169
- Herrick, 1895, p. 59 : 1884, p. 141.

Habitat. Norwegian Lakes: Europe.

- Schmeil, 1897, p. 174: pl. 14, f. 1-2.  
— Giesb. & Schmeil, 1898, p. 84.  
— Gurney, 1928, p. 195: figs. 4-5, text.  
— Gurney, 1931, p. 167.  
— Pesta, 1924, p. 556.  
— Rylor, 1930, p. 131 : fig. 33.

Transferred to *Arctodiaptomus* Kiefer, 1932, p. 505.  
*Diaptomus* —, Fryer, 1954, p. 65.  
—, Colebrook, 1960, p. 227-

Diaptomus laticeps G.O. Sars

card 2

--, Stella & Fano, 1974, p. 132

-- RANGA REDDY 1985: 304

— Haberbosch, 1920: 108

-- LANGELAND 1988: 420-, SWEDEN

-- EKMAN 1904: 39-, SWEDEN

-- BREHM 1908a: 452-

-- HARDING 1955: 229-

-- HARDING + SMITH 1974: 16; FIG. 75, 86, 9e, BRITAIN

-- SCHMEIL 1889: 647-649

Diaptomidae - Calanoida

Diaptomus lauterborni Kiefer ♂

— — Kiefer, 1930, p. 315: figs. 1 — 3

— — Kiefer, 1930, p. 187: figs. 1 — 2

Transferred to Hemidiaptomus, Kiefer, 1932, p. 494 (key)

Habitat. Southern France;

Diaptomus lehmeri Pearse - see Mastigodiaptomus  
albuquerquensis

Diaptomidae - Calanoidae

Diaptomus leoninicollinus Marsh, ♂. ♀.

-- Marsh, 1913, p. 9; pl. 2, fig. 6, 8-9.

-- BRANDORFF, 1976: 622

-- DODDS 1926: 23.

-- LEONINICOLLIS, CULLADO ET AL. 1984: 115-

-- S. L. REID 1990g: 178, DISTRIBUTION

Habitat. Panama.

Diaptomus leptopus Forbes - see Aglaodiaptomus

D. Leptopus pisciniae see "

Diaptomidae - Calanoidae

Diaptomus ligericus Labbé ♀♂

— — Labbé, 1927, p. 434: figs. 1-5, n. sp.

Habitat. France.

Diaptomidae-Calanoida

Diaptomus lighti M.S. Wilson

M.S. Wilson 1941, pp. 511-513, fig. 1, h-j  
♂ New Jersey

M.S. Wilson 1959: may be synonym of  
D. TYRRELLI

Diaptomus ligusticus Brian 1927

--, BALDI 1936a: p. 843.

DIAPTONUS LILLJEBORGI GUERNE + RICHARD - SEE

MIXODIAPTONUS LILLJEBORGI

DIAPTONUS LINTONI - SEE AGLAODIAPTONUS

DIAPTONUS LINNAEUS BRANDORFF, 1973

- BRANDORFF, 1973: 206, 208-210 ♀♂; PL. 1, 2
- ANDRADE & BRANDORFF, 1975: 97, 103
- BRANDORFF, 1976: 618; FIG. 5
- BRANDORFF, 1982: 76
- DUSSART 1984: 64
- BRANDORFF 1977: 32-, FIGS. 49-58; AMAZON (THESIS); 50  
"DIAPTONUS" - , MAGALHÃES ET AL. 1988: 270, TYPES AT INPA

Diaptomus lobatus Lilljeborg - see Neutrodiaptomus

DIAPTONUS HOBIFER - see NOTODIAPTONUS

Diaptomus lobulifer Rylov - see Arctodiaptomus

*Temoridae* — *Calanoida*.  
Diaptomus longicavatus Lubbock, ♂.♀.

— Lubbock, 1857, pl. 10, figs. 11-12; pl. 11, figs. 12-13;  
p. 405.

a synonym of Temora longicornis.  
(Brady, 1878, p. 54).

—, Giesbrecht, 1882, p. 149, a syn. of Temora  
(Halitemora) 1.

Diaptomidae - Calanoida.  
Diaptomus longicornis Nicolet, ♀.

— — Nicolet, 1848-9,

— — De Guerne & Richard, 1889, pl. 18: table.

Habitat. CHIL.

Diaptomidae - Calanoida.

Diaptomus longicornis  
var. leptopus Herrick, ♀.

— Herrick, 1884, p. 140.

A synonym of Diaptomus leptopus.  
(Herrick, 1895, p. 64).

— Schmeil, 1898, p. 170 (= D. leptopus).

Diaptomidae. - Calanoida

Diaptomus longicornis  
var. Similis Herrick, 1884.

- Herrick, 1884, p. 141; fig. 5-7, pl. A.
- Herrick, 1879, p. 90: pl. I.
- Giesb. & Schmeil, 1898, p. 95.

Habitat. Minnesota.

Diaptomus lorteti Barrois.

-- Barrois, 1891, p. 277: text-figs. 6-11.

(A synonym of D. alluaudi)  
Giesb. & Schmeil, 1898, p. 93.

--, COLE 1968: 465.

DIAPTONUS LOUISIANENSIS - see  
ONYCHODIAPTONUS

Diaptomidae - Calanoidae.  
Diaptomus loveni Guerne & Richard, ♀.

- — Guerne & Richard, 1890. b. p. 177.
- — Guerne & Richard, 1891, p. 2 : pl. 6, f. 7-9.
- — Giesbrecht & Schmeil, 1898, p. 80.

Habitat. Congo River.

Diaptomus lumholtzi G.O. Sars,  
Diaptomiidae - Calanoida.

- — Sars, 1889, p. 68; pl. 8, f. 5-12, <sup>73</sup>fig.  
— — De Guerne & Richard, 1889, pl. 18: table,  
— — Giesbrecht & Schmeil, 1898, p. 83.  
— —, Bayly, I.A.E., 1966, p. 124;

-- BRANDORFF 1976: 620

Habitat. Australia.

-- FORRÓ' 1986: 560

-- TIMMS & MORTON 1988: 162-, N. AUSTRALIA

Diaptomus lumholtzi G. O. Sars, 1889

card 2

-- Gurney 1906a:131,132

Diaptomus lymphatus Brehm - see Neodiaptomus

DIAPTONUS MADAGASCARIENSIS - SEE

TROPODIAPTONUS

Diaptomidae- Calanoida

Diaptomus manitobensis Arnason

Arnason, I. Gilbert, 1950, pp. 148-149, fig. 1-3

Diaptomidae - Calanoida

Diaptomus maria King, ♀

- — King, 1855, p. 74.
- — De Guerne & Richard, 1889, pl. 18: table
- — Schmeil, 1898, p. 177.
- — Giesb. & Schmeil, 1898, p. 95.

Habitat. Australia.

*NEUTRO*

Diaptomus mariadvigae Brehm - see Ligulodiaptomus

Diaptomus marshi - see Prionodiaptomus

DIAPTOOMUS MARSHIANUS - see AGLAODIAPTOOMUS

Diaptomus masculus Brady, ♂. ♀.

— — Brady, 1913: p. 466: pl. 35, figs. 2-6.  
— — Kiefer, 1934, p. 131 = Metadiaptomus meridianus.

Habitat.

Harrisonith.  
So. Africa.

Diaptomus melini Thomasson - see Triehediaptomus  
coronatus DASY-

Diaptomidae - Calanoidae

Diaptomus meridianus Douwe, ♀♂.

— Douwe, 1912, p. 24.

Habitat. South Africa.

Diaptomidae - Calanoida

Diaptomus meridionalis (Kiefer) ♀

— — Kiefer, 1933, p. 293: figs. 19 - 18.

-- BRANDORFF, 1976: 618; FIG. 8

- s. lat. - , BREHM 1958a: 167- Key.

-- DUSSART 1984: 64

-- BRANDORFF 1972: 51, DISTRIBUTION

Habitat. South America - URUGUAY

-- S. WRIGHT 1938: 562

Diaptomus merrillae Wright - see Calodiaptomus

Diaptomus mexicanus Marsh - see Leptodiaptomus

Diaptomus michaelsoni Mrazek - see Odontodiaptomus

*Diaptomus Mildredae* BREHM 1960

-- -- Brehm, 1965, p. 5, Argentina

-- -- Brehm, 1960, pp. 52, 53 figs 114-115

--, BRANDORFF, 1976: 618; FIG. 3

-- DUSSART 1984: 64

-- DUSSART 1985: 201, POSSIBLY SYN. OF "D."  
TRANSITANS KIEFER.

-- DUSSART 1984d: 255, SYN. OF D. TRANSITANS.

-- BRANDORFF 1972: 51, DISTRIBUTION

Diaptomidae - Calanoida.

Diaptomus minnetonka Herrick, ♀.

- Herrick, 1884, p. 138; pl. Q, figs. 8-10,
- De Gruene & Richards, 1889, pl. 18: Table.
- Marsh, 1892,
- Herrick, 1895, p. 71: pl. 13, figs. 8-10,

Habitat. North America.

*D. sanguineus* Schacht, 1897, p. 133: pls. 23-25.

*D. sang.* var *Minnetonka* Turner, 1910, p. 153.

A synonym of *Diaptomus sanguineus*

Marsh, 1907, p. 478.

-- HARRIS, N.J. 1973: 21, SYN. OF *D. SANGUINEUS* FORBES

Diaptomus minutus Lilljeborg - see Leptodiaptomus

Diaptomidae - Calanoidae.

Diaptomus mirus Tulljeborg, ♂·♀. ①

- — 19e Guerne & Richard, 1889, pl. 18! table.
- — Herrick, 1895, p. 75: pl. 8, fig. 8.
- — Schmeil, 1898, p. 175: pl. 13, fig. 14.
- — Giesbrecht & Schmeil, 1898, p. 89.
- Kiefer, 1978: 211

Habitat. Siberia.

-- BREHM 1908a: 452-

--, KIEFER, 1972: 229, 230-231, ♀♂, ♀♀♀, 234, ♀♀♀♀, 238

--, BREHM 1947: 68, Fig. 4.

- Tilljeborg, 1889, p. 104: pl. I, figs. 3, 4; pl. IV, fig. 25.  
-- Rylov, 1930, p. 152: fig. 42.  
-- Kiefer, 1932, p. 492. (Key).  
--, Kiefer, 1938, pp. 251-8, figs. 1-18  
--, Borutzky, 1960: 37, FIG. 7(8, 9)  
-- STELLA 1984: 20, 25  
-- STELLA 1964b: 241-, FIGS. 15, 16, 19, 20  
-- STELLA 1964c: 373-374  
-- KIEFER 1968: 64, ANATOLIA; EUDIAPTONUS  
NIETHAMMERI MANN = ♀ of D. VIRUS  
-- AKATOVA 1949: 342-, KOLYMA RIVER  
(CHAETODIAPTONUS)-, KIEFER 1978c: 83, PL. 16, EUROPE

Diaptomus (Chaetodiaptomus) mirus Lilljeborg in 2

Guerne et Richard, 1889

--- Borutzky et al. 1991: 165-167, Fig. 63, designated  
type of subgenus Chaetodiaptomus n. subgen.

Diaptomus mirus charini Siewerth, 1928

--- Stella 1964b: 241

DIAPTONUS MIRUS LILLJEBORGII

--- STELLA 1979a: 321

Diaptomus mirus serbicus Djordjevic 1907

-- --, Petkovski, 1961, pp. 179-180

-- STELLA 1964b: 251-259, FIGS. 1-6, 17, 18, 21,  
22 - LATIUM, ITALY

-- STELLA 1964c: 372-374, LATIUM, ITALY

-- STELLA 1967: 383

Diaptomus mirus serdicana Chichkov 1906

---, Kiefer, 1938, p. 251, figs. 1-9

--, KIEFER, 1970: 339

-- STELLA 1964b: 241

Syn. = D. serbiensis

DIAPTONUS MIRUS TYPICUS

--, KIEFER, 1970: 235

Diaptomus mississippiensis Marsh - see Skistodiaptomus

Diaptomidae - Cat. -

Diaptomus mixtus Sars, ♂. ♀.

— Sars, 1909, p. 34: pl. 7, figs. 9-17.

Transferred to Thermodiaptomus Kiefer, 1932, p. 500

Habitat. Lake Nyasa.

Diaptomidae - Calanoida.

Diaptomus montanus Wierzejski, ♀.

— Wierzejski, 1887

A synonym of Diaptomus bacillifer.  
(Sars, 1902, p. 88).

-- STELLA 1984: 68, SYNONYM OF ARCTODIAPTONUS (RH)  
ALPINUS.

DIAPTONUS MOOREI - SEE LEPTODIAPTONUS

Diaptomus mucronatus Brian - see Odontodiaptomus  
michaelseni

Diaptomidae - Calanoidae.

Diaptomus mülleri (Férussac), ♀.

Cyclops — Férussac, 1806, p. 213.

Diaptomus — Giesb. & Schmeil, 1898, p. 95.

Habitat.

DIAPTONUS NATRIOPHILUS - SEE

LEPTODIAPTONUS SICILIS

Diaptomus nebrascensis Brewer, ♂. ♀.  
Diaptomidae - Cat.

Brewer, 1898, p. 123: pl. 7, figs. 1-4.

A synonym of Diaptomus clavipes  
Marsh, 1907, p. 451.

Habitat. Nebraska.

DIAPTONUS NEGRENSIS ANDRADE +  
BRANDORFF, 1975

- ANDRADE + BRANDORFF, 1975: 97-103 ♀♂; FIG. 1-2
- BRANDORFF, 1976: 618; FIG. 3
- Brandorff, et al. 1982: 16
- DUSSART 1984: 34, 35, 36, 39, 55-56, FIG. 11, 64
- "D." -, GONZALEZ DE INFANTE 1988: 108, FIG. 36(6)
- "D." -, MAGALHÃES ET AL. 1988: 270; TYPES AT INPA
- "D." CF. -, BOZELLI 1992: 257, BATATA LAKE, PARÁ;  
RAZI

Diaptomus nesus Bowman - see Mastigodiaptomus

Diaptomidae - Calanocaud

Diaptomus neumannii Douwe ♂♀.

E. Africa.

— — Douwe, 1912, p. 4: pl. I, figs, 6-12

Transferred to Tropodiaptomus Kiefer, 1932, p. 498.

Diaptomus newmanni, Howndes, 1936, p. 12: fig. 2-L.

Diaptomus nevadensis Light - see Hesperodiaptomus

Diaptomidae - Calanoidae.

Diaptomus nigerianus Brady, ♂. ♀.

— — Brady, 1910, p. 243: pl. 19, fig. 24-30.

— — WRIGHT, S. & TRESSLER 1928: 372, 373

Habitat. Nigeria.

DIAPTONUS NIPPONICUS - see HELIODIAPTOMUS

Diaptomus nordestinus Wright - see Notodiaptomus

Diaptomus novamexicanus Herrick - see Leptodiaptomus

Diaptomus novemdecimus M. S. Wilson - see  
Hesperodiaptomus

Diaptomus novomexicanus Herrick

--, Herrick, 1895: 46 - 47, figs 27-29

Diaptomus nudus Marsh - see Leptodiaptomus

DIAPTONUS NUMIDICUS GURNEY - SEE

COPIDO DIAPTONUS NUMIDICUS

Diaptomus ohlei BRANDORFF 1978

--Dussart, 1984: 64

--DUSSART 1984d: 264, FIG. 8

--DUSSART 1985: 214, TYPE OF NEW SUBGENUS

NOTODIAPTONUS (AMAZONIUS)

"D."-, MAGALHÃES ET AL. 1988: 270, TYPES AT INPA

Diaptomus okadai Horasawa

— — — Horasawa, 1934, pp. 369-371, figs. 1-4. ♂ ♀, Japan  
L. Abashiri (freshwater lake closely connected with  
Sea of Okhotsk. Allied to *D. lobatus* Lillj.)

NEUTRODIAPTONUS -, CHANG + KIM 1986: 49

Diaptomus oregonensis Lilljeborg - see Skistodiaptomus

Diaptomidae - Calanoida.

Diaptomus orientalis Brady. ♀.

— Brady, 1886, p. 296; pl. 37, fig. 21-26.

— Brady, 1907, p. 184.

— Stebbing, 1910, p. 531.

— De Guerne & Richard, 1889, pl. 18: table.

Habitat. Natal : Ceylon : Australia :

- Herrick, 1895, p. 66 : pl. 10, fig. 5.  
— Sars, 1889, p. 59 : pl. 7, figs. 12-16; pl. 8, figs. 1-4.  
— Giesbrecht & Schmeil, 1898, p. 87.  
— Henry, 1919, p. 37.  
— Kiefer, 1930, p. 120 : figs. 6-12  
Transferred to *Tropodiaptomus* Kiefer, 1932, p. 498.  
— Kiefer, 1936, p. 79 : text-figs. 7-14.  
— (= *Tropodiaptomus australis*), Lai & FERNANDO, 1979 : 75  
— DUSSART 1984c : 148, = *Tropo.* *Loveni*  
— DUSSART ET AL 1984 : 117-127, TYPE-SPECIES  
OF *Tropodiaptomus*

DIAPTONUS ORIENTALIS SARS, 1889

- DÜSSART ET AL 1984: 117-127, PLs. I, II,  
NOT TYPE-SPECIES OF TROPODIAPTONUS.
- FORRÓ 1986: 560
- SARS, G.O. 1889: 59-68, PL. 7 FIGS. 12-16, 8,  
AUSTRALIA.
- KIEFER 1930: 120-122, 124, FIGS. 6-9

Diaptomus orientalis var. malaicus Grochmalicki 1915

--- Dussart et al 1984: 122, 127, now Tropodiaptomus  
malaicus

Diaptomidae - Calanoidae.

Diaptomus ovatus (Koch), ♀.

Glaucea - a Koch, 1838, fasc. 35, No. 9.

Diaptomus - vs Giesb. & Schmeil, 1898, p. 95

Habitat.

*NEUTRO*

Diaptomus pachypoditus W. Rylov + see Ligulediaptomus

DIAPTONUS PACIFICUS BURCKHARDT - SEE

ACANTHODIAPTONUS PACIFICUS.

DIAPTONUS PACIFICUS YAMANACENSIS BREHM-SEE

ACANTHODIAPTONUS -- .

Diaptomus padanus Burckhardt - see Eudiaptomus

Diaptomus pallidus Herrick - see Skistodiaptomus

Diaptomus pallidus var. sicilis Forbes - see

Leptodiaptomus sicilis

Diaptomus palustris Kiss, 1960 - see Tropodiaptomus

Diaptomus paranaensis Pesta - see Notodiaptomus incompositus

DIAPTONUS PARVULUS

-- FORRO' 1986: 560

Diaptomus paulistanus Wright - see Odontodiaptomus

Diaptomus paulseni - see Arctodiaptomus

Diatomus pearsei Wright - see Dactylodiaptomus

Diaptomidae - Calanocca.

Diaptomus pectinicornis Wierzejski, ♀

- — Wierzejski, 1887, p. 235: pl. 4, fig. 1-7.
- — De Guerne & Richard, 1889, pl. 18: table.
- — Herrick, 1895, p. 57: pl. 10, fig. 3.
- — Giesbrecht & Schmeil, 1898, p. 86.

Habitat. Scandinavia : Austria.

— — Rylov; 1930; p. 143 : fig. 38.  
Transferred to *Arctodiaptomus* Kiefer, 1932, p. 505

*Diaptomus peregrinator* - see *Phyllodiaptomus blanci*

Diaptomus perelegans Wright - see Calodiaptomus

*Diaptomus pictus* Brady, ♂. ♀.  
Calanoida  
—, Brady, 1913, p. 464: pl. 34, figs. 1-6.

Tululand.  
So. Africa.

DIAPTONUS PISCINAE - SEE AGLAODIAPTONUS  
LEPTOPUS

Diaptomidae - Calanoida.

Diaptomus pollux King, ♀

— King, 1855, p. 74.

— De Guerne & Richard, 1889, pl. 18: table.

— Schmeil, 1898, p. 177.

— Giesbrecht & Schmeil, 1898, p. 95.

Habitat. Australia.

Diaptomidae—Calanoida

Diaptomus pontifex Brehm f. ♂.

— — Kiefer, 1927, p. 104:

— — Brehm, 1925, p. 182 : figs. 1-6 - n. sp.

--, BREHM 1949: 413.

--, BREHM 1947: 58.

--, Margalef, 1943, p. 382-383, figs. 10-12

Habitat North America : Spain.

--, STELLA 1984: 83, SYNONYM OF MIXODIAPTONUS INCRASSATUS

Diaptomus pribilofensis - see Leptodiaptomus

Diaptomidae—Calanoida

Diaptomus processifer Kiefer ♂, ♀

— — Kiefer, 1926, p. 26 : figs. 11, 12.

— — Kiefer, 1928, p. 538 : figs. 1—10

Transferred to *Tropodiaptomus* Kiefer, 1932, p. 495.

Habitat. West Africa

DIAPTONUS PROXIMUS KIEFER -

SEE ARCTODIAPTONUS DORSALIS

DIAPTONUS PSEUDOJANGUINUS - SEE AGLAODIAPTONUS

Diaptomus pugetensis

-- Damkaer 1988: 141, a proposed name; = D. hesperus; /yo

Diaptomidae - Catanoidea

Diaptomus pulcher Gurney, ♀

— Gurney, 1907, p. 29: figs. 13-17.

— Tollinger, 1911, p. 47.

— Sewell, 1924, p. 788.

Transferred to Heliodiaptomus Kiefer, 1932, p. 508.

Habitat. Chilka Lake

Diaptomidae - Calanoida.

Diaptomus purcelli Sars, ♀.

— Sars, 1907, p. 12; pl. 2, figs. 3-10.

— Stebbing, 1910, p. 531.

— Sars, 1927, p. 103; pl. 9; figs. 1-8.

Metad. — Kiefer, 1934, p. 135; figs. 51-52.

Habitat. Ponds, So. Africa.

Diaptomus purpureus Marsh - see Mastigodiaptomus

Diaptomus purpureus Kiss, 1960 - see Tropodiaptomus  
burundensis

*Diaptomus pusillus* Brady

- SEE EUDIAPTOOMUS

Brady, G.S.--- 1913, Proc. Zool. Soc. London, p. 231,  
pl. 38, figs. 1-6.

DIAPTONUS PUSSILLUS G.O. SARS

--, MANUSCRIPT NAME, FROM A LETTER QUOTED  
BY K. KIKUCHI, 1928 (MEM. COLL. SCI. KYOTO  
IMP. UNIV. 4 (1, 3): 65-79. LETTER WAS DATED  
DEC. 1926.

Diaptomus pygmaeus Pearse - see Skistodiaptomus

Diaptomus rappeportae - see Phyllodiaptomus

Diaptomidae - Calanoidae

Diaptomus rehmanni Grochmalicki, ♂♀.

— — Grochmalicki, 1913, p. 528: pl. 53, fig. 5

Habitat. East Africa.

Diaptomus reighardi Marsh - see Skistodiaptomus

Diaptomidae - Calanoida,

Diaptomus retusus Lilljeborg, ♀.

— Lilljeborg, ms.

A synonym of Diaptomus bacillifer.  
(Sars, 1902, p. 88).

-- REED 1934: 671

Diaptomus (Thermod.) ricardoae Harding - see

Tropodiaptomus

Diaptomus richardii Schmeil, ♀, ♂

- — Schmeil, 1889, p. 116, 646-649, GERMANY  
— — De Guerne & Richard, 1889, pl. 18: table.  
— laticeps ♂, Poppe, 1884, p. 499.  
A synonym of Diaptomus salinus.  
(Schmeil, 1896, p. 48).

Habitat. Germany.

Diaptomus richardi Schmeil, 1889

card 2

--, Margalef, 1943, p. 379- 382, figs. 3-9

---, Stella & Fano, 1974, p. 132

-- STELLA 1984: 70, SYNONYM OF ARCTODIAPTOMUS (R.H.)

SALINUS

Diaptomidae — Calanoida

Diaptomus rigidus G.O. Sars ♀, ♂

— — Sars, 1927, p. 101 : pl. 8; figs. 13-18.

— — Kiefer, 1934 = synonym of *Metadiaptomus meridianus*

— Hutchinson, et al., 1932 : 29, passim

Habitat. Kimberley

Diaptomus rostripes Herbst, 1955

(1)

-- -- Herbst, 1955. pp. 249-253, fig. 1-10. Germany.

--, Aguesse & Dussart, 1957, p. 487

--, KIEFER 1974: 284-287; Figs. 15-18, 20, 26, 34,  
46, 47. REDESCRIPTION

--, Stella, 1970, p. 76

— Kiefer, 1978: 211

-- STELLA 1984: 38, SYNONYM OF D. CYANEUS.

-- STELLA 1979a: 321

- (CHAETODIAPTONUS) -, KIEFER 1978c: 84-, PL. 18A, DIST.

- (C.) -, BORUTZKY ET AL. 1991: 173-174, FIG. 68, DIST. - USSR

- (C.) -, HUETTE 1987: 240

DIATOMUS ROSTRIPES HERBST, 1955

(2)

-- HAMER ET AL. 1996:207

Diaptomidae - Calanoidae.

Diaptomus roubaudi Richard, ♂-♀.

- — Richard, 1888, p. 44. [p. 86: pl. 3, fig. 2, 10, 26]  
— — De Guerne & Richard, 1889, pl. 18: tabl.  
— — Herrick, 1895, p. 76: pl. 8, fig. 2: pl. 9, fig. 11.  
— — Giesbrecht & Schmeil, 1898, p. 92.

Habitat. Spain.

--, Aguesse & Dussart, 1957, p. 485

Diaptomidae - Calanoidae,

Diaptomus rubens (Müller), ♀.

Cyclops O. F. Müller, 1785, p. 104: pl. 16, f. 1-3.

Diaptomus De Guerne & Richard, 1889, vol. 18: table.

— Giesbrecht & Schmeil, 1898, p. 95.

Habitat. Denmark-

Diaptomidae - Calanoidae

Diaptomus ruttneri Brehm ♂♀.

— — Brehm, 1923, p. 161.

Transferred to Tropodiaptomus Kiefer, 1932, p. 498.

--, BREHM 1930: p. 142; figs. 2-4.

Habitat. China.

Diaptomus rylovi Charin - see Hemidiaptomus

Diaptomus rylovi Smirnov - see Nordodiaptomus siberiensis

Diaptomus salinus Daday - see Arctodiaptomus

Diaptomus saltillinus Brewer - see Arctodiaptomus

Diaptomidae - Calanocera.

Diaptomus sancti-patricii Brady, ♂. ♀.

- — Brady, 1891, p. 34: pl. 14, f. 5-8.
- — Herrick, 1895, p. 75: pl. 33, fig. 9-11.
- — Scourfield, 1903, p. 533.
- — Schmeil, 1898, p. 169.
- BREHMI 1908a: 452 -

Habitat. British Isles:

— — Giesb. & Schmeil, 1898, p. 73.

-- KIEFER 1968:39, = MIXODIAPTOMUS LACINIATUS

Diaptomus sanguineus Forbes - see Onychodiaptomus

DIAPTONIDS SANTAFEINUS RINGUELET +  
M. FERRATO

- , BRANDORFF, 1976: 618; FIG. 3
- DUSSART 1984: 64
- PAGGI & PAGGI 1990: 690-, RIO PARANA' MÉDIO, ARGENTINA
- NOTODIAPTONUS? -, DUSSART & FRUTOS 1985(1986):  
307, FIGS 1, 2, PARANA' RIVER, ARGENTINA

Diaptomus santaremensis Wright - see Notodiaptomus

Diaptomus sarsi Rylov - see Sinodiaptomus

DIAPTONUS SASKATCHEWANENSIS - SEE

AGLAODIAPTONUS

Diaptomus schefferi - see Hesperodiaptomus

Diaptomus schmackeri - see Neodiaptomus

Diaptomidae - Calanoida

Diaptomus schmeili Kiefer, ♀, ♂

— — Kiefer, 1926, p. 262; fig 1a-c

Transferred to Tropodiaptomus Kiefer, 1932, p. 498.

Habitat. Dutch So. W. Africa

Diaptomus schubotzi Douwe - see Tropodiaptomus

Diaptomus scutariensis

--, Baldi, 1932, p. 5

-- BREHMI 1908a: 450 -

DIAPTONUS SEMICINCOLATUS

-- FORRO' 1986: 560

Diaptomidae - Calanoida

Diaptomus sensibilis Kiefer, ♀, ♂

= D. insulamus S. Wright 1928

— — Kiefer, 1928, p. 102 : figs. 10 — 15

— — Kiefer, 1930, p. 151 : fig. 1, a — h.

— — KIEFER 1938j : 56

Habitat. Island of Luzon, Laguna Bay

Diaptomus serbicus Gjorgjewić, ♀

- — Gjorgjewić, 1907, p. 203: text-figs. 1-5.  
— — charini, Siéwerth, 1928, p. 151: figs. 9-14.  
— — serbicus, Banarescu + Serban, 1954, p. 42.

—, Kiefer, 1938, p. 251, figs. 10-18

— Kiefer, 1978: 211

Habitat. Serbia.

—; KIEFER, 1970: 229, 233-234 ♀ ♂, 235, 239

— Damian-Georgescu, 1966: 56-58 ( ), fig. 19

—, PESTA 1936: 246; figs. 11-14a.

- Petkovski, 1983: 110–112, fig. 18 A–I  
— STELLA 1984: 3, 35, 38–41, FIG. 15, DISTRIBUTION – ITALY; IN  
SUBGENUS CHAETODIAPTONUS.  
— STELLA 1979a: 317–, DISTRIBUTION – ITALY  
— STELLA 1982: 27, 31–34, FIG. 21 – ITALY  
— ( CHAETODIAPTONUS ) –, KIEFER 1978c: 86–, PL. 21A,

DISTRIBUTION

- ( c. ) –, BORUTZKY ET AL. 1991: 169–, FIG. 65, DIST. – USSR;  
441, NEW SYNONYMY D. ANACHITAE MESCHKOWA,  
1948.

D. ANACHITAE, BORUTZKY 1960: 27, FIG. 7(7, 11)

Diaptomus serbicus Charini (Siewerth, 1928)

---, Kiefer, 1938, p. 251

--, KIEFER, 1970: 229, 240

--, BORUTZKY, 1960: 37, FIG. 7 (10)

~~DIAPLOMIRUS~~ 1978. 2011

-- ~~SERBIKA~~

-- ~~SERBIKA~~

-- Var. --, BORUTZKY ET AL. 1991: 443, POSSIBLE  
SYNONYM OF D. FALSUMIRUS KIEFER

Diaptomidae - Calanoida.

Diaptomus serricornis Lilljeborg. ♂. ♀.

- Lilljeborg, 1888, b. p. 157.
- DeGuerne & Richard, 1889, pl. 18 : table.
- Herrick, 1895, p. 56 : pl. 8, fig. 14 ; pl. 9, fig. 12.
- Brady, 1891, p. 101 : pl. 9, figs. 3-10.
- BAJKOV 1929: 392

Habitat. Lakes of Russian Tundras; Norway.

DIAPTONUS SHOSHONE FORBES - SEE  
HESPERODIAPTONUS SHOSHONE

DIAPTONUS S HOSHONE WARDI PEARSE - SEE

HESPERODIAPTONUS S HOSHONE WARDI, and  
H. WARDI

Diaptomus sicilis S. A. Forbes - see Leptodiaptomus

Diaptomus sicilis var. imperfectus (Forbes, 1891)

--- Balcer et al. 1984: 82, syn. of Leptodiaptomus  
ashlandi

Diaptomus siciloides Lilljeborg - see Leptodiaptomus

Diaptomus siewerthi Smirnov - see Eudiaptomus

DIAPTONUS SIGNICAUDA - SEE LEPTODIAPTONUS

Diaptomidae - Calanoida

Diaptomus silvaticus Wright. ♂♀.

Ø

— — Wright. 1927, p. 93: pl. 7, figs. 7-9: pl. 8, figs. 1-2

--, ANDRADE & BRANDORFF, 1975: 97, 103

--, BRANDORFF, 1976: 618; FIG. 3

-- DUSSART 1984: 64

"-- DUSSART 1985: 214, NOT ASSIGNED WITHIN NOTODIAPTONUS.

Habitat. Trinidad, Brazil.

"-- DUSSART & ROBERTSON 1984: 391

D., BRANDORFF 1972: 52, DISTRIBUTION

Diaptomus silvaticus Wright, 1927

card 2

-- Collado et al. 1984:115-

→ S.L.; REID 1990g: 178, DISTRIBUTION

Diaptomidae - Catanoidea

Diaptomus silvaticus infrequens Wright, ♂♀.

— — Wright, 1927, p. 95: pl. 8, figs. 3-4.

-- Dussart 1984: 64

D. INFREQUENS, S. Wright 1938: 562

Habitat. T3<sup>mazil.</sup>

Diaptomidae — Calanoidae.

Diaptomus similis Baird, ♂, ♀.

- Herrick, 1884,
- DeGuerin & Richard, 1889, pl. 18, table
- Baird, 1859, p. 283: pl. 6, fig. 3, 3a.
- Richard, 1893, p. 469: text-f. 43-48.

Habitat. Minnesota

—, COLE 1968: 462.

- — Schmeil, 1897, p. 174
- — Giesbrecht & Schmeil, 1898, p. 85.
- — Rylov, 1930, p. 136 : fig. 35.
- — Kiefer, 1927, p. 409 : figs. 16 - 22
- — Daday, 1903, p. 502 : figs. 66-71, pl. 28.
- —, BALDI 1936a: p. 843.

2

Diaptomus similis

- , Kiefer, 1974, p. 15-16
- Monod, 1931: 400 - 401
- FORRO' 1986: 560

Diaptomidae - Calanoidae

Diaptomus simplex Sars, ♂. ♀.

— — Sars, 1909, p. 36 : pl. 8, figs. 25-32.

— — Gurney, 1928, p. 318.

Transferred to Tropodiaptomus Kiefer, 1932, p. 500.  
— (Trop.) — , Harding 1942, p. 180, L. Tanganyika, Afr.

— , Kiefer, 1956, p. 246, a syn. of Tropodiaptomus s.

Habitat, Lake Tanganyika.

— Haberyan, 1985: 1010

— BURGESS 1984: 1199.

Diaptomidae-Calanoida

Diaptomus sinensis Burckhardt, ♂. ♀.

— Burckhardt, 1913, p. 394: pl. 13K, f. 1-2,  
6, 8, 17: pl. 13L, fig. 2, 4, 9: pl. 13M, fig. 3, 7, 14.

Transferred to Eodiaptomus Kiefer, 1932, p. 507.

EODIAPTONUS s., SHEN & TAI, 1962: 109

Habitat. China.

*Diaptomidae* - Calanoidae  
*Diaptomus singalensis* Daday ♂

— — — Daday, 1898, p. 22, fig. 6.

-- FORRÓ 1986: 560

-- GURNEY 1906a: 131, 132

Habitat: Mahaveliganga-Flusses (river), Ceylon.

DIAPTOOMUS SINUATUS - see SKISTODIAPTOOMUS

Diaptomidae. Calanoida

Diaptomus sostarici Krmpotic, ♀♂.

— — Krmpotic, 1924, p. 16: pl. 2, figs. 1-6.

Habitat. Croatia, Slavonia,

Diaptomidae — Calanoidae.

Diaptomus sowinskyi de G. & Richard, ♀.

— de G. & R., 1891, p. 3: pl. 5, fig. 21-22.

A synonym of Diaptomus easter.  
(Schmeil, 1896, p. 35).

Diaptomus spatulocrenatus Pearse - see Aglaodiaptomus

Diaptomidae - Calanoida

Diaptomus spectabilis Kiefer ♀, ♂

— — Kiefer, 1929, p. 311 : figs. 5 - 6.

Tropod. — Kiefer, 1934, p. 148 : figs. 82 - 88.

— , Hutchinson, 1932 : 28, passim., + bl. 4

Habitat South Africa, Johannesburg, Transvaal

Diaptomus spinicornis Light - see Leptodiaptomus

Diaptomidae Calanoida -

Diaptomus spiniger Brian ♂♀.

— — Brian, 1925, p. 184: text figs. 10-14.

--, BRANDORFF, 1976: 618, 620; FIG. 3; syn. D.

TOLDTI ; D. BIRABENI

D., J. WRIGHT 1937: 74

Habitat. Río de la Plata: Río Uruguay.

D., J. WRIGHT 1938: 562

Argentina.

- s. lat. -, BREHM



1958a: 167-Key.

-- DUSSART 1984: 63, ?ARCYRODIAPTOMUS

Diaptomus spiniger Brian 1925

card 2

-- Brandorff 1972: 52, distribution

-- S. WRIGHT 1939: 647, ARGENTINA

-- REID & MORENO 1990: 732

-- PAGGI & PAESI 1990: 690-, RIO PARANA' MEDIO, ARGENTINA

NOTODIAPTOOMUS -, N. COMB., DUSSART & FRUTOS 1985  
(1986): 308-309, FIG. 9-13, PARANA' RIVER, ARGENTINA

Diaptomus spinosus Daday - see Arctodiaptomus

Diaptomus stagnalis Forbes - see Aglaodiaptomus

Diaptomidae - Calanoidae.

Diaptomus steindachneri Richard, ♀.

- Richard, 1897, e, p. 63: Tekt-figs. 1-4
- Giesbrecht & Schmeil, 1898, p. 84.
- Transferred to Arctodiaptomus Kiefer, 1932, p. 505.
- Krmpotic, 1924, p. 31: pl. 4, fig. 22.

Habitat. Lakes of Janina, Macedonia.

— — *kerkyrensis*, Pesta, 1935, p. 316: figs. 5-7.

Diaptomus steueri

= Copidiaptomus steueri

Diaptomidae - Calanoidae

Diaptomus stewartianus Brehm ♂ ♀

— — Brehm, 1924, p. 66: no figs.

Transferred to Arctodiaptomus Kiefer, 1932, p. 504.

Diaptomidae - Caranocarina

Diaptomus strigilipes Gurney, ♀.

— — Gurney, 1907, p. 30: figs, 18-20.

— — Tollinger, 1911, p. III.

— — Sewell, 1924, p. 788.

Transferred to Neodiaptomus Kiefer, 1932, p. 509.

Habitat. Chilka Lake.

Diaptomidae - Calanoida.

Diaptomus stuhlmanni Mrázeck, ♂·♀·

- — Mrázeck, 1895, p. 7: pl. 3, figs. 1-3, 6, 7.  
— — Giesbrecht & Schmeil, 1898, p. 86.  
— — Sars, 1909, p. 35: pl. 8, figs. 18-24.  
Transferred to *Tropodiaptomus*, Kiefer, 1932, p. 498.

Habitat. Dutch East Africa.  
Lake Victoria Nyanga.

Diaptomidae - Calanoidae.

Diaptomus superbus Schmeil, ♀.

— Schmeil, 1895, p. 128.

— Schmeil, 1896, p. 44; pl. 6, fig. 7-13.

— Giesbrecht & Schmeil, 1898, p. 90.

Transferred to Hemidiaptomus Kiefer, 1932, p. 494.

—, Pesta, 1928, p. 43-4, fig. 33

Habitat. Germany.

— Weisig, 1931: 261-262

Diaptomus susanae Paggi

—Paggi, 1976: 85-92., fig. 1 & 2

Diaptomus syngenes Kiefer ♂

— — Kiefer, 1929, p. 313: fig. 7

Thermod. — Kiefer, 1934, p. 150: figs. 89-94.

— Hutchinson, et al., 1932: 77, passim

Habitat. South Africa

DIAPTONUS TATRICUS WIERZEJSKI, 1883 - SEE

MIXODIAPTONUS TATRICUS

Diaptomus tenuicaudatus Marsh - see Leptodiaptomus

Diaptomidae - Calanoidae.  
Diaptomus tenuicornis (Dana), ♀.

Cyclopsina tenuicornis Dana, 1849, a. p. 25,

Cyclopsina gracilis Dana, 1849, a. p. 25.

Habitat. North Pacific.

Diaptomus texensis Wilson - see Mastigodiaptomus

Diaptomus theeli - see Mixodiaptomus

Diaptomus thomseni Brehm - see Odontodiaptomus

Diaptomidae — Calanoida

Diaptomus tibetanus Daday ♀, ♂

— — Rylor, 1930, p. 177 : figs. 52, 53.

— — var. septentrionalis, Smirnov, 1930, p. 163 : figs. 1-7.

Transferred to Acanthodiaptomus, Kiefer, 1932, p. 494.

—

Habitat. Russia : Thibet.

Diaptomus toldti Pesta, 1927

n. sp. Pesta, 1927, pp. 734, fig. 4a-d

-- DUSSART 1955: 201, syn. of AROGYPODIAPTEROMUS  
 (?) SPINIGER

-- BRANDORFF 1972: 52-, DISTRIBUTION

-- S. WRIGHT 1937: 74

-- S. WRIGHT 1938: 562

-- S. WRIGHT 1939: 647, ARGENTINA

DIAPTONUS TONI

-- LÖFFLER 1956: 251

Diaptomus tracicus Chichkoff - see Hemidiaptomus

Diaptomus transitans Kiefer - see Notodiaptomus

Diaptomus transylvanicus Daday - see Eudiaptomus

Diaptomidae - Calanoidae,

Diaptomus trybomi Lilljeborg, ♀.

f. 14: pl. 4. f. 28

- — Lilljeborg in  $\vartriangleright$ , p. 110: pl. 1, f. 35; pl. 2, f. 6: pl. 3. a
- — De Guerne & Richard, 1889, pl. 18 [pl. 10, f. 13]
- — Herrick, 1895, p. 57: pl. 8, f. 17; pl. 9, f. 4: a
- — Marsh, 1918, p. 761: text. fig. 1186.
- ROBERTSON, 1970 : 103

Habitat. Oregon -

- Trybomi Schmeil, 1898, p. 170: pl. 14, f. 12
  - — Giesbrecht & Schmeil, 1898, p. 78.
  - — Schacht, 1897, p. 158: pl. 31, f. 1-5
  - — Marsh, 1907, p. 466: pl. 28, f. 1-4.
  - — Kincaid, 1953, p. 56-57.
- TRYBOMI, WECKER 1914:194

Diaptomus tyrrelli Poppe - see Leptodiaptomus

Diaptomus uenoi Kikuchi - see Neodiaptomus

Diaptomus unguiculatus Daday -

— — Daday, 1891, p. 118: pl. 4, figs. 4-9

(A synonym of D. alluaudi)

Giesb. & Schmeil, 1898, p. 93.

Diaptomidae - Calanoida

Diaptomus uxorius King,

- — King, 1855, p. 74.
- — De Guerne & Richard, 1889, pl. 18 : table.
- — Schmeil, 1898, p. 177.
- — Giesbrecht & Schmeil, 1898, p. 95.

Habitat. Australia.

Diaptomidae - Calanocera

Diaptomus verillifer, Brehm. ♂♀.

— — Brehm, 1933, p. 83: fig. 8-9.

Brehm, 1953, p. 418.

Habitat. Philippines.

Diaptomidae - Calanoida

Diaptomus ricinus Kiefer, ♂♀

-- Kiefer, 1933, pp. 540, 544: figs. 18-29.

Transferred to Tropodiaptomus Kiefer, 1932, p. 498.

--, BREHM 1930: p. 142; fig. 1.

Habitat. Sumatra

Diaptomus victoriaensis Reed - see Hesperodiaptomus

Diaptomidae - Calanoida

Diaptomus viduus Gurney ♂♀.

— — Gurney, 1916.

Transferred to Heliodiaptomus Kiefer, 1932, p. 507.

--, (= Heliodiaptomus viduus) RADHAKRISHNA & REDDY, 1977b:

Diaptomidae - Calanoida

Diaptomus viduus Kikuchi ♂♀

— — Kikuchi, 1928,  
— — not Gurney, 1916,

Changed to Heliodiaptomus kikuchii Kiefer, 1932, p. 473.

— , CHANG & KIM 1986: 53, = HELIODIAPTOMUS KIKUCHII

*DIAPTOMUS VIRGINIENSIS* - SEE *ONYCHODIAPTOMUS*

Diaptomidae - Calanoida.

Diaptomus visnu Daday, ♂♀.

— — Daday, 1906, p. 200: pl. 16, figs. 17-20.

Brehm 1953, p. 418 ♂

—, Brehm, 1954, p. 273

— FORRÓ' 1986: 560

Habitat. Hawaiian Islands.

DIAPTONUS VULGARIS SCHMEIL, 1896 - SEE

EUDIAPTONUS VULGARIS

Diaptomidae - Calanoidae

Diaptomus walterianus Brehm ♂♀

— — Brehm, 1924, p. 64: no figs.

Transferred to Arctodiaptomus, Kiefer, 1932, p. 505

DIAPTONUS WARDI PEARSE - SEE

HESPERODIAPTONUS WARDI

*DIAPTONUS WASHINGTONENSIS* - see  
*LEPTODIAPTONUS NOVAMEXICANUS*

Diaptomidae - Calanoidae

Diaptomus westwoodii Lubbock, ♀♂

— Lubbock, 1864, p. 203; pl. 31, figs. 1-6,

— Lowndes, 1936, p. 12;

— S. A. FORBES 1882: 646

A synonym of Diaptomus gracilis.  
(Norman & Brady, 1909, p. 114)

Diaptomus wierzejskii Richard - see Arctodiaptomus

Diaptomus wilsonae Reed - see Hesperodiaptomus

Diaptomus woltereckii

-- Brehm 1953: 108

Diaptomus wolterecki var. celebensis

--- Brehm 1953: 108

Diaptomus woltereckii var. metanensis

-- Brehm 1953: 108

Diaptomus wolterecki var. tomangiae

--- Brehm 1953: 108

Diaptomidae-Calanoidae

Diaptomus Worthingtoni Lowndes, ♂♀

— Lowndes, 1936, p. 13: fig. 3, A-K.

--, Kiefer, 1952, p. 79 ( a syn. of Tropodiaptomus w. )

Habitat. Lake George, East Africa.

Diaptomidae - Calanoidae

Diaptomus yabensis Wright & Tressler ♂♀

— — Wright & Tressler, 1928, p. 372: pl. 53, figs. 1, 5, 7, 8.

Transferred to Thermodiaptomus Kiefer, 1932, p. 500: fig. 62.

Diaptomidae — Calanoida

Diaptomus yamanacensis V. Brehm. ♂, ♀  
— Pylov, 1930, p. 174 : fig. 51.

Transferred to Acanthodiaptomus Kiefer, 1932, p. 494.

Habitat. Russia.

DIAPTOMUS ZACHARIASI OR ZACHARIAE (POPPE) - SEE

EUDIAPTOMUS ZACHARIASI

DIAPTONUS ZICHY

-- FORRÓ 1986: 560

D. ZICHYI, BREHM 1959c: 933, syn. of D. DENTICORNIS

Diaptomidae - Calanoida

Diaptomus ziegelmayeri Kiefer ♂

— — Kiefer, 1924, p. 310 : figs. 5 - 6

Transferred to Eudiaptomus Kiefer, 1932, p. 502.

Habitat Mediterranean,

Diaptomidae - Calanoidae,

Diaptomus zografii Kortschagin, ♀ ♂

- — Kortschagin, 1887, p. 26: text-f. 1-4.
- — De Guerne & Richard, 1889, pl. 18,
- — Schmeil, 1898, p. 178,
- — Giesbrecht & Schmeil, 1898, p. 95.

Habitat. Russia.

- (CHAETODIAPTONUS) -, Borutzky et al. 1991: 170; FIG. 66,  
DIST. - USSR; 441, SYN.  D. KOSTROMANUS Kieffer,  
NEW SYNONYMY; p. 443

= D. ZOGRAFI

(2)

DIAPLOMUS KOSTROMANDUS KIEFER, 1972

D.-K. KIEFER, 1972: 229, 238-240 ♀♂; FIG. 65-78;

SYN: D. MIRUS SMIRNOV, 1909

D.K. Kiefer, 1978: 211

D.K. (CHAEFTODIAPLOMUS)-, <sup>KIEFER</sup> BUSSART 1979C: 86-, PL. 21B,

DISTRIBUTION

D.K., = D. ZOGRAFI, NEW SYNONYMY, BORUTZKY  
ET AL. 1991: 441-442

Diaptomus sp.

(1)

- , Jeffries & Alzara, 1970, pp. 215-
- , Fulton, 1968, p. 40
- , Brehm, 1954, pp. 278-80, fig. 4
- , Bulkley & Scheider, 1970, p. 405
- , Davis, 1955, p. 842
- , Elster, 1958, p. 963-
- , Erickson, 1953, p. 139
- , & Fincher & McGinty, 1952, p. 100
- , Flanigan, 1942, p. 169
- Tash, 1967, p. 133, 134.
- , Vaudel-Kreuz - Weber, 1975: 300, 301
- , Davis, 1954: TAB. 3
- , Sparrow, 1966: 1889

Diaptomidae - Larvalia.

Diaptomus sp.? Gjorgjewić, ♀. (2)

-- Gjorgjewić, 1907, p. 206; text-figs. 8-9.

--, Harrer, 1978: 30-32 ♂'s FIG. 7-8

--, Lai & Fernando, 1981: 170-172, fig. 64-72

Habitat. Serbia.

Diaptomus sp.

card 3

-- Lindberg 1943c: 19, 25-26, India: host of  
cysticercoid.

-- JELLOORE 1952: 422-445.

-- GOSWAMI 1983: 255-257, INDIA

-- SAGE ET AL 1976: 86, TAB. I - POTOMAC RIVER

-- PECHEN' FINENKO & PAULOVSKAYA 1976: 23

-- PORUTZKY 1960: 189

-- REID 1987a: 365, DIAPTONUS sp. OF BARBOSA ET AL.

1984 = SCOLODIAPTONUS CORDEROI.

card 4

Diaptomus sp.

- Smirnov 1929: 318, Suifun River
- SMITH, H. D. 1973: 949-, BRITISH COLUMBIA
- RAWSON 1934: 16-, LAKES, BRITISH COLUMBIA
- RAWSON 1945: 328, CLEAR LAKE, MANITOBA
- RAWSON 1959: 19-, CREE LAKE, SASKATCHEWAN
- RAWSON 1960a: 19, LAKES, SASKATCHEWAN
- RUGGLES (YEAR?): 16, OWIKENO LAKE, BRITISH COLUMBIA
- DERJUGIN 1928b: 501-, KILDIN Is., BARENTS SEA
- REID 1990 d: 229

Diaptomus sp.

card 5

- Lemly & Dimmick 1982b:309-, North Carolina, USA
- SHIH ET AL. 1971: 39, CANADA- ATLANTIC;  
146, PACIFIC
- KOCHSIEK ET AL. 1971: 1123-, OKLAHOMA, USA
- COX & HENDRICKSON 1991: 40-41, CALIFORNIA, USA
- HENSEN 1952: 586, 612, IRAN
- WARD ET AL. 1994: 147 MONTANA, USA
- CARMAN & DOBBS 1997: 124, TAB. 2

Diaptomus sp. Brandorff 1972

-- Brandorff 1972: 36-39, figs. 67-75, Amazon (thesis)

"Diaptomus" sp. 1, Dussart & Frutos 1985(1986)

--- Dussart & Frutos 1985(1986): 309, figs. 19, 20,

female only, Parana River tributaries, Argentina;

Also as Norodiaptomus sp.

"Diaptomus" sp. 2, Dussart & Frutos 1986

--- Dussart & Frutos 1985(1986): 310, figs. 21, 22,  
female only; Parana River tributaries; also as  
"Notodiaptomus" sp.; Argentina

Diaptomus sp. Harris, 1973

-- Harris, M. J. 1973: 12-, Pl. 5 Figs. 25, 26 - Mississipi

Diaptomus spp.

-- <sup>JE</sup>GANNON 1980: 101, 103.

-- J.E. GANNON & GANNON 1975: 222-3.

-- CHANDLER, D. 1939: 27, 34, 37 - HURON RIVER

-- DORRIS 1948: 109, ILLINOIS

-- LE BORGNE 1986: 119 -

-- ORSIT + DAVIS 1986: 633, CALIFORNIA

-- SPRULES ET AL. 1988: 137-, LAKE HURON (ECOL.)

-- RAWSON 1960 b: 204, LAKES, SASKATCHEWAN

-- LARKIN ET AL. 1950: 8, PAUL LAKE, BRITISH COLUMBIA

Diaptomus spp.

card 2

-- Watson 1963:282-, Manitoba

-- WATERS 1967: 3; LAKES, ALASKA