

~~anacardiaceae. sphonotomatoida Caligidae. Caligoida.~~
Dinemoura = synonym.

Latreille, 1829

D. producta.

Syn. Dinemoura Latreille, 1829, p. 197.

Binoculus Nordmann, 1832, p. 38

Dinematura Burmeister, 1833, p. 284.

Pandarus (pars) M-Edwards: Johnston.

Pandarus Dana, 1852, p. 1369.

Δίς, two, νήμα, thread, and οὐρα tail.

Caligus (pars) Müller, 1785, p. 132.

Noqagus (pars) Gerstaecker, 1853, p. 63.

Dinemoura M-Edwards, 1840, p. 463.

Dinemoura T. & A. Scott, 1913, p. 85.

Dinematura Wilson, 1907, p. 374.

DINEMOURA, KABATA 1988b: 4, ORIGIN OF NAME

DINEMOURA, KABATA 1992: 24, DIAGNOSIS

DINENOURA LATREILLE, 1829

CARD 2

- KABATA 1988: 25, 27-28, DIAGNOSIS + LIST OF
CANADIAN SPECIES.

Caligidae. Caligoida.
Dinemoura alata Milne Edwards, ♀

— — M-Edwards, 1840, p. 464.

A synonym of Eichthrogaleus coleoptratus.
(Steenstrup & Lütken, 1861, p. 380).

-Tempere, 1898: 222, pl. 24, fig. 4

Caligidae. Caligoida.

Dinemoura affinis Milne Edwards, ♀.

— — M-Edwards, 1840, p. 465: pl. 38, f. 15-18.

A synonym of Echthrogaleus affinis,
(Steenstrup & Lütken, 1861, p. 382).

Dinemoura discrepans n. sp.

-- --, Cressey, 1967, p. 43-45.

--, Kazachenko, 1975, p. 214

-- BENZ 1986: 216, 219, BIGEYE THRESHER SHARK

Dinemoura elongata, Van Ben. ^{Caligidale} ♂+♀.

Dinemoura elongata - P. J. Van Ben., 1857, p. 226, pl. XXIV

" " - P. J. Van Ben., 1861, p. 149.

Dinematoura " - P. J. Van Ben., 1892^a, p. 231, pl. II,
figs. 11-13, ♂.

A synonym of Dinematoura producta.
(Stp & Büttken, 1861, p. 374).

Host. Skin of Sejurus glacialis, ♀, (V. Ben. 1861)

Skin of Lamna cornubica ♂, (V. Ben. 1892^a)

" " Selachus maximus. (over)

Dinematura producta, Brian, 1898, p. 14.

Dinemoura elongata, P. J. Van Ben, 1870^b, p. 12.

P. J. Van Ben. in his text (1892^a) calls a genus "Dine-
matura", but in his explanation of the Plates he
spells it "Dinemoura". He also says in the text
(1892^a, p. 231) that Olsson has declared his D.
elongata to be the same as Baird's D. launae,
slp + Ltk's D. producta + Muller's Caligus productus,
but he makes no change in his nomenclature,
a characteristic trick of his. also in text (1892^a, p. 231)
has spelling "Dinamoura", 3 spellings in one paper

D. elongata (2)

— — Wilson, 1907, 376 and 382.

Dinematura producta B-Smith, 1899, p. 463.

— — Olsson, 1869, p. 36.

DINEMOURA INDISTINCTA B.

--, ACLOQUE, 1899: 200

Dinemoura latifolia (Steenstrup + Lutken 1861)

- , Hewitt & Hine, 1972, p. 71, 73
- , Hewitt, 1967, p. 195-204, figs. 21-43
- Montá 1982: 329, 333-338, Figs. 4a-c, 5a-c;
HOST CARCHARINUS SP., TORRES, RIOGRANDE DO
SUL, BRAZIL
- BENZ 1986: 212, 219, FIG. 2F, HOST RECORDS
- KABATA 1988: 28, FIGS. 13 E-G; HOST LIST
- BENZ 1981: 966

Dinemoura latifolia

- Benz, 1984: 741 Host : shortfin mako - west N.
Atlantic, association with Conchoderma virgatum

-- Ho & Kimura. 1996: 289, JAPAN; HOST CARCHARODON
CARCHARIAS.

-- Montú 1997: 179-180, OFF BRAZIL; HOST ISURUS
ORYRHINCHUS.

Dinemoura
Dinemoura producta, (Müller), ♂. ♀. ①

Caligus p—, Müller, 1785, p. 132, pl. XXI, figs. 3+4.
 — —, Latreille, 1802, IV, p. 115, pl. XXX, fig. 2 +
 pl. XXXI, fig. 2: 1829, IV, p. 198.

Pandarus launae, Johnston, 1835, p. 203, fig. 22 (text)
 — —, Cressey, 1967, p. 39.

Host: Lamna cornubica: Scymnus glacialis
 Thresher & Porbeagle Sharks (T. Scott, 1901).
 Casco Bay = England =
 Shetland: Faroes:
Ceratorhinus maximus:

Dinemoura lamnae, Baird, 1850, p. 286: pl. 33, fig. 8.
Nogagus productus, Gerstaecker, 1853, p. 63: pl. 11, figs. 1-10.

Dinemoura elongata, P. J. van Beneden, 1857, p. 226.

—, —, 1861, p. 149, pl. XXIV.

Dinematura producta, Stp. & Ltk, 1861, pp. 371, 374,
pl. VII, fig. 13.

Dinematura lamnae, Kröyer, 1863, p. 179.

Dinematura producta, Carus, 1885, p. 361,

—, van Beneden, 1892, p. 231,

—, B. Smilk, 1899, p. 463.

1780, p. 1: pl. III

"Ein sehr sonderbarer Seelaus vom Hemorfisch", Herbst,

Monoculus salmoneus, Fabricius, 1775, II, p. 489.

See also Caligus productus

D. producta (2)

D. producta, Fowler, 1912, p. 479: Norman, 1869, p. 301.

— — Brian, 1911, p. 197, figs. 1-4, text. ♂

Caligus p — Lönnberg, 1889, p. 149.

Hemorlaus Berl. Schriften, vol. 1, p. 56: pl. 3, fig. 1-3.

Binoculus salmonaeus Fabricius, 1780, p. 264.

Dinemoura p — Norman & Brady, 1909, p. 155.

Dinematura p — T. Scott, 1900, p. 156: pl. 6, fig. 27-31.

— — T. Scott, 1901, p. 124: 1908, a. p. 218

Dinematoura elongata, T. J. v. Beneden, 1870, b, p. 12 | pl. 15, fig. 18-20

— — T. J. v. Beneden, 1892, a, p. 231: pl. 2, fig. 11-13, ♂.

Dinematura producta Brian, 1898, p. 14,

- — Wilson, 1907, p. 376:380:pl. 23.
— — Wilson, 1923, p. 8:pl. 2, figs. 11-18.
— — Hausen, 1923, p. 35.
— — Wilson, 1932, p. 431:fig. 270.
— — Pesta, 1934, p. 27:fig. 19.
— — Fage, 1923, p. 280.
--- ---, Heegaard, 1943, p. 26.
--- ---, Heegaard 1962. p. 177
---, Boer, 1970-2, tbl. 1

Dinemoura producta (Müller) 1785 (3)

Cressey, 1968, p. 8

--, Hewitt & Hine, 1972, p. 72

--, Hewitt, 1967, p. 204-215, figs. 44-71

-- BERLAND + MARGOLIS 1983: 286, FORMER NAME
WAS CALIGUS PRODUCTUS.

-- MARGOLIS + BERLAND 1984: 219, FORMER NAME
WAS CALIGUS PRODUCTUS.

-- BRUNEL 1966: 84, TAB. I - HOST CETORHINUS MAXIMUS
(GÜNNERUS). GULF OF ST. LAWRENCE.

Dinemoura producta (Müller, 1785)

card 4

-- Delamare Deboutteville & Nunes-Ruivo 1958: 223, on
Cetorhinus maximus, Mediterranean

-- BENZ 1986: 216, 219, PORBEAGLE

-- KABATA 1988: 28, FIGS. 13A-D; HOST LIST

-- KABATA 1992: 24-25, FIG. 3E-H, SYNONYMY,

HOST LIST

-- Ho + I.H. KIM 1996: 289, OFF JAPAN; HOST

CARCHARODON CARCHARIAS.