

in/ Branchiura - Argulidae - Arguloidae

Dolops

Audouin, 1837 - D. lacordairei (M)

Syn. Dolops Audouin, 1837, p. 13.

Gyropeltis Bourvier, 1899^a, p. 40

Dolops Bourvier, 1899^b, p. 53.

Dolops Wilson, 1902, p. 730.

Δόλοψ = a lurker in ambush.

Gyropeltis Heller, 1857, p. 102.

Gyropeltis Coronalia, 1860, p. 161.

Dolops

(2)

--, Hessler, 1969, p. 203

- FRYER 1978b: 368-373

- CRESSEY 1978: 1

- CRESSEY 1983: 252

- FRYER 1986: 155-156

- THATCHER 1991: 490-491, KEY TO NEOTROPICAL SPP.

Argulidae.

Dolops bidentata, Bouvier, ♀.

Gyropeltis b —, Bouvier, 1899^a, p. 40

Dolops b —, Bouvier, 1899^b, p. 63; figs. 2-5 (ext)

— —, Wilson, 1902, p. 736; pl. XXVII, fig. 88.

-- BOEGER & THATCHER 1988: 90

-- THATCHER 1991: 491, FIG. 9-33; 493, AS BIDENTA

Host, Anguilla sp, Guiana.

-- AUVENANT, LOOTS, & VAN AS 1989: 144

Argulidae-Arguloidea

Dolops carvalhoi ~~Castro~~ LEMOS DE CASTRO, 1949

Castro, Alceu Lemos de, 1949, pp. 4-6, figs. 9-20,
Fotografias 23-26.

-- BOEGER + THATCHER 1988: 90

-- THATCHER 1991: 493

-- AUVENANT, LOOTS, + VAN AS 1989: 142, 144

Dolops discoidalis, Bouvier, ^{Argulidae.} ♀

Synopeltis kollari, Bouvier, 1897, p. 18; figs. 6+7
(text).

G. discoidalis - Bouvier, 1899^a, p. 39 (note).

Dolops d. - Bouvier, 1899^b, p. 75; figs. 15-18 (text).

— —; Wilson, 1902, p. 739.

Host. Platysoma sp. called "Droucella" -
Brazil.

— —. Moreira, 1913, p. 148: pl. III, fig. 2
and fig. 1, text.

— — Ringuélet 1943, p. 85, pl. 8, fig. 4; pl. 12, fig.
2-4; pl. 13, fig. 7 ♀ ♂

--, Bouvier, G., 1953, p. 424.

-- THATCHER 1991: 493, Figs. 9-28, 9-29, 9-30 + 9-15

-- AVENANT, LOOTS, + VAN AS 1989: 144

Argulidae - Argulocae.

Dolops doradis (Cornalia), ♀.

Gyropeltis - Cornalia, 1860, p. 13: pl. 2. f. 1-18.

— — Thorell, 1864, p. 64

Dolops — Bouvier, 1899, c, p. 25: text-f, 33-38: 41, 42.

— — Wilson, 1902, p. 733; pl. 25, f. 75.

D. -, AUVENANT, LOOTS, + VAN AS 1989: 144

A synonym of Dolops longicauda.

(Thiele, 1904, p. 14).

Dolops geayi, Bouvier, ^{Argulidae.} ♀. ①

Syropeltis g—, Bouvier, 1897, p. 13, figs. 1-5 (text).

Dolops g—, Bouvier, 1899^c, p. 17; figs. 26-30 (text).

— —, Wilson, 1902, p. 736: pl. xxv, fig. 78.

— —, Cunningham, 1931, p. 261: pl. 14, figs. 5-7.

— —, Ringaelet 1943, p. 81, pl. 10, fig. 6; pl. 11, fig. 1, 3; pl. 12, figs. 1, 5; pl. 5, figs. 4-5

Host, Swimming freely at the surface.
Guiana.

On Hoplias ma labaricus, Brazil.

Dolops geayi Bouvier, 1897

card 2

-- Thatcher 1991: 493, host list

-- AVERNANT, LOOTS, + VAN AS 1989:144

Argulidae - Arguloida.

Dolops kollari (Heller). ♀. ♂.

[pl. 2. figs. 1-3

Cyropeltis - Heller, 1857, p. 102: pl. 1, figs. 20, 21; ^

— — Kroyer, 1863, p. 103.

— — Thorell, 1864, p. 64.

— — Bouvier, 1897, p. 18: figs. 6-7, text.

Host Unknown.

Brazil.

Dolops — Bouvier, 1899, b, p. 71: figs. 11-14, text.
— — Wilson, 1902, p. 732: pl. 25, fig. 77.
— — Thiele, 1904, p. 9: pl. 6: figs. 1-7.
— — Moreira, 1913, p. 148.

-- THATCHER 1991: 494, FIG. 9-26

-- AUVENANT, LOOTS + VAN AS 1989: 144

Dolops longicauda (Heller), ♀

- Gyropeltis - Heller, 1857, p. 101: pl. 1, figs. 1-19.
- G - doradis Cornalia, 1860, p. 161: pl. 2, figs. 1-18.
- G - longicauda Krøyer, 1863, p. 99: pl. 1, fig. 4,
- - Thorell, 1865, p. 64.
- - Huggins, 1970, p. 1003
- Host, Gills of Salmo brevidens.

Brazil.

- G - *doradis* Thorell, 1865, p. 64.
D - *longicauda* Bouvier, 1899, c, p. 21: figs. 31-32.
D - *doradis* Bouvier, 1899, c, p. 25: figs. 33-38: 41, 42.
D - *longicauda* Wilson, 1902, p. 732: pl. 25, fig. 75.
D - *doradis* Wilson, 1902, p. 733: pl. 25, fig. 76.
D - *longicauda* Thiele, 1904, p. 14: pl. 6, figs. 16-25.
--- --- Moreira, 1913, p. 149: pl. 3, fig. 3.
--- --- Ringuelet 1943, p. 76, pl. 9; pl. 10, figs. 1-5,
7; pl. 11, fig. 2; ♀ ♂
---, Bouvier, G., 1953, PP. 424, Fig. D.
-- THATCHER 1991: 494, FIGS. 9-25 A-B; HOST LIST
-- AUVENANT, LOOTS & VANAS 1989: 146

Dolops nana Lemos de Castro, 1950

-- Thatcher 1991: 494, Figs. 9-23 A-D

-- AURNANT, LOOTS, & VAN AS 1989: 144

Argulidae.

Dolops ranarum (Stuhlmann), ♀.

Gynopeltis r —, Stuhlmann, 1891, p. 154 (text fig.).

Dolops r —, Bouvier, 1899^c, p. 13; figs. 23-25
(text).

— —, Wilson, 1902, p. 737; pl. XXVII, figs. 89, 90.

— —, Thiele, 1904, p. 17; pl. VI, figs. 26-31.

Host. Polliwogs of the European Frog -
Lake Victoria Nyanza.

— — Cunningham, 1913, p. 263.

-- --, Fryer 1961. pp. 52-53

-- --, Fryer 1964. pp. 91-95, fig. 24-27; . . pp. 98-99

-- --, Fryer 1960. pp. 407-32, fig. 1-16,
(spermatophores)

Dolops ranarum (Stuhlmann) ^{arguedae} (2)

— — Brian 1940, p. 78, 3 figs. ♀

— —, Huggins, 1970, p. 1003

--, Kabata, 1970, p. 15

-- KENSLAY & GRINDLEY 1973: 128.

-- FRYER 1978b: 372-373, FIG. 4a

-- CRESSEY 1983: 254 ON

-- FRYER 1956b: 328-329, CLARIAS spp., LAKE NYASA

-- AUVENANT, LOOTS, & VAN AS 1989: 141-151, TAB. I, FIGS.

1-4, TRANSVAAL & NATAL, SOUTH AFRICA; REDESCRIPTION

Dolops reperta. (Bovrier), ^{Argulidae.} ♀

D. lacordairei (?), Audouin, 1837, p. 13.

Gyropeltis reperta, Bovrier, 1899^a, p. 39.

Dolops r-, Bovrier, 1899^b, p. 66; figs. 6-10 (text).

— —, Wilson, 1902, p. 734; pl. XXVII, fig. 87.

— —, Thiele, 1904, p. 13; pl. VI, figs. 13-15

D. -, THATCHER 1991: 494, FIG. 9-24

Host, "Ayumara" in Guiana.

D. -, AVENANT, LOOTS, & VAN AS 1989: 144

Argulidae - Arguloidea,

Dolops striata (Bouvier), ♂.♀.

Gyropeltis s — Bouvier, 1899, a, p. 40

Dolops s — Bouvier, 1899, b, p. 77: text-figs. 1, 19-22.

— — Wilson, 1902, p. 735

— — Thiele, 1904, p. 10: pl. 6, figs. 8-12

— — Huggins, 1970, p. 1003

Host. Anguilla sp.

-- THATCHER 1991: 494, HOST LIST

-- MALTA & SANTOS SILVA 1986: 486 -

Guiana.

— — Cunningham, 1931, p. 260: pl. 14. figs. 1-4.

-- AVENANT, LOOTS, + VAN AS 1989: 144

Dolops tasmanianus

--, Huggtins, 1970, p. 1003

? = TASMANNICUS ?

DOLOPS TASMANICUS FRYER

-- AUVENANT, LOOTS, & VAN AS 1989: 144