

in)

Siphonostomatoidea Caligoidae.  
Caligidae.

Dysgamus, valid,  
Stp. & Lütke, 1861,

D. atlanticus (M)

Syn. Dysgamus Stp. & Lütken, 1861, p. 368.

Dysgamus Wilson, 1907, p. 713.

δύς = with difficulty and γάμος = marriage.  
(Only a single male was found).

- Dajiri, 1983: 368 - 369

Carapace large, rounded, frontal lobes distinct,  
without lunules. Rostrum long - 2<sup>nd</sup> max.  
articulate. First three thorax joints fused with  
the head, 4<sup>th</sup> joint free, without dorsal plates.  
Genital seg't obcordate, Abdomen 2-jointed,  
with small anal lamina -  
all four pairs of swimming legs biramous,  
same 2-jointed -

Dysgamus arionum, n. sp. ♂.

—, Wilson, 1907, p. 713: pl. 20, figs. 62-70.

Host, Taken at the surface.

No. Atlantic

Dysgamus ariomnus Wilson, 1907

---, Heegaard, 1972, p. 308, = Euryphorus nordmanni

Hysganus atlanticus, Stp. & Ltk, ♂, ♀.

— —, Stp. & Ltk, 1861, p. 368; pl. IV, fig. 8.

— —, B-Smilk, 1899, p. 461.

— —, Lönnberg, 1889, p. 150: 3 text-figs.

— —, T. Scott, 1912, p. 579: pl. 13, f. 13: 4 text-figs.

— —, Wilson 1942, p. 183, fig. 32; 1944, p. 531, pl. 29  
figs. 139-148

Host, "Shark",

Atlantic & Pacific Oceans,

— —, Heegaard, 1943, p. 24, figs. 65-75 ♂

Dysgamus atlanticus Steenstrup & Lutken, 1861 card 2

--, Heegaard, 1972, p. 308, = Euryphorus nordmanni

--, Heron & Damkaer, 1978, p. 10.

BONNET 1948: 7

Dysgamus errans (Kroyer, 1863)

--, Heegaard, 1972, p. 315, = Euryphorus nordmanni

Dysgamus limbatus Pearse 1952

1952--- Pearse, A.S., pp. 23-24, figs. 76-86.

--, Heegaard, 1972, p. 316, = Pandarinae juv.,

?= Nesippus sp.



Caligidae - Caligidae  
Dysgamus longifurcatus, Wilson, ♂.

Wilson, 1923, p. 11: pl. 2, figs. 20-27.

Host unknown

Cape Verde Islands.

Dysgamus longifurcatus Wilson, 1923

--, Heegaard, 1972, p. 313, = Euryphorus brachypterus

Cura 2

Dysgamus murrayi (Brady) ♂.

Nogagus —, Brady, 1883, p. 136: pl. LV, fig. 1.

Host. Swimming freely at surface of  
Rio Janeiro, and in North Atlantic.

Euryphoridae - Caligoida

Dysgamus murrayi (Brady) ♂

— — Leigh-Sharpe, 1924, p. 28: figs 24-25

Host. Unknown -

Dysgamus murrayi

--, Heegaard, 1972, p. 308, ~~†~~ =Euryphorus nordmanni

Euryphorhidae-Caligoida

*Dysgamus pacificus* Wilson

Wilson, C.B., 1950, pp. 201-202, Pl. 6, figs. 51-60.

Dysgamus pacificus Wilson, 1950

--, Heegaard, 1972, p. 308, = Euryphorus nordmanni

--, Heron & Damkaer, 1978, p. 10

Dysgamus rhinodontis (Wright, 1874)

--, Heegaard, 1972, = Prosaetes rhinodontis

~~to Wright's~~

-- Wright, 1876, (syn. Stasiotes rhinodontis)



Dysgamus sagamiensis Shiino

1958---pp. 161-166, 2 figs.

-- --, Kabata, 1966, p 167

---, Heegaard, 1972, p. 313, = Euryphorus brachypterus