

Echinocheres Cyclopoda - Asterocheridae

Claus, 1889,

*E. violaceus* <sup>①</sup>.

Syn. Asterocheres (pars). Giesbrecht  
Ascomyzon (pars). A. Scott.  
Echinocheres Claus, 1889, <sup>3</sup>p. 26 (352).  
Echinocheres G.O. Sars, 1915, p. 93.  
Cyclopicera (pars), Brady.

Body less depressed than *Ascomyzon*, arched;  
abdomen ♀ 3-, ♂ 4-jointed. 1st. antennae short  
and stout; 2nd. pair feeble. Oral cone short.  
Mds. with 1-jointed palp. Mx. with one seta  
excessively developed. Mx'pds. short and  
stout. Legs well developed, rami broad.  
Last legs with proximal joint small, distal  
joint well developed, lamelliform.

Asterocheridae - Cyclopoidea

Echinocheres synonym

Hansen, 1902

E. globosus.

Syn. Not Echinocheres, Claus, 1889, p. 352.  
Echinocheres, Hansen, 1902, p. 437.  
Calverocheres, proposed new name

<sup>Islerocheridae — Cyclopoida,</sup>  
Echinocheres globosus Hansen, ♀.

— — Hansen, 1902, p. 437; pl. 15, figs. 1-17.

Host. Calveria gracilis (echinothurid).

Philippine Islands.

Echinocheres globosus Hansen

card 2

--, Stock, J., 1971, p. 86

Asterocheridae.  
Echinocheres minutus Claus, ♀, ♂.

— — Claus, 1889, p. 30: pl. 5, figs. 11-12; pl. 6, <sup>figs. 1-4</sup>

Host. Strongylocentrotus lividus

Mediterranean

Echinocheres violaceus Claus, 1889

card 2

SEE : Asterocheres violaceus