

<sup>(m)</sup> Anchorabolidae - Harpacticoida.

Echinopsyllus.

G. O. Sars, 1909

E. normani, <sup>(M)</sup>

Syn. Echinopsyllus Sars, 1909, p. 314.

Echinus, spiny and Ψύλλος, a flea.

Body provided with dorsal and lateral projections but lacking the subdorsal ones. Rostrum small but well defined. First antennae 4-jointed, second pair as in *Anchorabolus*. First legs like 3 following pairs, endopods all small and 1-jointed.

# Echinopsyllus

2

- Thistle, 1982: 232
- BODIQU & COROMINES 1988: 109, IN KEY
- PALLARES 1968b: 463, IN KEY
- HUY 1993: 779-

Echinopsyllus gorbunovi Smirnov 1946

-- Smirnov 1946: 255-256, 263, fig. 24, n. sp. ♀ only,  
Arctic Ocean

Anchorabolidae-Harpacticoida

Echinopsyllus normani G.O. Sars, ♀

— — Sars, 1909, p. 314; pl. 212,

-- --, Wells, 1965. pp. 6, 32, fig. 110

--, Jakobi, 1959, p. 139, 279

ECHINOSYLLUS -, GEE & FLEEGER 1986: 158

-- SMIRNOV 1946: 256

-- SCHIZAS & SHIRLEY 1994c: 215, TAB. 1

Habitat. Norway Coast.

-- POR 1962: 12