

Poecilostonatoidea

Erebonasteridae Humes, 1987

- Humes 1987: 645-, new family; Erebonaster, type genus (for E. protentipes, n. sp.); 655, diagnosis
- Huys & Boxshall 1990: 504, 505, Centobnaster, n. g.
- Huys 1991: 63-77, Amphicrossus n. g.
- Humes & Huys 1991: 1369-, TRANSFERRED IN

TYCHIDION; KEY TO GENERA

Erebonaster Humes, 1987 emend. Huys, 1991 Poecilostomatoida - Erebonasteridae

- Humes 1987a: 645, 646, 655-656, n.g.; E. protentipes,
type=species

- HUMES 1988d: 175, 181

- Ho 1990b: 529

- Huys 1991: 72, emend. genus diagnosis

- HUMES + Huys 1992: 1376-

Erebonaster protentipes Humes, 1987

①

-- Humes 1987a: 645, 646, 656-663, figs. 5a-e, 6a-h, 7a-e, 8a-g, n. sp. ♀♂, Guaymas Basin, Gulf of California, hydrothermal vent; type of genus.

Assoc. with Nuculana-like bivalve.

— Humes, 1988: 553

— HUMES 1989d: 175, 181-182

— HUYS + BOXSHALL 1990: 504, 518

— HUYS 1990: 283-

— BOXSHALL 1992: 368, FIG. 13D

— HUMES 1990d: 302

Erebonaster protentipes Humes, 1987

card 2

-- Huys 1991: 64, 65, 72

-- Humes & Huys 1992: 1369-, *Fig. 5 F, G*

Erebonaster spinulosus Humes -- see Amphicrossus