

Ergasilina

Dickelesthidae - Caligoida -

P. J. van Beneden, 1851.

E. robusta.

Syn. Ergasilina Beneden, 1851, p. 97.

Ergasilina Valle, 1880, p. 67.

Ergasilina Stossich, 1880, p. 263.

not Ergasilina Burmeister, 1833, p. 326.

Ergasilina Wilson, 1922, p. 56.

Head distinct, oval, without eyes: 10 + 20 / thorax
septs. fused and bearing 2 pairs of legs - 30 +
40 septs. free, each with a pair of legs; gen.
sept. short and swollen; abdomen as long
as the thorax: anal laminae lanceolate,
10 antennae 5-jointed = 20 pair very large
with a powerful, terminal, curved claw.
All 4 pairs of legs uniramous, 2-jointed,
without setae.

Ergasilina (Family) Burmeister 1834

- Burmeister 1834:54, *AS FAMILY*

Ergasilina robusta P.J. van Beneden. ♀. ♂.

- — Beneden, 1851, a, p. 97: pl. 3, f. 1 & 2.
- — Beneden, 1861, p. 149: 1870, p. 15.
- — Carus, 1885, p. 366 (= Nemesis robusta)
- — B-Smith, 1899, p. 476 (= n — r —)

Host. Gills of Trygon pastinaca Cur. I, thal-
assia Col.: Laeviraja oxyrhynchus Bonap.
L. macrorhynchus Bonap.: Mustelus plebejus
 Bonap.: M. equestris Bonap. (Europe).

— — Valle, 1880, p. 67-
— — Stössich, 1880, p. 263.