

Eudiaptomus KIEFFER, 1932

Schmeil, 1897, -TYPE SP. E. vulgaris ①

Syn Eudiaptomus, Kiefer, 1932, p. 469.

EUDIAPTOMUS

CARD 2

- KIEFFER 1968: 9-160, REVISION

--, BALDI 1936: p. 836, Key to genera

--, Miegel, 1960, p. 16 (tbl. 7)

--, Stella, 1970, p. 84

- Damian-Georgescu, 1966: 61-62 Key

- BORUTZKY, 1960: 17, 20; 37-39, KEY

- STELLA 1984: 25, 34, 50-52, DIAGNOSIS + KEY TO ITALIAN SPECIES.

-- STELLA 1982: 27, ANTENNULE SETATION-7; 40, DIAG. + KEY TO ITALIAN SPP.

EUDIAPTOMUS ~~KIEFFER~~, SCHMID

3

- KIEFFER 1937:60

- DUSSART 1989: 41, 50-51, DIAGNOSIS, KEY TO AFRICAN SPP.

- FERRARI 1991: 117-, DEVELOPMENT

- BORUTZKY ET AL. 1991: 208-, DIAGNOSIS, KEY TO
SPP. OF USSR

Eudiptomus aemilianus Brian 1927

--, BALDI 1936a : p. 837.

Eudiaptomus amurensis (Ryloov)

- Kikuchi, 1936: 277

D., Ryloov 1932: 270

EUDIAPTOMUS

ANGUSTLORUS - SEE

LEPTODIAPTOMUS

Diaptomidae - Calanoida

Eudiaptomus arnoldi (Siewórk) ♂♀.

①

Diaptomus — Siewórk, 1928; 145, FIGS. 1-8, N. SP., RUSSIA

Eudiap. — Kiefer, 1932, p. 502 (key), N. COMB.

--, CHISLENKO, 1977; TAB. 2

- ARNOLDII, BORUTZKY 1960: 39, FIG. 12(4); 190

D. -, RYKOV 1930: 129, FIG. 32

Habitat. Russia.

— Kiefer, 1978: 211

-- KIEFER 1968: 55, FIGS. 52, REDESCRIBED,

D. -, SMIRNOV 1929: 158-159.

Eudiaptomus arnoldi (Siewerth, 1928)

card 2

-- Kiefer 1978c: 110-, Pl. 35, distribution, synonymy

-- BORUTZKY ET AL. 1991: 226-, FIG. 93, DIST. - USSR

Eudiaptomus atropatenus (Weisig, 1931)

①

Diaptomus -, Weisig 1931: 255-261, figs. 1-6, n. sp. ♀♂,
area of Caspian Sea

D. -, Löffler 1958: 24

E. atropateus, Borutzky 1960: 37, fig. 11(7)

E. -, Kiefer 1968: 56-57, fig. 53, redescription

E. -, Kiefer 1978: 212

E. -, LÖFFLER 1961c: 393

D. (E.) -, HEMSEN 1952: 586, 609-613, figs. 26-31, IRAN

E. -, BREHM 1959c: 932-935, IRAN; SYN. CYLINDRIFER

Eudiaptomus atropatenus (Weisig, 1931)

card 2

-- Kiefer 1978c: 111-, Pl. 36, distribution, synonymy

-- *BOBUTZKY ET AL. 1991: 228-, FIG. 94, DIST.-USSR*



Eudiaptomus baeticus Dussart - see Dussartius

Eudiaptomus bilobatus Akatova, 1949

-- Reed 1991a:651, refers to Eurytemora bilobatus

Eudiaptomus birulai (Rylov) - see Mongolodiaptomus

EUDIAPTOMUS CASTOR

-- CHASLENKO, 1977: TAB. 2

-- ROUGH 1968a: 108

Diaptomidae - Calanoida

Eudiaptomus chappuisi (Kiefer) ♂♀. ①

Diaptomus — Kiefer, 1926, p. 263: fig. 2, a-c.

Eudiap. — Kiefer, 1932, p. 502: fig. 64 (key).

-- -- Kiefer, 1954, pp. 329, fig. 23-25.. (Morocco)

-- -- BORUTZKY 1960: 39, FIG. 12 (2)

-- KIEFER 1968: 60-62, FIG. 56, REDESCRIPTION

Habitat. Morocco

-- DUSSART 1989: 52, FIG. 29, RANGE - AFRICA

-- BORUTZKY ET AL. 1991: 235, FIG. 98, DIST. - USSR -
i.e. Morocco ONLY.

EUDIAPTOMUS CHAPPUISI (KIEFFER, 1926)

(2)

-- KIEFFER 1938:

-- HAMER ET AL. 1996: 207

Eudiptomus cinctus (Gurney)

— — Fernando, 1980: +tbl. 1

Eudiaptomus coeruleus (Fischer) 1853

- --, Petkovski, 1961, pp. 188-190, f. 31-35
- , Roen, 1957, p. 10, 28, 95
- , Herbst, 1953, p. 146
- , CHISLENKO, 1977: TAB. 2
- , Kiefer, 1963, p. 31, 33-35
- , Maemets, 1959, p. 29-30
- Herbst, 1952: 13
- RÖBEN 1970: 115-146, GERMANY
- MAEMETS & VELDRE 1956a) 12, 19, 53, 60-61, Pl. IV,
FIGS. 12, 13; Pl. V, FIGS. 10-12 - ESTONIA

- Damian-Georgescu, 1966: 69-71, fig. 25

- BORUTZKY 1960: 38, FIG. 11(3); E. CAERULEUS,
pp. 189-190

- STELLA 1979a: 319

- STELLA 1979b: 335

Eudiaptomus coeruleus typica

--, Maemets, 1959, p. 29

Eudiaptomus coeruleus var. vulgaris (~~Schmeil~~)

(Kylou)

1930

--- Maemets & Veldre 1956a: 19, 62, Pl. V Figs. 1-3,
Estonia

Eudiaptomus cylindrifer Brehm, 1937

--, BREHM 1937: 220-222; Fig. 3.

-- BREHM 1959c: 932, SYN. OF E. ATROPATENUS

Eudiaptomus denticornis

—

— Hillbricht* - IloKowska & Patalas, 1967: pass

Diaptomidae - Calanoida

Eudiaptomus drieschi (Poppe & Mrázek) ♂♀. ①

Diaptomus — Poppe & Mrázek, 1895, p. 140; figs. 1-5.

Eudiap. — Kiefer, 1932, p. 502 (key) (N. comp.)

E. — J. E. GANNON & STENBERGER 1981: 205, 206, 213

E. — Kiefer, 1978: 212

E. — KIEFFER 1968: 26 —, FIGS. 1B-5B, 12-17, REDESCRIPTION

Habitat, Ceylon, 74, SYN. SKUTARIENSIS

D. —, GURNEY 1906a: 131, 132

D. —, GIESBRECHT & SCHMEL 1898: 81

E. —, KIEFFER 1978c: 102 —, PL. 31, DISTRIBUTION, SYNONYMY

Eudiaptomus drieschi (Poppe & Mrazek, 1895) card 2

-- Borutzky et al. 1991: 213-, Fig. 87, dist. - USSR

Eudiaptomus formosus (Kikuchi)

- Kikuchi, 1936: 277-278

Eudiaptomus gracilicauda Akatova, 1949

-- Reed 1991a:651, refers to Eurytemora gracilicauda

Diaptomus gracilis G.O. Sars, ♂. ♀.

— G.O. Sars, 1862, p. 9 (218).

— Gruber, 1878, p. 11: pl. 1, fig. 14-24; pl. 2, fig. 8, 10-13.

— Gruber, 1879, p. 425; pl. 24, fig. 8, 10-13; pl. 27, fig. 1.

— Sars, 1902, p. 92: pl. 63.

Habitat. English + Scottish Lakes: Norway:
France: Germany. Switzerland:
Austria.

- — Brady, 1891, p. 94: pl. 11, fig. 7-9: pl. 12, fig. 1-8.
— — Norman & Brady, 1909, p. 113.
— — westwoodii Lubbock, 1863, p. 196: pl. 31, fig. 1-6.
— — gracilis Richard, 1891, p. 250.
— — Rückert, 1894; pl. 25, figs. 31-39.
— — T. Scott, 1906, p. 301.
— — De Guerne & Richard, 1889, pl. 18: table
— — Herrick, 1895, p. 66: pl. 9, fig. 1.
— — Herrick, 1884, p. 141.
— — Meissner, 1904, p. 59: pl. unkn., f. 41.
— — Ruscki, 1889.
— — Scourfield, 1898, p. 322; 1903, p. 532.

Eu-

D. gracilis (2).

D - gracilis Meissner, 1905, p. 177.

— — Vosseler, 1886, p. 199.

— — Nordquist, 1888, p. 71: pl. 9, f. 1-7.

— — De G. & Richard, 1889, c. p. 14: pl. 2, f. 12, 16, 20.

— — Daday, 1890, p. 128: pl. 5, f. 14-16

— — De G. & Richard, 1891, p. 250.

— — Frič & Vávra, 1894, p. 110: text-fig. 76.

— — Schmeil, 1896, p. 67: pl. 3, f. 7-16.

— — Nordquist, 1889, p. 241: pl. 12.

— coeruleus Uljanin, 1874, p. 80.

— gracilis Giesb. & Schmeil, 1898, p. 72; text-f. 18.

- *gracilis-guernéi* Imhof, 1892, p. 181.
- — — Giesb. & Schmeil, 1898, p. 95.
- — Gurney, 1928, p. 203.
- — Gurney, 1931, p. 148.
- — Pesta, 1924, p. 555.
- — Rylow, 1930, p. 102: fig. 22.
- — Stenroos, 1898, p. 232.
- — Jaschnov, 1927, p. 21, Mouth of Ob.
- Transferred to *Eudiaptomus* Kiefer, 1932, p. 500.
- *gracilis aemiliana*, Brian, 1928, p. 31: figs.
- — — *ligustica*, Brian, 1928, p. 34: figs.
- *gracilis*, Fryer 1955, p. 65
- — — need, 1962, pp. 27-50.

Eu-

Diaptomus gracilis Sars-2-

- --, Chapman, 1969, pp. 257-284
-- ~~Tash~~, 1971, p. 109, 95, CAPE THOMPSON, ALASKA
--, Chiba, 1956, p. 15
--, Kiefer & Muckle, 1959, p. 27, = Eudiaptomus gracilis
--, Pesta, 1928, pp. 34-5, fig. 23
--, Dolzonolskaya, 1970, p. 42, pl. III, fig. 1
--, Litynski, 1922, p. 13, 34
--, M Wilson, 1953, p. 317
--, Klie, 1944, p. 77
--, Tash, 1967, p. 133, 134.
-- Geiling and Campbell, 1972, pp. 304-305.

- , Baldi, 1932, p. 5
- , Colebrook, 1960, p. 225-
- , Colebrook, 1960, pp. 241-~~2~~ 2
- , Cushing, 1951, p. 159
- , Eddy, 1934, p. 33
- , Edmondson, 1957, p. 227
- , Forbes, 1890, p. 479
- , Fryer, 1957, p. 14.
- , MAIN, 1962: 5, 32, 107, 108
- , ANDREAE, 1955: 283
- , EVANS, 1970: 86
- , FLEMINGER & CLUTTER, 1965: 103
- , COMITA & COMITA, 1957: TAB.1

Eu-

DIARTOMUS GRACILIS

CARD 4

--, COMITA & Mc NETT, 1976: 123

--, KIBBY, 1971: 311-327; FIG. 2-12; TAB. 2-7 ^{POP.} DYNAMICS

--, RIGLER & LANGFORD, 1967: 82, 89

--, BALDI 1936a: p. 841.

--, BRIAN 1927: p. 29.

--, BREHM 1947: 68; Fig. 4.

--, COMITA 1956: 576, 579, 589.

--, SMIRNOV 1960: 663-664 - syn. of Kuznetzovia.

-- Zykoff 1906: 165 ; 1904: 337-343 ^{passim}

Eu-

Diaptomus gracilis

card 5

--, Ueda, 1978, p. 57

--, Rosenthal, 1972, p. 158

--, Wilson, M.S., 1953, p.21

—, Löffler, 1958:23

— Malovitskaya & Sorokin, 1961:948-950

-- DEUSLE ET AL. 1985:135

-- NORTHOTT & O'GRADY 1984:1646-7, 1649

-- WICKSTEAD 1962:546

-- BREHM 1953:102, 103

- Heberer, 1932: 265, passim, fig. 4, 29, 30
- FORSYTH + JAMES 1984: 803
- REED 1959: 19-, RECORDS, ALASKA
- MAUCHLINE 1988: 712
- DAVIS 1976b: 819
- BALGER ET AL. 1984: 87
- FORRO' 1986: 560
- ZHADIN + GERD 1961: 306, 397, 415 - USSR

Eudiaptomus gracilis (Sars) ♂♀. (6)

Diaptomus — Sars, 1862, p. 9 (218).

Eudiaptomus — Lang, 1934, p. 1, figs. 1-6 (misshapen).

— —, Kincaid, 1953, p. 65.

— —, Dussart + Aguesse 1957, p. 490. Camargue.

— — Aguesse, 1957, p. 242 (list).

Habitat. Norway. IS. ST. PAUL PRIBILOF IS. - BRISTOL
BAY AREA - BERING SEA. WONDER LAKE, MT.
MCKINLEY DIST. WASH. STATE.

— —, Banarescu + Serban, 1954, p. 47.

- E. gracilis, Herbst, 1954. p. 113
-- --, Edmondson et al, 1962. p. 627
-- -- *Einsle*, 1967, p. 306
-- -- Einsle, 1969, pg. 57 figs. 1-4
-- -- ; Ponyi, 1960, pp. 85-92
-- --, Ponyi, 1962, p. 131
-- --, Ponyi, 1962, p. 137
-- --, Ponyi, 1965, p. 143
-- --, Ponyi, 1968, pp. 171-172
-- --, Kiefer, 1960, p. 66
-- --, Kie
-- -- Damian-Georgescu, 1966: 71 — 74, fig. 26, fig. 86.

Eudiaptomus gracilis (Sars)

card 27

- , Kiefer, 1960, pp. 438-9, figs. 1-6
— Patalas & Patalas, 1966: 208, fig. 2, 6.
--, Herbst, 1955, p. 240-1, 258, 276-7
--, Kiefer & Muckle, 1959, p. 27 (syn. Diaptomus gracilis), pp. 30-32
--, Roen, 1957, p. 84, 95
--, Sramek-Husek, 1941, p. 42
--, Wierzbicka, 1953, p. 532
-, Roff, 1972, p. 156,
--, Herbst, 1953, p. 146
--, Kiefer, 1952, p. 61
--, HEIP & SMOL, 1976: TAB. 5

- , Kiefer, 1958, p. 47
- , Klie, 1944, p. 77
- , Elgmork, 1964, p. 33, ...
- , Aguesse & Dussart, 1957, p. 482

- , KÜSTERS, ET AL., 1975: 1886
- , BRANDLY FERNANDO, 1975: TAB. 5
- , ACADEMIA SINICA, 1979: 33, 42
- , COMITA, 1964: 647
- , COMITA & COMITA, 1966: 186
- , BURGIS 1970: 746.
- , ELSTER 1954: 550-593; 13 Tabs.; 8 figs.
- , ELSTER 1955: 404, 410; Figs. 1-3.
- , Pejler, 1961: 232, *passim*.

Eudiaptomus gracilis (SARS)

card 8

- , Kiefer, 1974, p. 209
- , Lanner & Pejler, 1973, p. 32
- , Miegel, 1960, p. 15 (tbl. 5), 16 (tbl. 8)
- , Maemets, 1959, p. 30-32
- , Burgis, 1970, p. 746-747
- , Borutzky, 1962b: 246
- , Herbst, 1952: 15
- , Herbst, 1961: 58-59, passim
- , de Lepiney, 1962: 219

- Patalas, 1965: passim

- Ponyi & Zankai, 1972: 134, fig. 3-4.

- ROGNÉRUDE & KJELLBERG 1984: 667, 670

- BERTHON & BUISSON 1984: 1500-1502, FIG. 3.

- REY & CABLANCO 1975: 25.

- GARNIER & LESCHER-MOUTOUÉ' 1984: 997-1001, FRANCE.

- UVE 1984a: 45

- PETKOVSKI, 1983: 121-122, fig. 22 A-G.

- RÖBEN 1970: 115-146, GERMANY

- BALOGH & SALANKI 1984: 59-66, HUNGARY

- MÄEMETS & VELDRE 1956a: 12, 19, 63-66, FIGS. 9, 14,

Pl. II FIGS. 4-6. ESTONIA

EUDIAPTOMUS GRACILIS (SARS)

CARD 9

--, BORUTZKY, 1960: 37, FIG. 11 (5); 194

— KIEFER, 1978: 212

-- KAMAL & ARMITAGE 1967: 572

-- STELLA 1984: 13, FIG. 8; 19, 54

DIAPTOMUS (E.)-, WILSON, M.S. 1953: 21

-- ROUCH 1968a: 108

-- STELLA 1979a: 319

-- STELLA 1979b: 335

-- CARLI & CRISAFI 1983: 54-55, PL. 7 FIG. 2, ITALY

Eudiaptomus gracilis (Sars)

card 810

- Kasprzak & Ronneberger 1985: 324-, Lake Stechlin, Germany
- FLÖSSNER 1985: 515, GERMANY
- REED 1964: 699, POLAND
- DEMOTT 1988: 398-408, SCHÖHSEE, GERMANY
- GYLLENBERG 1986: 321-325, LAKE PÄÄJÄRVI, FINLAND
- STICH 1986: 467, LAKE CONSTANCE
- KIEFER 1968: 37-, FIGS. 1 B-D, 24-26, REDESCRIBED
- HUTCHINSON 1953: 572-
- KAWABATA 1989: 1269-

Eudiaptomus gracilis (Sars)

card 811

-- Grobe 1958: 7-, Sempachersee, Germany

DIAPTOMUS (EUDIAPTOMUS)-, M.S. WILSON 1953: 21

D.-, PAFFENHÖFER & LEWIS 1989: 134

E.-, FINSLE 1975: 99-, MINDELSEE

D.-, FERRARI & HAYEK 1990: TAB. 1

D.-, TIMM 1903: 293, 301-, ELBE RIVER

D.-, NORDQVIST 1889: 1-3, PL. XII, INTERSEX, FINLAND

D.-, VAN DOUW 1909: 9, FIGS. 13-15, GERMANY

D.-, GONZALEZ DE INFANTE 1988: 62; E.-, 108,
FIG. 36(3)

Eudiaptomus gracilis (Sars)

card 12

- Papinska 1981: 412, Mikolajskie Lake, Poland
- PAPINSKA 1984: 502-, " " "
- AKATOVA 1949: 347-, KOLYMA RIVER
- HERZIG 1983: 65-, AUSTRIA
- ZANKAI + PONYI 1974: 357-362, LAKE BALATON, HUNGARY
- Winkler & Moreno, 1984: 24
- SMYLY 1968: 323-338, ENGLISH LAKE DISTRICT
- WHITEHOUSE + LEWIS 1973: 233 -
- DAMIAN-GEORGESCU 1962: 58, ROMANIA

Eudiaptomus gracilis (Sars)

card 13

-- Conover 1965: 319

- D.-, HARDING & SMITH 1974: 14, FIG. 6d, 7b, 8f, 9c, BRITAIN
D.-, TASH & ARMITAGE 1967: 132-, CAPE THOMPSON, ALASKA
E.-, BASSON & VAN AS 1991: 154-
D.-, ROBERT 1921: 39-, LAKE NEUCHÂTEL, FRANCE
E.-, ALEKSEEV 1990b: 34-, DIAPAUSE
E.-, KIEFFER 1978c: 6-, FIGS., EUROPE; 105-, PL. 33
E.-, BORUTZKY ET AL. 1991: 218, FIG. 90, DIST. - USSR
D.-, REED 1958a: 155, COLVILLE RIVER, ALASKA

Eudiaptomus gracilis (Sars)

card 14

Diaptomus -, Labbé 1927e: 435-

E. -, FINSLE 1889: 80; FIGS. 1, 3, LAKE KONSTANZ, GERMANY

D. -, STEUER 1897: 527-528, AUSTRO-HUNGARY.

D. -, S.A. FORBES 1882: 541, 645

E. -, KIEFFER 1973: 264, 266, FIG. 8, TABS. I, II, GERMANY

D. -, BREEMEN, VAN 1907: 6, 8-9, PL. II FIGS. 5-8, NETHERLANDS

EUDIAPTOMUS -, DIMENTMAN + POR 1985: 89

E. -, LESCHER-MOUTOUÉ 1996: 907-

E. -, LACROIX + LESCHER-MOUTOUÉ 1991: 1531-1534, FRANCE

EUDIAPTOMUS GRACILIS (SARS)

15

- LACROIX + LESCHER-MOUTOUÉ 1995: 206-215, FRANCE
- STRELETSKAYA 1986: 81-83, FIG. 8 (II)
- STRELETSKAYA 1986: 95

Diaptomidae - Calanoida.

^{Fa-}
Diaptomus gracilis, var., Wierzejski, ♀.

— — Wierzejski,
—

A synonym of Diaptomus denticornis,
(Sars, 1902, p. 87).

-- STELLA 1984: 48, = ACANTHODIAPTOMUS DENTICORNIS

DIAPTOMUS GRACILIS VAR. α + β Wierzejski, 1882

--- WIERZEJSKI 1882: 234, pl. 3, FIGS. 1-6.

-- STELLA 1984: 68, SYNONYMS OF ARCTODIAPTOMUS (RH.)
ALPINUS.

Diaptomus gracilis emiliana Brian, n. var. ♂♀

----- Brian, 1927, p. 31, figs. 1-6.

--- *V. gemilianus*, BALDI 1936a: p. 841.

Habitat:

Appennino Emiliano, Italy, Lago Scuro (m. 1270);
Lago Santo Parmense (m. 1507)

--- STELLA 1984: 60, SYNONYM OF EUDIAPTOMUS
INTERMEDIUS.

DIAPTOMUS GRACILIS CARNICUS SENNA, 1890

--- STELLA 1984: 63, SYNONYM OF COPIDODIAPTOMUS
STEUERI

Diaptomus gracilis ligustica Brian, n. var. ♂♀

----- Brian, 1927, p. 34, figs. 7-11.

--- V. ligusticus, BARDI 1936a: p. 841.

--- STELLA 1984:61, SYNONYM OF EUDIAPTOMUS INTERMEDIUS

Habitat: Appennino Ligure, Italy, Laghetto Magnasco
(m. 700 circa).

Diaptomus graciloïdes Lilljeborg, ♀.

- — Lilljeborg, 1888, b, p. 156. —
- — De Guerne & Richard, 1889², p. 18: table.
- — De G. & Richard, 1889, c, p. 88: pl. 1, f. 26-27.
- — Vosseler, 1889, p. 121: pl. 6, f. 8-14.

Habitat. Norway: Germany: Finmark;
British Isles.

- Haberbosch, 1920: 108

- *transylvanicus* Daday, 1890, p. 122: pl. 7, fig. 11.
 - *graciloides* G. O. Sars, 1902, p. 94: pl. 64. §. 1.
 - — Schmeil, 1896, p. 72: pl. 3, §. 1-6.
 - — T. Scott, 1903, p. 5
 - — Giesb. & Schmeil, 1898, p. 72.
 - — Lebeschkin, 1900, p. 5: pl. 2, f. 4, 16
 - — Sars, 1903, p. 213.
 - — Pesta, 1924, p. 556.
 - — Rylov, 1930, p. 96: fig. 21.
 - — Jaschnov, 1927, p. 21, Mouth of Ob.
- Transferred to *Eudiaptomus* Kiefer, 1932, p. 502.
- , Herbst, 1955, p. 259

= *EUDIAPTOMUS*

Diaptomus graciloides

card 2

--, Proszynska, 1962, p. 29

--, Roen, 1957, p. 5

--, Pesta, 1928, pp. 36-7, fig. 24

--, Litynski, 1922, p. 13

--, Baldi, 1932, p. 5

--, Eddy, 1934, p. 33

--, Comita, 1964: 648

--, BALDI 1936a: p. 841-842.

--, Hensen, 1911: 282

--, Cheppuis, 1927: 41

--, Malenica, 1951: 5

- Pechen-Finenko & Paulovskaya, 1976: 22
- Pongy, 1956a: 259
- FREY 1964: 57
- PECHEN' FINENKO + PAULOVSKAYA 1976: 22, 23
- ROHDE, 1955: 117-, LAPLAND
- FORSYTH + JAMES 1984: 803
- ZHADIN + GERD 1961: 314, 375, 379, 473, USSR
- SCHAUBS 1908: 166
- EKMAN 1904: 38-, SWEDEN
- BREHM 1908a: 450 -
- LABBE' 1927c: 438

Eudiaptomus graciloides (Lilljeborg) ♂♀, 3

Diaptomus — Lilljeborg, 1888, p. 156.

Eudiap. — Kiefer, 1932, p. 502 (key)

--, Herbst, 1955, p. 240-1, 259, 276-7

--, Roen, 1957, p. 24, 95

--, Herbst, 1953, p. 146

Habitat. Europe

--, ACADEMIA SINICA, 1979: 89-90; FIG. 40

--, CHISLENKO, 1977: TAB. 2

--, VYSAKVARTZEVA, 1977: 132

--, Kiefer, 1958, p. 47

-- Borutzky, 1962b: 246

Eudiaptomus graciloides (LILLJEBORG)

card 4

--, Olszewski, 1977, p. 32-33

--, Olszewski, 1976, p. 428, 430

--, Miegel, 1960, p. 16 (tbl. 8)

--, Maemets, 1959, p. 30, 31, 32

--, Borutsky, 1959: 43.

- Herbst, 1952: 15

- Thomasson, 1956: 129-131

- Patalas, 1965: passim.

- Roen, 1954: 13, 15

Ulomsky, 1960: 1312 - 1322, fig. 1 - 5

Ulomsky, 1961: 732 - 734, fig 1-4.

- NILSSON & PEJLER 1973: 54 - 77.

- REY & CABLANCQ 1975: 25

- PASHKEVICH 1984: 23 - 28, L. VTOROY, RUSSIA.

- MÄEMETS & VELDRE 1956a: 19, 62 - 63, Pl. V, Figs.
7-9, ESTONIA

- FLÖSSNER 1984b: 151, L. BAIKAL

- PERSSON 1985: 201 - 238, SWEDEN

- BREHM 1955c: 262

- Patalas & Patalas, 1966: 208, fig. 6.

EUDIAPTOMUS GRACILOIDES (LILLJEBORG) CARD 5

-- BORUTZKY, 1960: 38, FIG. 11 (1); 178; 190-194

— KIEFER, 1978: 212

-- RADWAN ET AL. 1984: 991-995, POLAND

-- STELLA 1979a: 319

-- STELLA 1979b: 335

-- FLÖSSNER 1985: 515, GERMANY

-- REED 1964: 699, POLAND

-- KAWABATA 1987b: 182

-- DE KOTT 1988: 398-408, SCHÖNSEE, GERMANY

Eudiaptomus graciloides (Lilljeborg)

card 6

-- KIEFER 1968: 39-, figs. 1E-5E, 27-29, redescription

-- HUTCHINSON 1953: 573 -

-- PEIREIRA, M. F. 1988: 84 -

-- KAWABATA 1989: 1269 -

D. TIMM 1903: 301

D.-, VAN DOUWE 1909: 10, FIGS. 16-18, GERMANY

--, PAPINSKA 1981: 411-418, MIKOLAJSKIE LAKE, POLAND

-- PAPINSKA 1984: 502 -, " " "

-- HERZIG 1983: 70 -

Eudiaptomus graciloides (Lilljeborg)

card 7

E. graciloides, Jamieson & Burns 1988:252-

-- REED 1991a: 647-, CF. E. YUKONENSIS N.SP.

-- KIEFER 1978c: 108-, PL. 34A, DISTRIBUTION

-- BORUTZKY ET AL. 1991: 221-, FIG. 91, DIST. - USSR

-- SHEN & SUNG 1965b: 15-16, FIGS. 1-7, CHINA

- GRACILOIDES, SHEN & SUNG 1965c: 383-,
NW CHINA

D.-, BREEMEN, VAN 1907: 7, 8

E.-, LESCHER-MOUTOUF 1996: 907-

= EUDIAPTOMUS
Diaptomus

gracitoides Kubinskaja Zykoff

— Zykoff, 1906: 165, ~~m~~ 167-168

= EUDIAPTOMUS

Diaptomidae - Calanoida.

Diaptomus graciloides Lilljeborg.

var. padana Burckhardt.

— — Steuer, 1900, p. 321 (7): pl. 2, fig. 4.

— — — STELLA 1984: 57, = EUDIAPTOMUS PADANUS (BURCKHARDT)

Habitat. The Balkans.

Eudiaptomus hadzici (Brehm, 1933)

— Petkovski, 1983: 125-126, fig. 24A-F

— Kiefer, 1978: 212

-- KIEFFER 1968: 75-78, FIG. 59(1-12), REDESCRIBED & TRANSFERRED FROM ARCTODIAPATOMUS; JUGOSLAVIA

-- KIEFFER 1971: 187, NOT IN ARCTODIAPATOMUS

-- KIEFFER 1978a: 112-, PL. 37, DISTRIBUTION, SYNONYMS

-- BORUTZKY ET AL. 1991: 230-, FIG. 95, DIST.-USSR

EUDIAPTOMUS HERRICKI STRELETSKAYA, 1986

-- STRELETSKAYA 1986: 82-83, FIG. 8 (I), N.S.P.,
FOR E. GRACILIS OF WILSON, 1959

-- STRELETSKAYA 1986: 95, 97

Eudiaptomus incongruens (Poppe)

< Kikuchi, 1936: 278

- KIEFFER 1938j: 41-, F, INCONGRUENS OF KIKUCHI,
1936 = NEUTRODIAPTOMUS TUMIDUS.

EUDIPTOMUS INTERMEDIUS (STEUER, 1897)

CARDI

DIPTOMUS INTERMEDIUS, STEUER 1897: 622, PL. 3, FIGS. 2-11,

VAR. NOV. - BALKANS.

D. VULGARIS VAR. INTERMEDIA, STEUERD. I., SCHMEL 1898D. I., STEUER 1900: 323 (9): PL. 2, FIG. 5D. GRACILIS AEMILIANA, BRIAN 1927: 31, FIGS. 1-6, NOV. VAR. -

ITALY, LAGOS SCURO + SANTO PARMENSE

D. GRACILIS V. AEMILIANUS, BALDI 1936a: 841

EUDIAPTOMUS INTERMEDIUS (STEURER, 1897) CARD 2

DIAPTOMUS GRACILIS LIGUSTICA, BRIAN 1927: 34, FIGS. 7-11,

NOV. VAR. - ITALY, APENNINES, LAGHETTO MAGNASCO.

D. G. VAR. LIGUSTICUS, BALDI 1936 a: 841

E. VULGARIS INTERMEDIUS, BALDI 1936 b: 3, 8, PL. 1.

E. V. I., BALDI 1946: 5, FIG. 2, TAB. 4

--, FERRARI + ASCOLINI 1975: 39-47, TAB. 1-3, LIFE
CYCLE.

--, KIEFER 1978: 212

--, STELLA 1984: 3, 51-52, 60-62, FIG. 24, DISTRIBUTION-
ITALY, + SYNONYMY.

Eudiaptomus intermedius (Steuer, 1897)

card 3

-- Stella 1979a: 317-, distribution - Italy

-- STELLA 1979b: 335

-- STELLA 1982: 3, 44-46

FIGS. 2, 28 - ITALY

-- ANTONIETTI ET AL. 1988: 547-, LAGO SCURO
PARMENSE, ITALY

-- KIEFFER 1968: 48-, FIGS. 1H-5H, 45-48, REDESCRIPTION

D. -, BREHM 1908a: 450-

E. -, BORUTZKY ET AL. 1991: 233-, FIG. 97, DIST. - USSR

Eudiaptomus japonicus

--, Ueno, 1938, p. 163

Eudiaptomus lobatus (Lilljeborg) - see Neutrodiaptomus

Eudiaptomus mariadvigae (Brehm) - see ^{NEUTRO} ~~Ligule~~diaptomus

Eudiaptomus niethammeri Mann, 1940

-- Kiefer 1968: 64, probably = ♀ of Diaptomus mirus and
♂ of Arctodiaptomus bacillifer

EUDIAPTOMUS NUMIDICUS (GURNEY) - SEP

COPIDODIAPTOMUS NUMIDICUS

Eudiaptomus occidentalis (Ryloo)

- Kikuchi, 1936: 276-277

Eudi^{aptomus} pachypoditus (Rylov) - see ~~Ligulodiaptomus~~ ^{NEUTRO}

EUDIAPTOMUS PADANUS (BURCKHARDT) 1900

①

DIAPTOMUS GRACILOIDES VAR. PADANA, STEUER 1900: 321(7),
PL. 2, FIG. 4

D. LARIANUS, BALDI 1931: 219, FIGS. 1-13

D. LARIANUS, BALDI 1936a: 842, 843 - INCL. FORMA
VERBANICA and DIAPTOMUS PADANUS

--, KIEFER 1978: 212

--, STELLA 1984: 3, 19, 21, 51-52, 57-58, FIG. 22, GIVES DISTRI-
BUTION - ITALY; SYNONYMS, INCLUDE D. LARIANUS

Eudiaptomus padanus (Burckhardt, 1900)

card 2

-- padanus, Stella 1979a: 317-, distribution - Italy

---, STELLA 1982: 43-44, FIG. 27A-E, ITALY

--, ROSSARO 1988: 97-104, PO RIVER, ITALY

-- BANSTEDT 1986: 25-

-- KIEFER 1968: 44-, FIGS. 16-56, 33-44, REDESCRIPTION

DIAPTOMUS GRACILOIDES VAR. PADANA, BREHM 1908a: 450-

E.P., KIEFER 1978c: 113 - , SUBSPECIES;

E.P.P., 113-, PL. 38, DISTRIBUTION, SYNONYMY

E.P.P., BORUTZKY ET AL. 1991: 232, FIG. 96A, DIST. - USSR

Eudiaptomus padanus etruscosextosus Kiefer, 1978

--- Kiefer 1978c: 114, n. spp.; syn. E. p. forma
sexsetosa of Kiefer, 1968

Eudiaptomus padanus forma sexsetosa, Kiefer 1968:

E. p. e., Kiefer 1978: 212

E. p. etruscus f. sexsetosus, Stella et al. 1973:7-, Italy

E. p. e. f. s., Stella 1984: 51, 57, 60, Fig. 23F,G,
distribution - Italy

EUDIAPTOMUS PADANUS ETRUSCUS (LOSITO) 1904

CARD 1

DIAPTOMUS ETRUSCUS, LOSITO 1904: 150, FIGS. -
N. SP., LAKE BRACCHIANO, ITALY.

D. E., BALDI 1936a: 840

D. VULGARIS TRASIMENICA, BALDI 1931: 233, VAR. NOV.

- - - KIEFER 1978: 212

- - - STELLA 1984: 3, 17, 51, 57, 59-60, FIG. 23; GIVES
DISTRIBUTION - ITALY, + SYNONYMY.

- - - STELLA 1979a: 317-, DISTR. - ITALY

Eudiaptomus padanus etruscus (Losito, 1904)

card 2

--- Stella 1979b: 336, records - Italy

D. ETRUSCUS, BREHM 1908a: 450-

--- STELLA 1988: 385, CENTRAL ITALY

--- KIEFER 1978c: 113-, Pl. 38, DISTRIBUTION, SYNS.

--- BORUTZKY ET AL. 1991: 232-233, FIG. 96 B,
DIST. - USSR

Eudiaptomus padanus etruscus f. sexsetosus - see

Eudiaptomus padanus etruscosexsetosus

Eudiaptomus padanus forma sexsetosa - see

Eudiaptomus padanus etruscosexsetosus

Eudiaptomus pusillus (Brady 1913)

Diaptomus -, Brady, G. S. 1913: 231, pl. 38, figs. 1-6,
n. sp.

Eu. -, Hutchinson 1953: 572-

Eudiaptomus siewerthi (Smirnov, 1936)

Diaptomus -, Smirnov 1936: 157-164, pl. 1, n. sp. ♀♂,
Russia

E. -, Borutzky 1960: 39, fig. 12(6)

E. -, Kiefer 1968: 57-59, fig. 54, redescription

E. -, Kiefer 1978: 212

E. -, KIEFER 1978c: 105-, Pl. 32B, DISTRIBUTION, SYNS.

E. -, BORUTZKY ET AL. 1991: 216-, FIG. 89, DIST. - USSR

Eudiaptomus sinensis

--, Ueno, 1938, p. 163

EUDIAPTOMUS STEUERI (BREHM) - SEE

§ Zeiderbaum 1904

COPIDODIAPTOMUS STEUERI

EU-

Diaptomidae - Calanoida

Diaptomus transylvanicus ^{DADAY} Kempotic ♀♂

— — Kempotic, 1924, p. 25: pl. 3, figs. 15-17.

— — Daday, 1891, p. 122: pl. 4, figs. 10—

--, Baldi, 1932, p. 5

Habitat. Croatia, Slavonia

Eudiaptomus transylvanicus (Daday) ¹⁸⁹⁰ ②

— Petkovski, 1983: 119-121, fig. 21 A-I

— Kiefer, 1978: 212

-- KIEFER 1968: 32-, FIGS. 1C-5C, 18-23, REDESCRIPTION

D. TRANSSILVANICUS, BREHM 1908a: 450-

E. -, KIEFER 1978c: 104-, PL. 32A, DISTRIBUTION

E. -, BORUTZKY ET AL. 1991: 214-, FIG. 88, DIST. - USSR

Diaptomus vulgaris Schmeil.

var. skutariensis, Steuer.

D. - coeruleus Richard, 1897,

D. - vulgaris - skut. Steuer, 1900, p. 324(10); pl. l. f. 1-9.

E. VULGARIS SCUTARIENSIS OF DUSSART, 1967: STELLA 1984:

52, = E. VULGARIS

Habitat. The Balkans.

[EU]

Diaptomus vulgaris transimenica

---, Baldi, 1931, p. 233

D.--, STELLA 1984: 59, SYNONYM OF EUDIATOMUS

PADANUS ETRUSCUS.

[EU]

Diaptomidae - Calanoida.

Diaptomus vulgaris Schmeil,

var. transylvanica Steuer, ♀.

D - transylvanicus Daday, 1890.

D - graciloides Tilljeborg, 1891, [fig. 1-3, 6-8]

D - vulgaris, var. tr. - Steuer, 1916, p. 326 (12): pl. 2,

Habitat. The Balkans.

Eudiaptomus vulgaris transylvanicus

(Daday, 1890)

- Daday, 1890: 122
- Steuer, 1900: 326
- Tollinger, 1911: 105
- Damian-Georgescu, 1966: 66-69, fig. 24

[EU]

Diaptomus vulgaris var. *verrucosa* Brehm, ~~n. var.~~

_____ Brehm, 1910. p. 95-97, figs. 2-4.

Loc.: Lake Borke [Bosnia], Yugoslavia.

Eudiaptomus yukonensis Reed, 1991

-- Reed 1991a: 647-652, figs. 1-15, n. sp. male +
female, pond (fresh-water), Shingle Point, Yukon Terr

-- REID + REED 1994: 80, YUKON TERR, CANADA

EUDIAPTOMUS ZACHARIASI (POPPE)

CARD 1

DIAPTOMUS ZACHARIAE, POPPE 1886: 285, pl. 10 FIGS. 1-12.

N.SP. - SILESIA, GERMANY

D. ZACHARIASI, GUERNE + RICHARD 1889: pl. 18, TABLE.D. ZACHARIAE, HERRICK 1895: 64, pl. 10 FIG. 6D. ZACHARIAE, DADAY 1890: 121, pl. 4 FIGS. 13-15D. ZACHARIASI, SCHMEIL 1896: 64, pl. 5 FIGS. 1-7D. ZACHARIAE, GIESBRECHT + SCHMEIL 1898: 71D. -, KIEFER 1927: 412, FIGS. 29-32.

EUDIAPTOMUS ZACHARIASI (POPPE)

CARD 2

DIAPTOMUS -, PESTA 1928: 37, FIG. 25

D. -, KIEFER 1930: 308

EUDIAPTOMUS -, KIEFER 1932: 502 - KEY, TRANSFERRED
TO EUDIAPTOMUS.

-- KIEFER 1938: 258-9, FIGS. 19-21.

D. -, PESTA 1938: 152-154, FIG. 3

D. -, BREHM 1949: 415

E. -, HERBST 1953: 146

E. -, BANARESCU + SERBAN 1954: 47

EUDIAPTOMUS ZACHARIASI (POPPÉ)

CARD 3

DIAPTOMUS -, BREHM 1956 a: 31

D. -, PONYI 1956 a: 260

--, TONOLWI 1959: 61-71, CENTRAL ITALY; FIG. 1

D. -, RYBAK 1962: 73

--, DAMIAN-GEORGESCU 1966: 77-79, FIG. 28

--, KIEFER 1978: 212

--, PETKOVSKI 1983: 123-124, FIG. 23 A-G

--, STELLA 1984: 3, 51-52, 55-56, FIG. 21 - GIVES SYNONYMY

+ DISTRIBUTION - ITALY

Eudiaptomus zachariasii (Poppe, 1886)

card 4

-- Stella 1979a: 317-, distribution - Italy

-- STELLA 1982: 40-43, FIG. 26 - ITALY

DIAPTOMUS -, FORRO' 1986: 560

D. -, BREHM 1908a: 453-

D. ZACHARIAE, VAN DOUWE 1909b: 8-9, FIGS. 9-12, ^{GERMANY}

E. -, BASSON & VAN AS 1991: 151-

E. -, KIEFER 1978c: 110; PL. 34B, DISTRIBUTION

E. ZACHARIAE, BORUTZKY ET AL. 1991: 225, FIG. 9.

DIST. - USSR

Diaptomidae - Calanoida

Eudiaptomus ziegelmayeri (Kiefer) ♂♀.

Diaptomus — Kiefer, 1924, p. 310: figs. 5-6

Eudiap. — Kiefer, 1932, p. 502 (key)

E. —, KIEFER 1968: 59-60, FIG. 55; HAS BREHM
AS AUTHOR.

Habitat. Mediterranean.

E. —, DUSSART 1989: 51-52, FIG. 27B, RANGE - AFRICA

E. —, BORUTZKY ET AL. 1991: 236, FIG. 99, DIST. - USSR

Diaptomidae - Calanoida.
Diaptomus vulgaris Schmeil, ♂. ♀. ①

- — Schmeil, 1896, p. 103 (= coeruleus Fischer)
— — Scourfield, 1898, p. 323: text-figs. 1-3.
— — Branner, 1914, p. 572: figs. 1-3.
— — Krmpotec, 1924, p. 20: pl. 3, figs. 7-11: 12-14
— — Blaas, 1923, pp. 3-18, 4 text-figs.

— — Scourfield, 1903, p. 532.
— — Schmeil, 1898, p. 168.
— — Giesb. & Schmeil, 1898, p. 71.

— — Gurney, 1929, p. 353: figs. 1-5. text.

— — Gurney, 1928, p. 201: fig. 9. text.

— — Gurney, 1931, p. 158.

— — Pesta, 1924, p. 557.

— — Rylow, 1930, p. 91: fig. 20.

Transferred to Eudiptomus, Kiefer, 1932, p. 502.

-- --, Stella, 1957, p. 40

--, Chiba, 1956, p. 20

--, Pesta, 1928; pp. 33-4, figs. 4, 20-22

--, Sramek-Husek, 1933, p. 6

-, Litynski, 1922, p. 13

--, Baldi, 1932, p. 5

Diaptomus vulgaris

- , Eddy, 1934, p. 33
- , CIPOLLI, 1973: 597-602, 607, 608
- , COMITA & COMITA, 1957: 321; TAB. 1
- , COMITA & Mc NETT, 1976: 123
- , JOHNSON, 1948: 326
- Heberer, 1932: 265, passim, fig. 5
- , BALDI 1936a: p. 844.
- , BALDI 1932: pp. 597-599.
- , Stella, 1970, p. 82
- Löffler, 1958: 27
- Ponyi, 1956e: 259

[EU]

Diaptomus vulgaris Schmeil, 1896

card 3

-- Koga 1984b: 103

— Kiefer, 1925: 339-347

-- GRANDORI 1913: 369-403, PLATES VI, VII; 409, 425, 426, 428

TEXT-FIGS. p. 376 - DEVELOPMENT; 445, 447-449

-- BORUTZKY ET AL. 1991: 210, FIG. 86, DIST. - USSR

[EU]

Diaptomus vulgaris

card 4

--, Gurney, 1946, p. 162. (= Cyclopsina coerulea =
Cyclops coeruleus = D. coeruleus)

--, Klie, 1944, p. 77

--Geiling and Campbell, 1972, pp. 304-305.

Eudiaptomus vulgaris (Schmeil) ♂ ♀.

5

Diaptomus — Schmeil, 1896, p. 103

Eu diap. — Kiefer, 1932, p. 502 (key).

— — , Ravná, 1953, developmental stages - pl. 1, 6, 7.

— — , Schachter + Conat, 1952

-- , Aguesse, 1959, p. 242 (list)

Habitat. All Europe.

— — , Banarescu + Serban, 1954, pp. 46-47.

-- , KIEFER, 1972: 238

-- , ACADEMIA SINICA, 1979: 42, 59

(see back)

-- --, Petkovski, 1961, pp. 182-186, f. 8-25

-- --, Ponyi, 1967, p. 180-181

-- --, Champeau, 1970, pp. 155-189.

--, Roen, 1957, p. 38-44, (fig. 12), 18, 20, 22

--, Sramek-Husek, 1941, p. 43

--, Herbst, 1953, p. 146

--, Kiefer, 1958, p. 47

--, Baldi, 1949, p. 62

--, Baldi, 1950, p. 95

--, Aguesse & Dussart, 1957, p. 480

--, *COMITA & McNETT*, 1976: 123

--, *BALDI* 1951: p. 39, Fig. 1, Tab. 1.

Eudiaptomus vulgaris

- , BALDI ET AL. 1953: p. 63, Tabs. 4-7.
- , BALDI 1951: p. 67.
- , COMITA 1956: 588.
- , Ravera, 1955, p. 436
- , Kiefer, 1974, p. 209
- , Pirocchi, 1941, p. 100
- Armengol, 1978: 66-67, fig. 59
- de Lepiney, 1962: 220
- de Lepiney, 1962a: 215

- Miracle, 1978: passim. (185)
- Petkovski, 1961a: 45
- Pirocchi, 1949: 365-366
- Tonolli, 1961a: 921, fig. 1. ← (1961)
- Tonolli, 1961a: 181-201, fig. 1-10
- Tonolli, 1964: 754-756
- LAIR 1983b: 44
- PECORINI 1959: 217-238.
- RÖBEN 1970: 115-146, GERMANY.
- CASSIE 1961: 151-177, LAGO MAGGIORE, ITALY
- Petkovski, 1983: 117-119 fig. 20 A-G

Eudiaptomus vulgaris (SCHAEFER), card 7

- Iamiant Georgescu, 1966: 62-66, fig 21-22
- BARUTZ KY, 1960: 38, FIGS 67(1-6), 68(1-9) -
DEVELOPMENTAL STAGES
- Kiefer, 1978: 212
- KAMAL + ARMITAGE 1967: 573
- STELLA 1984: 3, 14-20, 50-55, DISTRIBUTION- ITALY;
FIGS. 9, 10, 20; GIVES SYNONYMY.
- Pirocchi, 1944: 859-873 passim Italy
- Smirnov, 1929: 157-158 USSR
- Tonolli & Bonomi, 1965: 99

Eudiaptomus vulgaris (Schmeil)

card 8

-- Rouch 1968a: 108, 138 - AS D. V.

-- STELLA 1964b: 237-, LATIUM, ITALY

-- STELLA 1979a: 317-, DISTR. - ITALY

-- STELLA 1979b: 335

-- STELLA 1982: 13, 40-41

FIGS. 11, 12, 25 - ITALY

-- LAI 1986: 55

-- KIEFER 1968: 20-, FIGS. 1A-5A, 6-11; SYNONYMY

-- Maier, 1989: 99 W. Germany

Eudiaptomus vulgaris (Schmeil)

card §

-- Tonolli & Tonolli 1951: 53-136, Italian Alps

D. -, BREHM 1908a: 450 -

D. -, VAN DOUWÉ 1909b: 8, FIGS. 5-8

-- LÖFFLER 1961c: 393

-- HERZIG 1983: 70 -

-- KIEFFER 1938j: 44-, FIG. 11b

D. -, HARDING & SMITH 1974: 14-, FIG. 7d, 8c,d, 9d, BRITAIN

-- BREHM 1959c: 923, IN IRAN LIST

D. -, BASSON & VAN AS 1991: 151 -

Eudiaptomus vulgaris (Schmeil)

card 10

-- Kiefer 1978c: 99-, Pl. 31, distribution, synonymy

-- FERRARI 1993 b: 767, TAB. 2

-- LACROIX & LESCHER-MOUTOUÉ' 1991: 1531-1534, FRANCE

-- LESCHER-MOUTOUÉ' 1996: 907 -

D. -, LANG 1935: 25

D. -, BREEMEN, VAN 1907: 6, 9-10, PL. II FIGS. 9-12, NETHERLANDS

Eudiaptomus vulgaris vulgaris Schm.

-; BALDI 1938: pp. 1-2, fig. 1.

Eudiaptomus vulgaris coeruleus Rylou.

---, BALDI 1938: pp 2-6, fig. 2.

Eudiptomus vulgaris intermedius Steur, 1902

--, BALDI 1936 b: pp. 3, 8; Pl. 1.

--, BALDI 1946: pp. 5, fig. 2, Tab. 4.

---, STELLA 1984: 61, = E. INTERMEDIUS

—, Pirocchi, 1942: 185-192, fig. 2

[EU]

Diaptomidae - Calanoida.

Diaptomus vulgaris Schmeil

var. sibirica Tepezckin,

— — Tepezckin, 1900, p. 5: pl. 2, f. 5.

--, MAIN, 1962: 116

Habitat Siberia.

EUDIAPTONUS VULGARIS SICIDAE PIROCCHI, 1940

---, STELLA 1984:57, SYNONYM OF E. PADANUS PADANUS