

SIPHONOSTOMATOIDA

HATSCHEKIIDAE KABATA, 1979

- RAIBAUT 1982: 321-, LIST OF GENERA
- KABATA 1988: 7, 39, DIAGNOSIS
- CASTRO & BAEZA 1989a: 129-, BRACHIHATSCHERIA
NEW GENUS.
- KABATA 1991: 91-
- KABATA 1992: 162-, DIAGNOSIS, KEY TO BRITISH GENERA
- BOXSHALL 1987: 196-197, KEY (WORLD)
- BOXSHALL 1989: 202-, LAMINOHATSCHERIA N.G.

Hatschekia.

Dicylestidae. Caligoida.

Poche, 1902,

H. hippoglossi (M)

Syn. Clavella Krøyer, 1838, p. 196.

Clavella M-Edwards, 1840, p. 494.

not Clavella Oken, 1815, p. 358.

Hatschekia Poche, 1902, p. 16

Hatschekia T. & A. Scott, 1913, p. 112.

Hatschekia Wilson, 1922, p. 81.

To Prof. Hatschek of Vienna.

- Jones, 1985: 213-222 (key)

Head small, rounded; thorax 2-jointed, without dorsal plates or lateral processes. Gen. segt. several times as long as the thorax. Abdomen short, anal laminae minute. First antennae 6-jointed; second pair unciniate. Second mxpds. very slender. Only 2 pairs of legs, both biramose, rami 2-jointed. Egg cases wide; eggs large uniseriate.

- Jones, 1985: 57-58

Hatschelkiidae: Siphonostomatoida

HATSCHERIA POCHF, 1902

2

- RAIBAUT 1982: 321 -
- KABATA 1988: 39, KEY TO CANADIAN SPECIES,
- KABATA 1990: 135, 139, CF. PROHATSCHERIA
- KABATA 1991: 91, 118 - 120
- KABATA 1992: 164 - DIAGNOSIS, KEY TO BRITISH SPECIES
- PILLAI 1978: 30, PSEUDOCHAVELLA A SYNONYM.

Caligoida - Dichelesteiidae.
Hatschekia acantholabris-exoleti, Nessel. ♀

Cycnus, Nessel, 1878, a, p. 10; pl. XIX, fig. 17.

Clavella (Cycnus) —, Brian, 1903, p. 38, 39

Host. Gills of acantholabrus exoletus.

Mediterranean

Hatschekia acuta Barnard, 1948

Hewitt, 1969, p. 167

--, Kabata, Z., 1981, p. 2080-2084, figs. 1-14

(synonym with Hatschekia conifera Yamaguti, 1939)

-- KENSLEY & GRINDLEY 1973:126.

-- KABATA 1986:5

-- HO & KIM 1996:292

Hatschekia affluens Castro R. & Baeza K.

- Castro R & Baeza K., 1986: 439-441, Fig. 1
- CASTRO & BAEZA 1989a: 129
- JONES, J. B. + CABRAL 1990: 221

Michelesteridae

Hatschekia albirubra Wilson ♀ 1

— —, Wilson, 1913, p. 239: pl. 41, figs. 209-15

— —, Causey, 1960, p. 332. Ensenada, B.C., Mexico, on Paralabrax clathratus

+ Menticirrhus undulatus.

— Jones, 1985: 223-224 Fig 1D-2D

— KABATA 1988b: 5

Host Gills of Neomacris synagris.

" " Ocyurus chrysurus.

West Indies.

Hatschekia albirubra C.B. Wilson, 1913

card 2

-- Kabata 1991:104

Hatschekia amphiprocesa Castro R. & Baeza K.

— Castro R. & Baeza K, 1986: 442-444, Fig. 2

-- CASTRO + BAEZA 1989a: 129

-- JONES, J. B. + CABRAL 1990: 221

Hatschekia amplicapa Pearse 1951

→ Jones, 1985: 224, fig. 2E-J.

-- JONES, J. B. & CABRAL 1990: 227 -

Hatschekia angulata Pearse, 1951

— Jones, 1985: 224-226, fig. 2K-3D
-- KABATA 1988b: 5

Hatschekia argyrops Uma Devi & Shyamasundari, 1980

-- Jones, J.B. & Cabral 1990: 221

Hatschekia atagone | JONES, 1985

- Jones, 1985: 226, fig. 3E

-- KABATA 1991: 110

Hatschekia awatati Yamaguti - see Prohatschekia

Hatschekia balistae Cadenat

Cadenat 1954 PP. 498-500 Fig.11. Senegal Africa

— Jones, 1985: 226, fig 3F

-- KABATA 1990: 95, AUSTRALIA (QLD.), ON BALISTIDAE.

-- KABATA 1991: 108

Hatschekia becuni Jones & Cabral, 1990

-- Jones, J.B. & Cabral 1990: 221, 225-227, figs. 3b-h,
n. sp. female only, ex Sphyraena forsteri, Rangiroa,
Tuamotu Atchipelago, French Polynesia

Hatschekia bicaudata Kabata, 1991

-- Kabata 1991:91, 96-97, figs. 14-20, n. sp. ♀ only;
host Chaetodon aerofasciatus, Queensland, Australia

Hatschekia bifurcata Yamaguti & Yamasu, 1959

--, Pillai, 1964, p. 73

--, Yamaguti & Yamasu, 1959, p. 127-8, pl. XII, figs.
240-246

— Jones, 1985: 226- fig. 36, H

-- KABATA 1991: 108

Hatschekia Bodiani Cadenat

Cadenat 1954 PP. 496-97 Fig. 9.. Senegal Africa

--, Lewis, 1967: 19

— Jones, 1985: 228 , Fig. 3 I-K

— bodiani, KAOATA 1991: 104

Hatschekia bougisi Cadenat

Cadenat 1954, PP. 501-503, Fig. 13, Senegal Africa

- Jones, 1985: 228, fig 3M, N

Hatschekia bramae, van Beneden, ♀.

Clavella bramae, van Beneden, 1870, p. 43.
(mentioned but never described)

Host, Gills of Cantharus brama.

Belgium.

Dichelesthiidae - Caligoida

Hatschekia branchiostegi Yamaguti ♀.

— — Yamaguti, 1939, p. 464: pl. 23, f. 98: pl. 24, figs. 99-102.

— Jones, 1985: 228-230, fig 4A-H

Host. Branchiostegus japonicus (Houttyn), Gills

Obama, Hukui Prefecture

Hatschekia brevipapillus Lewis 1967

--, Lewis, pp. 15,16,18, figs. 6,7

— Jones, 1985: 230-232, figs. 4K, 5A-D

-- KABATA 1991: 108

-- JONES, J. B. & CABRAL 1990: 227 -

Hatschekia brotulae Cadenat *

Cadenat 1954 pp. 497-98, Fig. 10.. Senegal Africa

— Jones, 1985: 232, fig. 5E

Prob. Nunes-Ruivo, 1954: Cadenat = collector
of NR's specimens. A.C.

Dichelestiidae. Caligoida

Hatschekia budegassae (Krøyer), ♀

Cyenus — Krøyer, 1863, p. 270: pl. 12, fig. 3, a-b.

— — Carus, 1885, p. 366.

— — B-Smith, 1899, p. 476.

Host Gills of Lophius budegassa.

Mediterranean.

Hatschekia cadenati ♀ Senegal Africa L. NUNES-RUIVO, 1954

Cadenat 1954 pp. 484-5 fig. 3..

--, LEWIS, 1967: 19

- Jones, 1985: 232, fig. 5F

-- DELAMARE DEBOUTTEVILLE + NUNES-RUIVO 1958:

229, ON EPINEPHELUS GIGAS, CAPE BÉAR, MEDITERRAN.

Dichelestiidae Caligoida

Hatschekia canthari-grisei (Hesse) ♀

Cyrenus — Hesse, 1878, c, p. 15.

Clavella — Brian, 1902, p. 39.

Host. Gills of Cantharus griseus

Mediterranean.

Dichelestheriidae - Caligoida

Hatschekia cepolae Yamaguti ♀

— Yamaguti, 1939, p. 466: pl. 25, figs. 108-112.

— Jones, 1985: 232, fig. 56

Host. Gills, Cepola schlegelii (Bleeker).

Sea of Japan.

Hatschekia cernae, Goggio -

①

- —, Goggio, 1905, p. 219: text-fig. 3. ^{Mediterranean}
- —, Brian, 1906, pp. 70 + 175.
- —, Shiino, 1957, pp. 400 - 403, fig. 4. Gills of Epinephelus sp. ^{Okinawa.}
- Jones, 1985: 232, fig. 5H

Host, Gills of Cerna aenea + Cerna gigas

Mediterranean.

Hatschekia cernae Goggio, 1905

(2)

-- --, Uadenat 1954, pp. 481 fig. 2. Med. Area...

-- DELAMARE DEBOUTTEVILLE + NUNES-RUIVO 1958:

229, ON EPINEPHELUS GIGAS, CAPE BÉAR, FRANCE

Hatschekia clava Kabata, 1991

-- Kabata 1991:91, 97--100, figs. 21-29, n. sp. ♀ only;
host Lutjanus chrysotaenia, Queensland, Australia

Hatschekia clavata, Müller, ♀.

Isornaea clavata, Müller, 1776, pl. 33, fig. 1.

Clavella clavata, Kröyer, 1837, p. 196.

a synonym for Hatschekia hippoglossi.

clavata clearly has priority here

Hatschekia cluthae, T. Scott, ♀.

①

Clavella cluthae, T. Scott, 1902, a, p. 292.

pl. XII, figs. 26—31.

— — —, B-Smitk, 1903, p. 108.

--, LEWIS, 1967: 19

Host, Gills of Jago's Goldsinny, Ctenolabrus
aupestris.

Scotland.

— Jones, 1985: 232—234, fig. 5I

Hatschekia cluthae (T. Scott, 1902)

card 2

--Kabata 1992: 170-, Fig. 38D-G, synonymy, host list

Hatschekia conifer, Cressey

Cressey, R.F., 1970, p. 845

Dichelesthidae - Caligoida

Hatschekia conifera Yamaguti ♀

— — Yamaguti, 1939, p. 458: pl. 20, figs. 59-66.

-- Cressey, 1968, p. 173

-- , Hewitt, 1969, p. 167

Host Gills, *Stromateoides argenteus* (Euphrasen)

M.B.L. Lab. Kyoto, Japan.

Hatschekia conifera Yamaguti, 1939

card 2

--, Kabata, Z., 1981, p. 2080

— Jones, 1985: 234, fig. 6A-M

-- KABATA 1988: 39, FIGS. 17G-H; HOST LIST.

-- CASTRO + BAEZA 1989a: 129

-- KABATA 1991: 100, 104

-- SCHRAM + ASPHOLM 1997: 1, 16-17

-- HO + KIM 1996: 292, JAPAN

Dichelestiidae - Caligoida,

Hatschekia cornigera T. Scott, ♀.

— — T. Scott, 1909, a, p. 75: pl. 3, f. 1-7.

Host, Gills of Sea Bream Pagellus centrodontus.

Scotland.

Hatschekia cornigera T. Scott

-- -- , Cadenat 1954, pp.491-92 . Senegal Africa.

Hatschekia courardi Cadenat

Cadenat 1954, PP.503-04 Fig. 14.. Dakar, Senegal Africa

— Jones, 1985: 234-236, fig. 7A-B

Hatschekia crenata HEWITT

--, Hewitt, 1963, p. ~~164~~ 164-167 Fig. 12-23

--, Hewitt & Hine, 1972, p. 88

— Jones, 1985: 236, fig. 7C, D

-- KABATA 1991: 100, 101, 104

Dichelestiidae. Caligoida.

Hatschekia crenilabris (Hesse), ♂, ♀.

Cyrenus — Hesse, 1878, c, p. 2: pl. 19, figs. 1-12.

Clavella — Brian, 1902, p. 38.

--, Hewitt, G.C. 1969 (Vol. 3 #1) p. 163

Host. Gills of Crenilabrus melops.

Mediterranean

Hatschekia crenulata Kabata 1991

-- Kabata 1991:100-101, figs. 30-40, n. sp. ♀ only;
host Scolopsis cancellatus, Queensland, Australia

Hatschekia.

Dicylestidae. Caligoida.

Poche, 1902,

H. hippoglossi (M)

Syn. Clavella Krøyer, 1838, p. 196.

Clavella M-Edwards, 1840, p. 494.

not Clavella Oken, 1815, p. 358.

Hatschekia Poche, 1902, p. 16

Hatschekia T. & A. Scott, 1913, p. 112.

Hatschekia Wilson, 1922, p. 81.

To Prof. Hatschek of Vienna.

- Jones, 1985: 213-222 (key)

Head small, rounded; thorax 2-jointed, without dorsal plates or lateral processes. Gen. segt. several times as long as the thorax. Abdomen short, anal laminae minute. First antennae 6-jointed; second pair unciniate. Second mxpds. very slender. Only 2 pairs of legs, both biramose, rami 2-jointed. Egg cases wide; eggs large uniseriate.

- Jones, 1985: 57-58

Hatschelkiidae: Siphonostomatoida

HATSCHERIA POCHF, 1902

2

- RAIBAUT 1982: 321 -
- KABATA 1988: 39, KEY TO CANADIAN SPECIES,
- KABATA 1990: 135, 139, CF. PROHATSCHERIA
- KABATA 1991: 91, 118 - 120
- KABATA 1992: 164 - DIAGNOSIS, KEY TO BRITISH SPECIES
- PILLAI 1978: 30, PSEUDOCHAVELLA A SYNONYM.

Caligoida - Dichelesteiidae.
Hatschekia acantholabris-exoleti, Nessel. ♀

Cycnus, Nessel, 1878, a, p. 10; pl. XIX, fig. 17.

Clavella (Cycnus) —, Brian, 1903, p. 38, 39

Host. Gills of acantholabrus exoletus.

Mediterranean

Hatschekia acuta Barnard, 1948

Hewitt, 1969, p. 167

--, Kabata, Z., 1981, p. 2080-2084, figs. 1-14

(synonym with Hatschekia conifera Yamaguti, 1939)

-- KENSLEY & GRINDLEY 1973:126.

-- KABATA 1986:5

-- HO & KIM 1996:292

Hatschekia affluens Castro R. & Baeza K.

- Castro R & Baeza K., 1986: 439-441, Fig. 1
- CASTRO & BAEZA 1989a: 129
- JONES, J. B. + CABRAL 1990: 221

Michelesteridae

Hatschekia albirubra Wilson ♀ 1

—, Wilson, 1913, p. 239: pl. 41, figs. 209-15

—, Causey, 1960, p. 332. Ensenada, B.C., Mexico, on Paralabrax clathratus

+ Menticirrhus undulatus.

— Jones, 1985: 223-224 Fig 1D-2D

— KABATA 1988b: 5

Host Gills of Neomacris synagris.

" " Ocyurus chrysurus.

West Indies.

Hatschekia albirubra C.B. Wilson, 1913

card 2

-- Kabata 1991:104

Hatschekia amphiprocesa Castro R. & Baeza K.

— Castro R. & Baeza K, 1986: 442-444, Fig. 2

-- CASTRO + BAEZA 1989a: 129

-- JONES, J. B. + CABRAL 1990: 221

Hatschekia amplicapa Pearse 1951

→ Jones, 1985: 224, fig. 2E-J.

-- JONES, J. B. & CABRAL 1990: 227 -

Hatschekia angulata Pearse, 1951

— Jones, 1985: 224-226, fig. 2K-3D
-- KABATA 1988b: 5

Hatschekia argyrops Uma Devi & Shyamasundari, 1980

-- Jones, J.B. & Cabral 1990: 221

Hatschekia atagone | JONES, 1985

- Jones, 1985: 226, fig. 3E

-- KABATA 1991: 110

Hatschekia awatati Yamaguti - see Prohatschekia

Hatschekia balistae Cadenat

Cadenat 1954 PP. 498-500 Fig. 11. Senegal Africa

— Jones, 1985: 226, fig 3F

-- KABATA 1990: 95, AUSTRALIA (QLD.), ON BALISTIDAE.

-- KABATA 1991: 108

Hatschekia becuni Jones & Cabral, 1990

-- Jones, J.B. & Cabral 1990: 221, 225-227, figs. 3b-h,
n. sp. female only, ex Sphyraena forsteri, Rangiroa,
Tuamotu Atchipelago, French Polynesia

Hatschekia bicaudata Kabata, 1991

-- Kabata 1991:91, 96-97, figs. 14-20, n. sp. ♀ only;
host Chaetodon aerofasciatus, Queensland, Australia

Hatschekia bifurcata Yamaguti & Yamasu, 1959

--, Pillai, 1964, p. 73

--, Yamaguti & Yamasu, 1959, p. 127-8, pl. XII, figs.
240-246

— Jones, 1985: 226- fig. 36, H

-- KABATA 1991: 108

Hatschekia Bodiani Cadenat

Cadenat 1954 PP. 496-97 Fig. 9.. Senegal Africa

--, Lewis, 1967: 19

— Jones, 1985: 228 , Fig. 3 I-K

— bodiani, KAOATA 1991: 104

Hatschekia bougisi Cadenat

Cadenat 1954, PP. 501-503, Fig. 13, Senegal Africa

- Jones, 1985: 228, fig 3M, N

Hatschekia bramae, van Beneden, ♀.

Clavella bramae, van Beneden, 1870, p. 43.
(mentioned but never described)

Host, Gills of Cantharus brama.

Belgium.

Dichelesthiidae - Caligoida

Hatschekia branchiostegi Yamaguti ♀.

— — Yamaguti, 1939, p. 464: pl. 23, f. 98: pl. 24, figs. 99-102.

— Jones, 1985: 228-230, fig 4A-H

Host. Branchiostegus japonicus (Houttyn), Gills

Obama, Hukui Prefecture

Hatschekia brevipapillus Lewis 1967

--, Lewis, pp. 15,16,18, figs. 6,7

— Jones, 1985: 230-232, figs. 4K, 5A-D

-- KABATA 1991: 108

-- JONES, J. B. & CABRAL 1990: 227 -

Hatschekia brotulae Cadenat *

Cadenat 1954 pp. 497-98, Fig. 10.. Senegal Africa

— Jones, 1985: 232, fig. 5E

Prob. Nunes-Ruivo, 1954: Cadenat = collector
of NR's specimens. A.C.

Dichelestiidae. Caligoida

Hatschekia budegassae (Krøyer), ♀

Cyenus — Krøyer, 1863, p. 270: pl. 12, fig. 3, a-b.

— — Carus, 1885, p. 366.

— — B-Smith, 1899, p. 476.

Host Gills of Lophius budegassa.

Mediterranean.

Hatschekia cadenati ♀ Senegal Africa L. NUNES-RUIVO, 1954

Cadenat 1954 pp. 484-5 fig. 3..

--, LEWIS, 1967: 19

- Jones, 1985: 232, fig. 5F

-- DELAMARE DEBOUTTEVILLE + NUNES-RUIVO 1958:

229, ON EPINEPHELUS GIGAS, CAPE BÉAR, MEDITERRAN.

Dichelestiidae Caligoida

Hatschekia canthari-grisei (Hesse) ♀

Cyrenus — Hesse, 1878, c, p. 15.

Clavella — Brian, 1902, p. 39.

Host. Gills of Cantharus griseus

Mediterranean.

Dichelestheriidae - Caligoida

Hatschekia cepolae Yamaguti ♀

— Yamaguti, 1939, p. 466: pl. 25, figs. 108-112.

— Jones, 1985: 232, fig. 56

Host. Gills, *Cepola schlegelii* (Bleeker).

Sea of Japan.

Hatschekia cernae, Goggio -

①

- —, Goggio, 1905, p. 219: text-fig. 3. ^{Mediterranean}
- —, Brian, 1906, pp. 70 + 175.
- —, Shiino, 1957, pp. 400 - 403, fig. 4. Gills of Epinephalus sp. ^{Okinawa.}
- Jones, 1985: 232, fig. 5H

Host, Gills of Cerna aenea + Cerna gigas

Mediterranean.

Hatschekia cernae Goggio, 1905

(2)

-- --, Uadenat 1954, pp. 481 fig. 2. Med. Area...

-- DELAMARE DEBOUTTEVILLE + NUNES-RUIVO 1958:

229, ON EPINEPHELUS GIGAS, CAPE BÉAR, FRANCE

Hatschekia clava Kabata, 1991

-- Kabata 1991:91, 97--100, figs. 21-29, n. sp. ♀ only;
host Lutjanus chrysotaenia, Queensland, Australia

Hatschekia clavata, Müller, ♀.

Isornaea clavata, Müller, 1776, pl. 33, fig. 1.

Clavella clavata, Kröyer, 1837, p. 196.

a synonym for Hatschekia hippoglossi.

clavata clearly has priority here

Hatschekia cluthae, T. Scott, ♀.

①

Clavella cluthae, T. Scott, 1902, a, p. 292.

pl. XII, figs. 26—31.

— — —, B-Smitk, 1903, p. 108.

--, LEWIS, 1967: 19

Host, Gills of Jago's Goldsinny, Ctenolabrus
aupestris.

Scotland.

— Jones, 1985: 232—234, fig. 5I

Hatschekia cluthae (T. Scott, 1902)

card 2

--Kabata 1992: 170-, Fig. 38D-G, synonymy, host list

Hatschekia conifer, Cressey

Cressey, R.F., 1970, p. 845

Dichelesthidae - Caligoida

Hatschekia conifera Yamaguti ♀

— — Yamaguti, 1939, p. 458: pl. 20, figs. 59-66.

-- Cressey, 1968, p. 173

-- , Hewitt, 1969, p. 167

Host Gills, *Stromateoides argenteus* (Euphrasen)

M.B.L. Lab. Kyoto, Japan.

Hatschekia conifera Yamaguti, 1939

card 2

--, Kabata, Z., 1981, p. 2080

→ Jones, 1985: 234, fig. 6A-M

-- KABATA 1988: 39, FIGS. 17G-H; HOST LIST.

-- CASTRO + BAEZA 1989a: 129

-- KABATA 1991: 100, 104

-- SCHRAM + ASPHOLM 1997: 1, 16-17

-- HO + KIM 1996: 292, JAPAN

Dichelestiidae - Caligoida,

Hatschekia cornigera T. Scott, ♀.

— — T. Scott, 1909, a, p. 75: pl. 3, f. 1-7.

Host, Gills of Sea Bream Pagellus centrodontus.

Scotland.

Hatschekia cornigera T. Scott

-- -- , Cadenat 1954, pp.491-92 . Senegal Africa.

Hatschekia courardi Cadenat

Cadenat 1954, PP.503-04 Fig. 14.. Dakar, Senegal Africa

— Jones, 1985: 234-236, fig. 7A-B

Hatschekia crenata HEWITT

--, Hewitt, 1963, p. ~~164~~ 164-167 Fig. 12-23

--, Hewitt & Hine, 1972, p. 88

-- Jones, 1985: 236, fig. 7C, D

-- KABATA 1991: 100, 101, 104

Dichelestiidae. Caligoida.

Hatschekia crenilabris (Hesse), ♂, ♀.

Cyrenus — Hesse, 1878, c, p. 2: pl. 19, figs. 1-12.

Clavella — Brian, 1902, p. 38.

--, Hewitt, G.C. 1969 (Vol. 3 #1) p. 163

Host. Gills of Crenilabrus melops.

Mediterranean

Hatschekia crenulata Kabata 1991

-- Kabata 1991:100-101, figs. 30-40, n. sp. ♀ only;
host Scolopsis cancellatus, Queensland, Australia

Hatschekia curvata Yamaguti & Yamasu, 1959

n. sp. Yamaguti & Yamasu, 1959, p. 128-9, pl. XII,
figs. 247-255

—, Kazachenko, 1975, p. 216

Hatschekia cylindrica Shiino

1957---Shiino, Sueo M., pp. 105--108, fig. 1.

Hatschekia danicani, Brian ♀ Dichelestiidae.

Clavella sp.? (Acantholabri exoleti, Hesse?), Brian,
1902, pl. I. fig. 16; p. 39.

— —, Brian, 1903, p. 81.

Fig. 17

Cycnus acantholabri-exoleti, Hesse?, 1879, p. 10, pl. XIV

Hatschekia sp.? Loggio, 1905, p. 221.

Host, Leabrus merula, gills of Crenilabrus
parvo,
Mediterranean

Hatschekia damianii Brian, 1906, p. 70.

--, ESSAFI ET AL. 1984: 510, POSSIBLE SYNONYM
OF H. SUBPINGUIS?

-- CARLI & BRUZZONE 1973b: 131

Hatschekia delamarei Cadenat

- Cadenat 1954, pp. 489-490 figs. 6.. Senegal Africa..

- Jones, 1985: 236, fig. 7E, F

Hatschekia difficilis Kabata, 1991

-- Kabata 1991:91, 101-104, figs. 41-50, n. sp. ♀ only;
host Scarus ghabban, Queensland, Australia

Hatschekia diodontis Yamaguti

1953---Yamaguti, S., pp. 225-226, pl. IV, figs. 29-34.

--, Hewitt, 1969, p. 163

--, Lewis, 1967: 18

--, Pillai, 1968, p. 148

Hatschekia elegans Kabata, 1991

-- Kabata 1991:91, 104-105, figs. 51-60, n. sp. ♀ only;
host Lethrinus chrysostomus, Queensland, Australia

Hatschekia elliptica n.sp. Pillai, 1967

--, Pillai, 1968, p. 141-144, figs. 1-11

--, Pillai, 1967, p. 1641, fig. 184

— Jones, 1985: 236, fig. 7 G-I

-- KABATA 1991: 91, 95, QUEENSLAND, AUSTRALIA, HOST
DIODON HOLAECANTHUS

Dichelelethiidae

Hatschekia elongata Redkar, Rangnekar, Murti

---1950. Redkar, M.V., P.G. Rangnekar and N.N. Murti

pp. 35-42, figs. 1-7. Gills of Lutjanus johnii Bloch
Bombay.

-- Pillai, 1967, p. 1643, fig. 187

— Heegaard, 1962: 185, fig. 202-206

— Jones, 1985: 238, fig. 7J, K

-- JONES, J.B. & CABRAL 1990: 229-

Hatschekia elongata Capart

1953 --- Capart, André, pp. 649-650, fig. 1

-- --, Cadenat pp. 491. Senegal Africa 1954

Hatschekia elongata Heegaard - see H. thompsoni

Hatschekia epinepheli Capart

→ Capart, 1959: 75, fig. 10

Hatschekia exigua Pearse, 1951

— Jones, 1985: 238, fig. 7L, M, 8 A-E

Hatschekia flatti Uma Devi & Shyamasundari, 1980

-- Jones, J.B. & Cabral 1990: 221

Dichelesthiidae

Hatschekia foliolata Redkar, Rangnekar, Murti

--- 1950. Redkar, M.V., P.G. Rangnekar, Murti
pp. 39-40, figs. 8-14. Gills of Synagris japonica Day
Bombay.

--, Pillai, 1964, p. 69-71, fig. 63-73

--, Pillai, 1967, p. 1642-1643, fig. 186

— Jones, 1985: 238-240, fig. 8 F

-- KABATA 1991: 119

-- JONES, J. B. & CABRAL 1990: 230

Hatschekia fusiformis Shiino

1957---Shiino, Suetō M., pp. 398-400, fig. 3.

--, Hewitt, 1969, p. 167

— Jones, 1985: 240, fig. 86

-- KABATA 1991: 104

Dichelesthiidae - Caligoida

Hatschekia gerro Leigh-Sharpe ♀

— — Leigh-Sharpe, 1936. p. 63: figs. 2 & 4.

— Jones, 1985: 240, fig 8H-L

-- SCHRAM & ASPHOLM 1997: 17

Host. Gills of Labrus turdus

Hatschekia girelli Jones & Cabral 1990

-- Jones & Cabral 1990: -21, 227-229, figs. 4a-g, n. sp.
female only, ex Thalassoma fuscum, Rangiroa, Tuamotu
Archipelago, French Polynesia

Hatschekia gracilis Yamaguti

1954---Yamaguti, S., pp. 395-396, pl. VI, figs. 62-65.

--, Yamaguti & Yamasu, 1959, p. 131

--, Yamaguti & Yamasu, 1960, p. 150

— Jones, 1985: 240-242, Fig. 8M

-- KABATA 1991: 114

Hatschekia harkema Pearse

Pearse, A.S., --- 1948, pp. 128-131, figs. 11-18.

- Jones, 1985: 242, fig. 9A-H

-- ZWERNER + LAWLER 1972: 84, CHESAPEAKE BAY,
HOST CHILOMYCTERILUS SCHOEPFI

-- SCHRAM + ASPHOLM 1997: 1, 17

Hatschekia hemigymni Kabata 1991

-- Kabata 1991:91, 105-108, figs. 61-67, n. sp. ♀ only;
host Hemigymnus melapterus, Queensland, Australia

Hatschekia hippoglossi (Guerin) ¹⁸³¹ Krøyer, ♀

Clavella h— Krøyer, 1837, p. 205: pl. 2, figs. 3, 3a.

— — M-Edwards, 1840, p. 494: 1849, pl. 32, fig. 1.

— — Guerin¹⁸³¹, 1829-44, pl. 9, fig. 7.

— — P. J. v. Beneden, 1857, p. 100: pl. 3, figs. 5-6.

CLAVELLA, BENEDEN + BESSELS, 1868?: 43, PL. 5 FIGS. 8-15.

Host. Gills of Hypoglossus vulgaris and
H. maximus

CLAVELLA-, ACLOQUE 1889: 202. North Sea.

- — P. J. v. Beneden, 1861, p. 151: 1870, p. 80.
— — Olsson, 1869, p. 25.
— — B. Smith, 1899, p. 474.
— — T. Scott, 1900, p. 159: pl. 7, figs. 1-6, ♀.
— — T. Scott, 1901, p. 126: pl. 7, fig. 11, ♂.
Hatschekia — Poche, 1902, p. 16.
Schisturus — Oken, 1816, p. 183.
Clavella — Stephensen, 1913, p. 341.
Hatschekia — T. & A. Scott, 1913, p. 112: pl. 33,
figs. 3 + 4: pl. 34, figs. 8-11.
— — Wilson, 1920, p. 126.
— — Hansen, 1923, p. 38.

H. hippoglossi (2)

- — Wilson, 1932, p. 477: fig. 285, c. d.
-- --, Ronald, 1958. pp. 4-5
-- --, Hewitt, 1969, p. 167
-- KABATA 1988: 39, FIGS. 17E, F; HOST LIST,
-- POLIANSKII 1955: 92-
-- STEPHENSEN 1940: 6
-- JONES 1985: 223, FIG. 1A-C
-- KABATA 1992: 167, FIG. 37F-I, SYNONYMY, HOST LIST,
AUTHOR IS GUÉRIN, [1831]
~~K.~~ --, SCHRAM + ASPHOLM 1997: 1+17, FIGS. 1-8,
REDESCRIPTION, OFF GREENLAND; SYN. H. REINHARDTI
VIERZBICKA

Nichelestidae

Hatschekia insolita Wilson ♀

— Wilson, 1913, p. 245: pl. 42, figs. 227-232.

— Jones, 1985: 242-244, fig. 10A-G

— KABATA 1931: 108

Host, Gills of Spinephelus adscensionis.

West Indies.

Hatschekia iridescens Wilson D.♀.

— Wilson, 1913, p. 248: pl. 41, figs. 216-
221: pl. 44, fig. 247: pl. 45.

— Pillai, 1968: 148

— Jones, 1985: 244-246, fig. 10H, 11A-D

-- KABATA 1991: 108

Host, Gills of Diodon hyaticus

West Indies -

HATSCHERIA IRIDESCENS C. B. WILSON

-- SCHRAM + ASMHOLM 1997: 1, 17

Hatschekia ischnon Leigh-Sharpe, ♀

— — Leigh-Sharpe, 1936, p. 63: figs. 1 & 3.

— Jones, 1985: 246, fig. 11 E-H

Host. Gills of Pagellus erythrinus.

Hatschekia japonica Jones

- Jones, 1985: 246, fig 11 I

Hatschekia jorgei ~~Cadenat~~ Nunes-Ruivo, 1954

~~1954~~ pp. ~~493~~ fig. 7.

Senegal Africa

— Cadenat, 1954: 493, fig. 7.

— Jones, 1985: 246-248, fig 11 J-K

Hatschekia labracis. (van Beneden), ♀. Dichelestiidae.

- Clavella, Beneden, 1870, pp. 24, 45, 46; pl. I. fig. 4.
— —, T. Scott, 1901, p. 127.
— —, — —, 1902, a, p. 292; pl. XIII, figs. 10-12.
— —, A. Scott, 1904, b, p. 120; 1904, a, p. 40
— Jones, 1985: 248, fig 12A
- Host. Gills of Labrus maculatus, L. trimaculatus,
and Labrax lupus.
- C. —, T. SCOTT 1901c: 120

European Seas.

— — . A. Scott, 1907, p. 95; pl. IV, figs. 1-9.

— — Brian, 1902, p. 38

— JONES, J. B. + CABRAL 1990: 229 -

— KABATA 1992: 168, FIG. 37 J-K, SYNONYMY, HOSTLIST

— SCHRAM + ASPHOLM 1997: 17

Dichelestiidae Caligoida

Hatschekia labri-donovaini Hesse, ♀.

Cyrenus — Hesse, 1878, c, p. 9.

Clavella — Brian, 1902, p. 38.

Host. Gills of Labrus donovaini.

France.

Dichelestiidae Caligoida

Hatschekia labri-mixti Hesse, ♀.

Cyrenus — Hesse, 1878, c, p. 6: pl. 19, figs. 13-16

Clavella — Brian, 1902, p. 38

--, Hewitt, G.C., 1969 (Vol. 3#1) p. 163

Host. Gills of Labrus mixtus.

Mediterranean

Dichelestiidae Caligoida

Hatschekia labri-trimaculati (Hesse) ♀.

Cycnus — Hesse, 1878, c, p. 12: pl. 19, figs. 18-20

Clavella — Brian, 1902, p. 38.

Host, Gills of Labrus trimaculatus.

N. Atlantic.

Hatschekia legouili ~~Cadenat~~ Nunes-Ruivo, 1954

—Cadenat 1954 PP. 500-01 Fig.12, Senegal Africa

--, Yamaguti & Yamasu, 1959, p. 90

— Jones, 1985:248, fig 12B

Hatschekia leptoscaris Yamaguti, 1935

— Jones, 1985: 248, fig 12C

-- JONES, J. B. & CABRAL, 1990: 225-

Nichelestidae

Hatschekia linearis Wilson ♀

— Wilson, 1913, p. 246: pl. 44, figs. 240-246.

—, Hewitt, 1969, p. 167

— Jones, 1985: 248-250, fig. 12D-F

Host, Gills of Bathystoma rinator.

West Indies.

Dicelosthidae - Caligoida

Hatschekia longibrachium Yamaguti, ♀.

— — Yamaguti, 1939, p. 465: pl. 24, figs. 103-107.

— —, Hewitt, 1969, p. 163

— Jones, 1985: 250, fig 12 G

Host. Gills, *Branchiostegus japonicus* (Houttuyn)

Obama, Hukui Prefecture.

Hatschekia longigenitalis Yamaguti

1954---Yamaguti, S., pp. 394-395, pl. VI, figs. 59-61.

--, Hewitt, 1969, p. 167

--, Yamaguti & Yamasu, 1960, p. 150

— Jones, 1985: 250, fig. 12H

-- KABATA 1991: 110, 114

Hatschekia manea Jones & Cabral, 1990

-- Jones, J.B. & Cabral 1990: 221, 223-225, figs. 2b-g,
3a, n. sp. female only, ex Scarus gibbus, Rangiroa,
Tuamotu Archipelago, French Polynesia

Hatschekia megacephala Kabata 1991

-- Kabata 1991:91, 108-110, figs. 68-73, n. sp. ♀ only;
host Gymnocranius audleyi, Queensland, Australia

Hatschekia modesta sp. nov. Kabata

Kabata, 1965, pp. 8-10.

--, Hewitt, 1969, p. 163

--, Kabata, 1970, fig. 28

— Jones, 1985: 250, fig. 12 I

-- KABATA 1991: 91

Dichelesthiidae - Caligoida

Hatschekia monacanthi Yamaguti, ♀.

— — Yamaguti, 1939, p. 468: pl. 26, figs. 119-125.

— — Hewitt, 1969, p. 163

--, Pillai, 1968, p. 148

— Jones, 1985: 250-252, fig. 13A-G

Host. Gills, *Monacanthus cirrifer* Temm. & Schleg.

Toyama Bay, Japan.

Hatschekia monocentris Yamaguti & Yamasu, 1959,

n. sp. Yamaguti & Yamasu, 1959, p. 129-131, pl. XIII,
figs. 266-271.

Dickeleshiidae - Caligoida
Hatschekia pygmaea (T. Scott) ①

Clavella labracis? A. Scott, 1907, p. 95: pl. 4, f. 1-9
Hatschekia pygmaea T. & A. Scott, 1912, p. 119: pl. 35,
f. 3-7: pl. 36. f. 6-9.

--, Hewitt, G.C., 1969 (Vol. 3 #1) p. 163

Host. Gills of Crenilabrus melops (Linn.).

- Jones, 1985: 262, fig. 17A-G

English Seas.

- KABATA 1992: 169; FIG. 38A-C, SYNONYMY, HOST LIST

HATSCHERIA PYGMAEA T. + A. SCOTT, 1912 (Z)

-- SCHRAN + ASPHOLM 1997:17

Hatshokia quadrabdominalis Yu, ♀

— Yu, 1933, p. 127: pl. 5, figs. 2-6; pl. 6, figs. 1-2

— —, Hewitt, p. 163, 1969

— Jones, 1985: 263, fig. 18A-G

-- KAZACHENKO 1994: 27, FIG. 1d

-- SCHRAM + ASPHOLM 1997: 114

Host. Gills of Holocentrus ruber, China.

Hatschekia quadrata

-- Hewitt, G.C., 1962 (passim)

--, Hewitt & Hine, 1972, p. 77

- Jones, 1985: 264, fig. 19A

Dichelesthiidae - Caligoida

Hatschekia richiardii Goggio, ♀

— — Goggio, 1905, p. 222: pl. 13, fig. 4: text-fig. 4

Host.

HATSCHERIA REINHARDTII —

SEE H. HIPPOGLOSSII

Hatschekia rohdei Kabata 1991

-- Kabata 1991:91, 112-114, figs. 84-95, n. sp. ♀ only;
host Chlorophthalmus nigripinnis Günther

Dichelesthiidae - Caligoida

Hatschekia rotundigenitalis Yamaguti ♀

— Yamaguti, 1939, p. 460: pl. 20, f. 67-71; pl. 21, figs. 72-73.

— Jones, 1985: 264, fig 19B

-- KABATA 1981: 96, QUEENSLAND, AUSTRALIA, HOST
GYMNOCRANIUS AUDLEYI

Host Gills, *Gymnocranius griseus* Temm. & Schleg.

M.B.L. Kyoto, Japan.

Dicelyothoidae - Caligoida.

Hatschekia sargi (Valle), ♀.

Clavella sp. Valle, 1880, p. 33.

Clavella sargi Valle, 1882, p. 246

— — Carus, 1885, p. 367.

— — Brian, 1902, p. 36: pl. 1, f. 9-13.

— — Jones, 1985: 264, fig 19C

Host. Gills of Sargus salviarius; S. rondoletii and Pseudoscarus ghoban.

Mediterranean; Red Sea.

Hatsehekia — Brian, 1906, p. 68: pl. 3, fig. 2.

H. -, KABATA 1992: 166; FIG. 37A-C, ? SYNONYM OF

H. PAGELLI BOGNERAVI

Hatschekia scari. (Kröyer), ♀.

Clavella s., Kröyer, 1838, p. 131; pl. III, fig. 1a-h.

— —, M. Edwards, 1840, p. 495.

— —, Poche, 1902, p. 16. (Hatschekia).

— — Brian, 1902, p. 37.

Host. Gills of Scarus, sp.

European Seas.

Hatschekia sebastici Yamaguti - see Prohatschekia

Caligoida Dichelesthidae

Hatschekia serrana Pearse

1952--- Pearse, A.S., pp. 220-221, figs. 84-92

Hatschekia sigani Uma Devi & Shyamasundari, 1980

-- Jones, J.B. & P. Cabral 1990: 221

Hatschekia sphyraeni Pillai, 1964

n. sp., Pillai, 1964, p. 72-3, figs. 74-82

-- , Pillai, 1967, p. 1642, fig. 185

-- Jones, 1985: 264, fig 19.D, E

-- JONES, J. B. & CABRAL 1990: 227 -

Hatschekia squamata Jones & Cabral 1990

- Jones, J.B. & Cabral 1990: 221, 229-232, Figs. 5a-i,
n. sp. female only; ex Paratrachichys trailli,
south west Pacific

Hatschekia squamigera Kabata 1991

-- Kabata 1991:91, 115-116, figs. 96-103, n. sp. ♀ only;
host Scarus frenatus, Queensland, Australia

Hatschekia subpinguis Briau ♀

--- Briau, 1913, p. 60: pl. III, figs. 1-10.

-- ESSAFI ET AL. 1984: 476, 509-511, FIGS. 80-87,

HOST SYMPHODUS TINCA, TUNISIA; H. DAMIANII A
POSSIBLE SYNONYM?

Host - Crenilabrus pavo.

-- CARLI & BRUZZONE 1973b: 131

Naples. Italy.

Hatschekia mulli (van Beneden, ♀.)

Clavella, Beneden, 1851, p. 99; pl. III, figs. 344.

— —, — —, 1861, p. 150 : 1870, p. 29.

— —, Carus, 1885, p. 367.

— —, B-Smith, 1899, p. 474: 1896, a, p. 159.

C. —, BASSETT-SMITH 1896a: 159

Host, Gills of Mullus, sp. and of Mullus
surmuleatus.

— Jones, 1985: 252,



fig. 13H, 14A

European Seas.

Clavella mulli, Richardi, 1880, p. 5.

— —, Valle, 1880, p. 66.

— —, Stossich, 1880, p. 261.

— —, Brian, 1902, p. 34.

Hatschekia mulli (van Beneden, 1851)

(2)

-- --, Cadenat, 1954 pp.492 no figs. Senegal Africa

- -, Hewitt, 1969 p. 167

— Capart, 1959: 76

-- ESSAFI ET AL. 1984: 476, 509, HOST MULLUS
SURMULETUS, TUNISIA

-- KABATA 1991: 100, 104

- KABATA 1992: 166-167, FIG. 37D, E, SYNONYMY, HOST LIST

Hatschekia nahaensis Yamaguti

1953---Yamaguti, S., pp. 226-227, pl. IV, figs. 35-37,
pl. V, figs. 38-39.

— Jones, 1985: 252, fig 14B

Hatschekia napoleoni Jones & Cabral, 1990

-- Jones, J.B. & Cabral 1990: 221-223, figs. 1, 2a,
n. sp. female only; ex Cheilinus undulatus, Rangiroa,
Tuamotu Archipelago, French Polynesia

Hatschekia nohu Villalba, 1986

Jones, J.B. & Cabral 1990: 221

Dichelestiidae

Hatschekia obesa Richiardi, ♀.

Clavella — Richiardi, 1880, p. 149, nomen nudum.

— — Carus, 1885, p. 367.

— — Goggio, 1905, p. 217: text-figs. 141a.

— — Jones, 1985: 252-254, fig. 14C

Host, Gills of Muraena helena

○ Mediterranean.

Hatschekia obesa Goggio, 1905

-- Goggio 1905:217; text-figs. 1, 1a

-- Jones 1985:252-254, fig. 14C

-- Kabata 1991:110

Dicelostelidae

Hatschekia oblonga Wilson ♀

— Wilson, 1913, p. 242; pl. 42, fig. RRR—

— Causey, 1960, p. 332. Ocyurus chrysurus. Anton Lizardo, near
Veracruz, Mexico.

— Jones, 1986: 254; ²⁵⁶ fig. 14D-F

— Wilson, 1937: 30

Host, Gills of Neomaenidia aya

West Indies.

Hatschekia ostracii Yamaguti

1953---Yamaguti, S., pp. 228-229, pl. V, figs. 45-48.

--, Hewitt, 1969, p. 163

--, Lewis, 1967: 19

--, Pillai, 1968, p. 148

- Jones, 1985: 256, fig 146

-- KABATA 1991: 108

Hatschekia ovalis (Bassett-Smith, 1898)

— Bassett-Smith, 1898 (Pseudoclavella
ovalis)

— Jones, 1985: 256, fig 14 H

-- KABATA 1991: 114

-- JONES, J. D. ~~BY~~ CABRAL 1990: 227 -

Hatschekia pacifica Cressey

--, Cressey, R.F., 1970, pp. 843-845, figs. 1-9

- Jones, 1986: 256-258, fig 14 I

Hatschekia pagelli-bogneravi (Hesse) ♀.

Cycnus — Hesse, 1878, c, p. 14.

Clavella — Brian, 1902, p. 38.

Hatschekia — Brian, 1914^c, p. 135.

— — Goggio, 1905, p. 218: text-figs. 2, 2a-c.

— Jones, 1985: 258, fig 14 J, K

Host, Gills of Pagellus bogneravi

H. PAGELLI BOGNERAVI, KABATA 1992: 166 — FIG. 37A-C,

SYNONYMY, HOST LIST;

N. Atlantic.

? SYN. H. SARGI

Hatschekia pagrosomi Yamaguti ♀

①

— — Yamaguti, 1939, p. 460: pl. 21, figs. 74-79.

--, Yamaguti & Yamasu, 1959, p. 131

--, Yamaguti & Yamasu, 1960, p. 150

— Jones, 1985: 258, fig ISA-D

-- KABATA 1991: 91, 95-96, QUEENSLAND, AUSTRALIA, HOSTS

Host. Gills, Pagrosomus unicolor and Lethrinus haemalopterus.

Inland Sea, Japan -

→ CHRYSOPHRYS AURATUS.

Hatschekia pagrosomi Yamaguti, 1939

card 2

-- Jones, J.B. & Cabral 1990: 229-

Hatschekia papillifera Kabata 1991

-- Kabata 1991:91, 110-112, figs. 74-83, n. sp. ♀ only;
host Pentapus setosus, Queensland, Australia

Hatschekia parva Pearse, 1951

— Jones, 1985: 258-260, fig 15E-G

-- JONES, J. B. + CABRAL 1990: 223-

atschekia petiti ~~adenet~~ ♀ Nunes-Ruivo, 1954

- Cadenat 1954, pp. 486-489 figs. 4&5.. Senegal Africa

- Jones, 1985: 260, fig. 15H, I

- - Schram + Aspholm 1997: 1, 16

= HATSCHKEIA

Caligoida - Dichelestiidae.

Caetrodes pholas, n. gen.: n. sp. ♀.

— —, Wilson, 1906^a, p. 203: pl. 4, fig. 48-57.

Host, Tetrodon stellatus.

Ceylon.

Hatschekia pholas (C. B. Wilson)

2

--, Pillai, 1968, p. 144-150, figs. 12-25 (redescription
from Caetrodes pholas C. B. Wilson)

--, Pillai, 1967, p. 1641, fig. 183

-- Jones, 1985: 260, fig 15 J-M

-- KABATA 1991: 108

-- SCHRAM + ASAPHOLM 1997: 14

Hatschekia pinguis, ♀ n.sp.

—, Wilson, 1908, p. 455: pl. 75, f. 91-98

--, Cressey, R.F., 1970, pp. ~~845~~, ~~figs. 1-9~~

— Jones, 1985: 260, fig. 16A-E

-- KABATA 1991: 108

Host. Gills of California Conger Eel,
Toyocobutis mordax.

-- SCHRAM + ASPHOLM 1997: 1, 17

Hatschekia plectropomi n.sp. Ho + DOJIRI, 1978

--, Ho & Dojiri, 1978, p. 727-730, figs. 1-11

- Jones, 1985: 261, fig. 16F

-- KABATA 1991: 91, 92, 96, AUSTRALIA, HOST RECORDS

Hatschekia pontini ~~Cadenat~~ Nunes-Ruivo, 1954
~~-cadenat,~~
1954 pp. 494-5 Fig. 8. Senegal Africa

- Jones, 1985: 261, fig ~~16G~~ 16G

Dichelesthidae-Caligoida

Hatschekia prionoti Pearse 1947

Pearse, A.S., -- 1947, pp. 10-12, figs. 41-44.

--, Hewitt, 1969, p. 163

- Jones, 1985: 261, fig 16 I

-- SCHRAM + ASPHOLM 1997: 1, 17

Hatschekia pseudolabri Yamaguti

- 1953---Yamaguti, S., pp. 227-228, pl. V, figs. 40-44.
- Jones, 1985: 261-262, fig. 16J
- JONES, J. B. & CABRAL 1990: 225-

Hatschekia synagris Yamaguti

- 1954---Yamaguti, S., pp. 393-394, pl. VI, figs. 56-58.
- Jones, 1985: 264-266, fig. 19F
- KABATA 1991: 110, 112

Hatschekia tenuis, (Heller). ♀.

Clavella, Heller, 1865, p. 215; pl. XXIII, fig. 1.

— —, B-Smith, 1899, p. 474.

— —. Brian, 1902, p. 37.

— Jones, 1985: 266, fig. 196

-- KABATA 1991: 114

Host, Gills of Monocentris, sp.

-- JONES, J. B. & CABRAL 1990: 229-

Philippines.

Hatschekia teuthidis Yamaguti

1954---Yamaguti, S., pp. 392-393, pl. VI, figs. 53-55.

--, Hewitt, 1969, p. 167

— Jones, 1985: 266, fig 19 H

-- KABATA 1991: 110

-- JONES, J.B. & CABRAL 1990: 225-

Hatschekia thompsoni Heegard, 1962

Hatschekia elongata, Heegaard 1962:

H. thompsoni, renamed, Heegaard 1964:

H. t., Kabata 1991:91-

Hatschekia trachuri Yamaguti & Yamasu, 1960

n. sp. Yamaguti & Yamasu, 1960, p. 150, pl. 12: figs.
54-60

-- KABATA 1991:96

Nichelestüdet

Hatschekia uncata Wilson ♀

—, Wilson, 1913, p. 243: pl. 43.

— Jones, 1985: 266, fig 19 I, J.

-- KABATA 1991: 108

Host, Gill of Epinephelus adscensionis

Hatscheria sp.

--, Pillai, 1967, p. 1643, fig. 188

HATSCHERKIA SP. BRIAN

-- SCHRAM + ASHOLM 1997: 1, 17, POSSIBLY =
H. GERRO, H. LABRACIS, OR H. PYGMAEA.

Hatschekia sp. Kabata 1991

-- Kabata 1991:91, 116-118, figs. 104-112, host
Siganus nebulosus, Queensland, Australia

Hatschekia sp., Villalba, 1986

-- Jones, J.B. & Cabral 1990: 221

HATSCHERIA spp.

-- BOXSHALL 1987: 197