

Centropagidae - Calanoida

m)
Hemiboeckella

G.O. Sars, 1912

H. searli

(M).

Syn. Hemiboeckella, Sars, 1912, p.

Hemiboeckella Sars, 1912

- Bayly 1974: 87-88; diagnosis; type=species H. searli
- DUSSART 1986: 64, 67, SHORT DIAGNOSIS
- BAYLY 1992: 136-, CF. NEOBOECKELLA N.G.
- BAYLY 1992C: 19-, KEY, 4, DIAGNOSIS

Hemiboeckella andersonae Bayly 1974

-- Bayly 1974: 87-92, figs. 1, 2, n. sp. ♀♂, Culeenup
Island, Western Australia

- BAYLY 1979: 105, 124-5, DISTRIBUTION (W. AUSTRALIA)
- BAYLY 1992: 140
- BAYLY 1992C: 21, FIG. 43, W. AUSTRALIA

Hemiboeckella powellensis Bayly 1979

-- Bayly 1979: 103-107, figs. 1A-1D, n. sp. ♂¹⁰, Western
Australia; 124-5

-- BAYLY 1992C: 19; FIG. 42, W. AUSTRALIA

-- HAMER ET AL. 1996: 91

Hemiboeckella searli Sars, ♂♀.

— — Sars, 1912, p. 13: pl. 9, figs. 1-14.

Boeckella Marsh, 1925, p. 15: fig. 23.

-- --, Bayly 1964. pp. 231, 233, fig. 1a, 22a-c

-- BAYLY 1974: 87-88, 91-92; TYPE OF GENUS.

-- BAYLY 1979: 105, 112, 124-5, DISTRIBUTION

Habitat. So. Australia.

-- BAYLY 1992: 140

Centropagidae - Calanocida

Boeckella searli (Sars) ♂ ♀.

Hemiboeckella

Sars, 1912, p. 13: pl. 9, figs. 1-14

Henry, 1922, p. 560.

Boeckella

Marsh, 1925, p. 15: fig. 23.

B. -, BAYLY 1992c: 21; FIG. 44, So, W. AUSTRALIA,

TASMANIA

Habitat. So. Australia.

HEMIBORCKELLA SP. NOV. BAYLY, 1992

--- BAYLY 1992C: 19; FIG. 41, TASMANIA