

~~Yeropoulos~~ — Clausidiidae  
Hersiliodes, valid

Canu, 1888,

H. pelseneri (E).

Syn. Hersiliodes Canu, 1888, p. 793.

Hersiliodes Thompson & Scott, 1903, p. 283.

Hersilia and ΕΙΔΟΣ, similarity, likeness.

Body slightly flattened, rather elongated,  
and composed of distinct segments: first  
antenna 7-jointed: 2nd. one 4-jointed.  
Mandibles rather large, with 4 accessory  
pieces, a claw, a toothed blade, and two long  
flexible bearded setae -  
5th. Maxillary legs simple, 2-jointed & flat.

Cann, 1888.

# HERSILIOIDES

CANU

- , BOUQUET + STOCK 1957A: p. 213, Key to genera.
- ROCHA, C. 1989: 177-, cf. DOVIELLA N. GEN.
- TODA ET AL. 1992: 109
- GOTTO 1993: 117, DIAGNOSIS

Clausidiidae - Cyclopoida.

Hersiliodes aberdonensis (T. & A. Scott). ♀.

1892, p. 149.

— — T. Scott, ~~1906~~, p. 355.

A synonym of Hemicyclops aberdonensis.  
(Sars, 1917, p. 145).

Hersiliodes canuensis - see Hemicyclops

Hersiliodes cylindraceus (Pelseneer) - see Hemicyclops

Clausidiidae — Cyclopoida.

Hersiliodes dubia Thompson & Scott, ♂.

— — Thompson & Scott, 1903, p. 284: pl. 3. f. 18-27.

Hippomolgus dubia. Nicholls, 1944, p. 46

— . Krishnaswamy, 1953, p. 66, text-fig. 7

Habitat. Suez Canal.

HERSILIODES EXIGUUS I. H. KIM + STOCK, 1996

-- I. H. KIM + STOCK 1996: 1-6, FIGS. 1-3, N.S.P., KOREA,  
EX RUDITANES PHILIPPINARUM

-- I. H. KIM 1997: 15



Hersiliodes latericius - see Hemicyclops

Hersiliodes leggi - see Hemicyclops

Clausidae - Cyclopoidea.

Hersiliodes littoralis (T. Scott), ♀.

Lichomolgus - T. Scott, 1892, p. 260: pl. 10, fig. 1-9.

Hersiliodes - Thompson & Scott, 1900, p. 143.

A synonym of Hemicyclops purpureus.  
(Sars, 1917, p. 146).

Hersiliodes livingstoni - see Hemicyclops

Hersiliodes pelseneeri - see Hemicyclops

Hersiliodes puffini .- see Hemicyclops

Hersiliodes tamilensis - see Hemicyclops

Hersiliodes thompsoni - see Hemicyclops