

Subfam. LAOPHONTODINAE, nov.

Lang 1948, 1454

- FIERB 1988: 76, INCLUDES LAOPHONTODES,
PARALAOPHONTODES, TAPHOLAOPHONTODES, ALGENSIELLA,
PATAGONIAELLA; & PROBOSCIPHONTODES N. GEN.
- PALLARES 1968b: 462, LIST OF GENERA; PATA-
GONIAELLA N. GEN.; 463, IN KEY

HARPACTICOIDA

SUPER FAMILY
LAOPHONTOIDEA

- FERRARI 1992a: 150
- SCHIZAS + SHIRLEY 1994: 131-
- HUYS + WILLEMS 1989: 203 -

Laophontidae T. SCOTT, 1904

①

- Pallares 1975c: Phycolaophonte n.g.
- Cottarelli 1977b: 91-99, Mexicolaophonte n.g.
- Cottarelli et al. 1985b: 273-, Indolaophonte n.g.
- Hicks 1988: Transferred Donsiellinae to Family

Thalestridae, pp. 639-

- Gee & Fleeger 1990: 294-
- Fiers & Rutledge 1990: 120, Folioquinpes n.g.
- Fiers 1992: 399-, ROBUSTUNGUIS n.g.

Laophontidae T. Scott, 1904

card 2

- Gotto 1993: 208-, diagnosis, key to some genera
- COTTARELLI ET AL. 1983: 269-, NOVOLAOPHONTE N.G.
- PALLARES 1975c: 1-5, PHYCOLAOPHONTE N.G.
- SCHIZAS + SHIRLEY 1994: 127-, ELAPHOLAOPHONTE N.G.

Laophontidae gen. sp. Bodin, 1964

-- Bodin 1964: 152, 163-167, Pl. XIX, XX, female + male,
Gulf of Marseilles, Mediterranean

Laophontidae gen. sp.? Kunz & Kunz, 1973

--- Kunz & Kunz 1973: 56 (Tab. 5), 58

Laophontidae spec. 1, Mielke, 1987

--- Mielke 1987b: 357-359, ♂, Chile; figs. 26, 27

Laophonte

Philippi, 1840.

L. cornuta, ①

- Lang, 1965: 447-448

Cleta Claus, 1863, p. 123.Laophonte G. O. Sars, 1907, p. 234.Laophonte Philippi, 1840, p. 189Laophonte Boeck, 1865, p. 276.Laophonte, daughter of Pleuron.Laophonte Herrick, 1884, p. 183.Laophon Dana, 1852, p. 1179.Laophonte Brady, 1880, vol. 2, p. 70.

linder margins of segts fringed with fine teeth
1° antennae 4-8-jointed: endopod of 2° pair
1-jointed: mandible palp 1-jointed.
Mx. aculeate: 1° mypds. with 3-4 setiferous
marginal digits: 2° mypds. forming slender claw-
ed hand. Exopod of 1° legs half as long as Endopod
and 3-jointed - endopod 2-jointed.
Exopods of 2°, 3°, & 4° legs 3-jointed, endopods
2-jointed - 5° legs smaller in ♂ than in ♀.

not. Asellopsis Brady & Robertson, 1873, p. 137

Laophonte Pesta, 1921, p. 618.

Laophonte Brönnian, 1921, p. 94.

LAOPHONTE PHILIPPI

(2)

- VAN DOUWFF 1909b: 65, DIAGNOSIS
- , BORUTSKY 1960: 161
- , RAIBAUT 1961: 628-629, SPECIES-GROUPS
- , HICKS 1988: 640, 678
- , ZHADIN + GERD 1961: 464
- HICKS, 1988: 449, species groups listed
- KIM, I-H 1991: 435
- GOTTO 1993: 209-, DIAGNOSIS
- SCHIZAS + SHIRLEY 1994: 132

Laophonte Philippi

card 3

-- Fiers 1993: 208-, cf. Loureirophonte

Laophonte inopinata-group

--- Pallares 1979b: 15, added L. hirsutus n.sp.

Laophonte abbreviata

--, Vervoort, 1964, p. 332

- (MESOLAOPHONTE) -, RAIBAULT 1961: 628

Laophonte acutirostris Lang

— Lang, 1965: 448-454, fig. 244-246

-- PALLARES 1975 c: 1

-- PALLARES 1979 b: 15

Laophonte adamsiae Raibaut, 1966

--, Humes, 1982, p. 5

-- *FIERS* 1992:399

Laophonte adduensis Sewell

— — Seymour-Sewell 1940, p. 314, fig. 71, ♀,
Maldive Arch.

— — Nicholls 1944, p. 495, ♂, Red Sea, fig. 5

— — Nicholls 1945a, p. 8, ♀♂, fig. 5, Western Australia

--, Vervoort, 1964, p. 316

-- WILLEN 1996: 1322, TAB. 1

Laophonte Adriatica Petkovski

1955, pp. 135-138. figs. 36-40..

--, Vervoort, 1964, p. 317

--, Kunz, 1974, p. 271 figs. 94-96, 97-101

Laophontidae - Harpacticoida.

Laophonte affinis Boeck, ♀.

— — Boeck, 1873, p. 51.

--, Vervoort, 1964, p. 316

A synonym of Laophonte similis,
(Sars, 1907, p. 244).

Laophonte aldonae Chislenko, 1977

-- Chislenko, 1977b: 258-262, Fig. 14-16, n. sp. female
+ male, Franz Josef Land

Laophontidae - Harpacticoida

Laophonte applanata G.O. Sars, ♀

— — Sars, 1909, p. 36: pl. 11, figs. 1-10.

— —, Lang, 1948, p. 1351, Pl. 543:4 - 544:5

--, Vervoort, 1964, p. 316

-- RAIBAUT 1961: 628

-- Hicks 1988: 678

Habitat. Northern Seas.

-- SHIH ET AL. 1971: 211, CANADA - ARCTIC

Laophonte arenicola Nicholls

Nicholls 1941 b, p. 100 ♂, St. Lawrence River

Nicholls 1942 b, p. 125-126, fig. 3 ♂

--, Vervoort, 1964, p. 317, 372

L. LANG 1965: 447, 448

Laophonte armiger Gurney - see Echinolaophonte


Laophontidae - Harpacticoida

Laophonte australasica Thomson, ♀

— — Thomson, 1883, p. 101: pl. 11, figs. 1-10.

--, Vervoort, 1964, p. 372

Habitat. New Zealand.



LAOPHONTE AUSTRALIS - SEE HETEROLAOPHONTE

Laophontidae - Harpacticoida

Laophonte bafanus Labbé ♀, ♂

— — Labbé, 1927, p. 165: figs. 54 - 68
-- , Vervoort, 1964, p. 333

Habitat French Coast

Laophonte baltica (Klie) ♀ ♂

— — Klie, 1929, p. 370: figs. 60-68

— —, Noodi, 1956, p. 61,

— —, Hang, 1948, p. 1359, pl. 548:7.

--, Pesta, 1932, p. 138-9, fig. 69

--, Vervoort, 1964, p. 317

Habitat. Baltic Sea, Kieler Bay

--, Klie, 1950, p. 119

--, Chislenko, 1977: TAB. 1

--, Drzycki, 1975: 43; TAB. 1

-, ROE, 1960: 287

- Hammond, 19—; 240, tab. 2.

- DRZYCIANSKI 1986: 552; BALTIC

Laophonte barbata Lang, ♀

— — Lang, 1935, p. 42: figs. 110-114

— — LANG, 1948, p. 1355, Pl. 545:5.

-- --, Bodin, 1972, p. 854

--, Vervoort, 1964, p. 316

Habitat, Campbell Island. - STEWART-INSEL -

-- PALLARES 1970: 279, Pl. XIII, RÍA DESEADO, ARGENTINA

Laophontiidae - Harpacticoida

Laophonte bengalensis Sewell, ♀

— — Sewell, 1934, p. 98: fig. 10, a-k.

--, Vervoort, 1964, p. 357

$\frac{(6.)}{1}$ KRISHNASWAMY 1957d: 27, 69-70, MADRAS

Habitat, Salt Lake, Calcutta.

Laophonte borceai Jakubisiak, ♂.

— — Jakubisiak, 1938; p. 397; pl. 1, figs. 9-14
—, Vervoort, 1964, p. 372

— Michailova - Neikova, 1968 : 215

— Serban, 1959 : 283 Romania

Habitat, British Isles, Caverna -

Laophonte brevicaudata Monard

-- --, Klie, 1944. pp. 266-270, fig. 1-6

--, Klie , 1941, p. 89

Laophontidae - Harpacticoida.

Laophonte brevicornis T. Scott, ♀.

— — T. Scott, 1894, p. 97: pl. 10, fig. 31-37.

--, Vervoort, 1964, p. 333

--, BRIAN 1923 b: 870.

Habitat. Accra.

LAOPHONTE BREVIFURCA SARS

— —, LANG, 1948, P. 1359, PL. 547:4 - 548:6

--, Dolxonolskaya, 1970, p. 106, pl. XXXIV, fig. 1

--, Vervoort, 1964, p. 316, 370

HABITAT: NORWAY, HVALOR.

Laophonte brevirostris

--, Klie, 1941, p. 39

Laophonte brevirostris fissirostris

---, Vervoort, 1964, p. 335

LAOPHONTE BREVISPIGOSA - SEF

ECHINOLAOPHONTE

Laophontidae-Harpacticoida

Laophonte bulbifera Norman, ♀.

— — Norman, 1911, p. 137: pl. 28, figs. 1-7.

— — Gurney, 1927f, p. 553: fig. 157, A-C.

— — Monard; 1928; fig. 40: p. 418.

— — Willey, 1935, p. 77.

Habitat. Firth of Clyde: Red Sea: Suez Canal.

--, Klie, 1941, p. 89

— — Sewell 1940, p. 325, ♀, Nicobar Ids., Maldive Arch

.., Vervoort, 1964, p. 346

LAOPHONTE BULLIGERA - SEE CORBULASETA

Laophonte calamorum Willey - see Onychocamptus mohammed

Laophonte campbelliensis Lang, 1935 - see

Heterolaophonte

Laophonte capillata Wilson - see Quinquelaophonte

Laophonte cesareae - see Loureirophonte

Laophonte chathamensis Sars - see Folioquinpes

Laophonte ciliata Noodt

-- -- Noodt, 1964. pp. 150-152, fig. 173-186

Laophonte commensalis Raibaut, 1961

-- Raibaut 1963:112-118, figs. 1-3, development; host
Xantho poressa

-- RAIBAUT 1961: 624-629, FIGS. 1-2, n. sp. ♀ ♂,
ON XANTHO RIVULOSUS (DECAPODA), BANYULS +
SÈTE, FRANCE. (SUBGEN. MESOLAOPHONTE)

-- RAIBAUT 1967: 557-572, LANGUEDOC COAST

-- FIEBS 1992: 400

-- GOTTO 1993: 209, FIG. 53A-D


Laophonte confusa Decho & Fleeger

- Decho & Fleeger, 1986: 32-36, fig 1-3
- Hicks, 1988: 449, 451
- WILLEN 1996: 1321

LAOPHONTE CONGENERA + L. CONGENERA

MEDITERRANEA - SEE PARALAOPHONTE

Laophonte corbula Willey - see Pseudocleta



Laophontidae - Harpacticoida

Laophonte cornuta Philippi, ♂.♀.

— — Philippi, 1840, p. 189: pl. 3, fig. 13.

— — Sars, 1908, p. 235: pls. 157 & 158,

— — Norman & Brady, 1909, p. 139.

— serrata Brady, 1880, vol. 2, p. 71 | pl. 73, figs. 1-14.

--, Klie, 1941, p. 89

Habitat. British Seas: Norway: Bermuda

- Plecta forcipata* Claus, 1866, p. 33: pl. 2, f. 7-11
Harpacticus fortificationis Fischer, 1860, p. 666.
Chaophonte cornuta Stebbing, 1910, p. 546.
— — Brady, 1910, p. 523: pl. 57, f. 1: text-f. 15,
— — Sars, 1911, p. 235: pls. 157 & 158.
— — Briau, 1917, p. 178: 1921, p. 96: pl. 1, f. 3.
— — A. Scott, 1909, p. 224,
— — Gurney, 1927, p. 554.
— — Monard, 1928, p. 415: fig. 39.
— — Wilson, 1932, p. 275: fig. 171.
— — Lang, 1935, p. 36: figs. 88-90
— — Willey, 1932, p. 109.
— — Nicholls 1941 a, p. 422
— — Monard 1935a, p. 67, ♀, Roscoff, France

Laophonte cornuta-2

- — Nicholls 1944, p. 495, ♀♂, Red Sea
- — Nicholls 1945a, p. 7, ♀♂, Western Australia
- — Sewell 1940, p. 314, ♀, Maldive Arch.
- —, Carvalho, 1952, p. 160-161, pl. 2, fig. 72-75. Bay of Santos, Brazil.
- —, LANG, 1945, p. 1348. —
- —, Chappuis, 1957. Puget Sound
- —, Noodt, 1964. p. 150
- —, Wells, 1964. p. 454
- —, Wells, 1970, p. 266
- —, Coull, 1971, p. 208,

- , Vervoort, 1964, p. 5, 78, 315-318 - IFAUK ATOLL
- , Bowman, Chappuis, Herbst, 1959, p. 266.
- , Jakobi, 1959, p. 137
- , Lang, 1944, p. 32
- , Hicks, 1977a: 455; TAB. 3, 4
- , COULL & HERMAN, 1970: 394, 397; TAB. 1
- , COULL, 1977: 17, 44
- , THISTLE, 1980: TAB. 5
- , ROE, 1958: 232
- , ROE, 1960: ~~27~~ 286
- s. str., BODIN 1968: p. 282.
- , BRIAN 1923b: 870.

Laophonte cornuta Philippi

card 3

--, Kunz, 1974, p. 271

--, Marques, 1975, p. 49-50

— Reidenauer & Thistle, 1981: Vol. 4

-- MASUNARI 1985: 54.

— Pallares, 1968: 81-84, pl. 29, fig. 1-6
pl. 30, fig. 7-13

— Lang, 1965: 448

— Wells, 1967: 337

— Fiers, 1986c: 133-134

Laophonte cornuta Philippi, 1840

card 4

- Pallares 1975b: 6, 26, Tierra del Fuego
- Por and Marcus, 1972: 270, Suez Canal

- ARUNACHALAM & BALAKRISHNAN NAIR 1988: 517, ^{INDIA}
- KRISHNASWAMY 1957d: 65-66, RECORDS, MADRAS
- COULL 1968: 83-, BERMUDA
- FIERs & RUTLEDGE 1990: 124
- HICKS 1980: 165-, BRITAIN
- REID 1990g: 199
- FIERs 1992c: 220, EX MAJA SQUINADO, MEDITERRAN
EAN

Laophonte cornuta Philippi, 1840

card 5

-- Ito, Tatsunori 1968: 377-381, Figs. 6-8, Hokkaido,
Japan, sandy beaches

-- COTTARELLI 1973: 58, CUBA, BEACH

- CORNUATA, HARTZBAND 1971: 12-, ST. THOMAS

-- S. STR., BODIN 1964: 150, GULF OF MARSEILLES

-- SCHIZAS + SHIRLEY 1994: 132

-- PESTA 1959: 150, OFF NAPLES, ITALY

-- HOLMES 1983: 20, IRELAND

-- WILLEN 1996: 1322, TAB. 1

LAOPHONTE CORNUTA PHILIPPI, 1840

6

-- FIER'S 1996:22

-- POR 1962: 14, 15, 18, MEDITERRANEAN COAST OF
ISRAEL; SOMETIMES AS "CORONATA"

Laophontidae - Harpacticoida

Laophonte cornuta Philippi, ♂, ♀

var. dentioperculata Lang ♂, ♀

— — — Lang, 1936, p. 61 : fig. 68a-b

— — —, LANG, 1949, p. 1348, Pl. 543:4 -

--, Vervoort, 1964, p. 316

— Knatz, 1986: passim

Habitat. Berkeley Sound, Port Louise

Laophonte cornuta nigrocincta VERVOORT

Vervoort, 1964, p. 316

--, HICKS, 1977a: TAB. 3, 4

--- JOHNSON, S. C. & SCHEIBLING 1987: 130-

--- WILLEN 1996: 1324, TAB. 1

Laophontidae - Harpacticoida.

Laophonte curticauda Boeck, ♂, ♀.

Fig. 1-9

— — Brady, 1880, vol. 2, p. 80: pl. 73, f. 15-18: pl. 76

— — Norman & Brady, 1909, p. 139,

— — T. Scott, 1899^c, p. 102,

A synonym of Laophonte strömi,
(Sars, 1907, p. 251),

--, Giesbrecht, 1882, p. 127, a syn. of L. curticaudata

— — Klie, 1929, p. 369:

— — Monard 1935a, p. 68, Roscoff, France ♀ ♂

- , Pesta, 1932, p. 137-8, fig. 67
- , Lang, 1944, p. 36, a syn. of Paronychocamptus c.
(L.) - , KRISHNASWAMY 1957d: 71-72, PORITES
BAY, MADRAS
- - SHIH ET AL. 1971: 154

LAOAHONTE CURTICAUDATA - SEE

PARONYCHOCAMPTUS CURTICAUDATUS.

Laophonte curvata Douwe ♂♀

— — Douwe, 1929, p. 286, text figs. 4-9.

--, Dolzonolskaya, 1970, p. 108, a sym. of Heterolaophont
curvata

Habitat: Bucht von Cavalière und Austernpfähle im Etang
de Thau (Cette).

--, Vervoort, 1964, p. 314, 333

--, Klie, 1941, p. 89

--, Klie, 1941, p. 39

Laophonte danversae HAMOND, 1969

-- Hamond, R., 1969, p. 1-4, fig. 1-15 (Vol. 16, pt 2)

-- Hicks, 1988: 449

-- Hicks 1980: 164-, BRITAIN

-- WILLEN 1996: 1326

Laophontidae - Harpacticoida.

Laophonte denticornis T. Scott, ♀.

— — Th. Scott, 1894, a, p. 246: pl. 7, figs. 13-23.

— — Sars, 1908, p. 264: pl. 184

— — Thompson & Scott, 1900, p. 141.

— — Th. Scott, 1906, b, p. 335; 1907, p. 248

-- A. Scott 1896: 143

Habitat. Norway; British Seas. IRELAND.

GERMANY; HELGOLAND.

— — . LANG, 1948, P. 1357, PL. 547:2 - 548:4.

- serrata Th. Scott, 1890, p. 318,

-, Vervoort, 1964, p. 316, 330

-, Jakobi, 1959, p. 145, 279

--, Klie, 1950, p. 120

--, Lang, 1944, p. 33

Laophontidae - Harpacticoida.

Laophonte depressa T. Scott. ♂. ♀.

— — T. Scott, 1894, a, p. 245: pl. 6, f. 24-31: pl. 7, f. 1-3

— — Sars, 1908, p. 239: pl. 160.

— — T. Scott, 1906, b, p. 336; 1903, p. 17.

— — Pesta, 1921, p. 620: text-fig. 0, 62

— —, Jespersen, 1940, p. 85-86. Iceland

Habitat. English Seas; Norway; Franz-Josef
Land; Finmark; Adriatic.

-- LANG 1935: 5, FIG. 3

- - T. Scott, 1899^s, p. 102.
- -, HANG, 1948, P. 1349. PL. 543:3 - 544:4.
- -, Vervoort, 1964, p. 314, 316, 317
- -, Jakobi, 1959, p. 279
- -, Klie, 1941, p. 89
- -, Klie, 1941, p. 34-35, fig. 33
- -, Coffin, 1978-79, p. 593
- CARLI + GRISAFI 1983:112, PL. 25 FIG. 2, ITALY
- SHIH ET AL. 1971:211, CANADA-ARCTIC
- CHISLENKO 1977b: 258-, 272, DISTRIBUTION
- WILLEN 1995: 249
- WILLEN 1996: 1321

Laophonte dieuzeidei Monard

— — Monard 1936, p. 31, fig. 16, Algeria, ♀♂
-- , Vervoort, 1964, p. 335

Laophonte dinocerata Monard ♀

— — Monard, 1928, p. 420 : fig. 41

— — Monard 1935a, p. 69, Roscoff, France

--, Vervoort, 1963;4, p. 6, 316-322, figs. 125, 126

--, Klie, 1941, p. 89-91

Habitat. Port Roland, Troch, Port-Vendres

-- WILLEN 1996: 1322, TAB. 1

-- PALLARES 1975b: 6, 26-28, PL. VI, 707, TIERRA
DEL FUEGO

Laophontidae - Harpacticoida

Laophonte discophora Willey ♂

— — Willey, 1931, p. 607: pl. 18, figs. 16-18.

- see HETEROLAOPHONTE

Habitat, St. Andrews; Passamaquoddy Bay.

Laophonte discophora - see Heterolaophonte

Laophontidae-Harp.

Laophonte dominicalis Monard

____ Monard 1935a, p. 70, fig. 185-192, Roscoff, France

— —, LANG, 1948, P. 1349, PL. 544:3.


--, Vervoort, 1964, p. 316

HABITAT: FRANKREICH

Laophonte? drachi Medioni & Soyer, 1966

— —, Medioni & Soyer, 1966, passim

FIERS 1992: 399



Laophontidae - Harpacticoida

Laophonte dubia Brady & Robertson, 1876

— — Brady & Robertson, 1876, p. 196.

--, Vervoort, 1964, p. 315

a synonym of Normanella dubia.
(Norman & Brady, 1909, p. 140).

Laophontidae - Harpacticoida

Laophonte echinata Willey, ♀.

0

— Willey, 1932, p. 109: figs. 68-73.

Sewell 1940, p. 313: suggests new genus for this species

— Fiers, 1986: 138-143, fig 1-3.

= Paralaophontodes

Habitat, Bermuda.

-- Bozic 1964: 492-494, MOVED TO LAOPHONTODES &
RENAMED LAOPHONTODES WILLEI NOM. NOV.

Laophontidae - Harpacticoida.

Laophonte elongata Boeck, ♀.

— — Boeck, 1873, p. 50.

— — Sars, 1908, p. 241: pl. 162.

— — Monard, 1928, p. 416: fig. 39.

— — Monard 1935a, p. 67, Roscoff, France

— —, Lang, 1948, p. 1354, Pl. 543:8 - 545:4.

Habitat, Norway: Frans Joseph Land,
ADRIATIC, ALGERIA,

— —, Wells, 1963 p. 24

— —, Roe, 1958: 232

- --, Noodt, 1958. p. 86, fig. 117-127
- --, Wells, 1970, p. 266
- --, Bodin, 1972, p. 854
- , Dolzonolskaya, 1970, p. 106, pl. XXXIII, fig. 5
- , Vervooert, 1964, p. 316
- , Jakobi, 1959, p. 137
- ~~xxxxxxx~~
- lie, 1941, p. 91-93, figs. 1,2
- , Klie, 1950, p. 118, ~~figs~~
- , Roe, 1960 : 287
- , BODIN 1972: p. 672; TAB. 2.
- , Hammond, 19 -- : tab. 2

Laophonte elongata Boeck, 1873

card 2

- Shih et al. 1971:53, Canada - Atlantic; 211, ARCTIC
- FIERs 1932c: 220, EX MAJA SQUINADO, MEDITERRANEAN
- HARTZBAND 1971: 12-, ST. THOMAS
- PESTA 1959: 152-, FIGS. 131, 132, OFF NAPLES, ITALY
- C.B. WILSON 1936: 372, CANADIAN ARCTIC, GREENLAND
- WILLEN 1995: 249

Laophonte elongata barbata Lang

--, Kunz, 1974, p. 271-276, figs. 102-106, 107-110

— Por, 1959: 359, fig. 78-79

-- PALLARES 1979b: 16, TIERRA DEL FUEGO

-- WILLEN 1996: 1322, TAB. 1

Laophonte elongata triarticulata Monard

-- --, ^{Por,} 1960, pg. 127, tabl. 12 figs. 76-78

--, Vervoort, 1964, p. 316

LAOPHONTE EUXINIPHILA SOYER, 1977

-- SOYER, 1977:

-- WELLS, 1979: 5

-- WILLEN 1996: 1322, TAB. 1

LAOPHONTE EXIGUA - SEE HETEROLAOPHONTE

Laophonte expansa Fiers, 1986

—Fiers, 1986c: 134-138, fig 2-4, VIRGIN ISLANDS

--REID 1990g: 199

Laophonte faroensis

--, Vervoort, 1964, p. 372

LAOPHONTE FARRANI K. M. ROE, 1958

-- K. M. ROE, 1958: 239-240 ♀♂; FIG. 48-6

--, VERVOORT, 1964: 317

-- WILLEN 1996: 1319-1320

^{Laophontidae - Harpacticoida}
Laophonte gorcipata Gerstaecker, ♂

Cleta - Claus,

Laophonte - Claus, 1885, p. 325

— — ? Brady & Robertson, 1873, p. 138.

Habitat, Mediterranean: British Seas

Laophonte foxi (Harding)

--, Hammond, R., 1969, p. 7-8, fig. 18-20

--, Vervoort, 1964, p. 317

-- HICKS 1980:164-, BRITAIN

-- WILLEN 1996:1320

Laophonte furcata

--, Vervoort, 1964, p . 334

Laophonte galapagoensis n. sp.

--, Mielke, 1981, p. 7, fig. 1-5

--, Hicks, 1988:449-451

-- WILLEN 1996:1321

Leaophontidae - Harpacticoida

Leaophonte glacialis Brady, ♀.

— — Brady, 1910, p. 525: text-fig. 17.

--, Vervoort, 1964, p. 372

-- WILLEN 1995: 241

-- WILLEN 1996: 1324, TAB. 1

Habitat. Antarctic Ocean

Laophonte gracilipes Brady, 1910) - see Paralaophonte

Laophontidae - Harpacticoida,

Laophonte gracilis T. Scott, ♀.

— — T. Scott, 1903, p. 118: pl. 6, f. 6-12.

— — T. Scott, 1906, 7, p. 336.

--, Vervoort, 1964, p. 332

Habitat. British Seas.

Laophonte gurneyi Lang, 1934

Laophonte meinerti, Gurney 1927c, p. 556, fig. 160 (non
Brady)

Laophonte gurneyi, Lang, 1934, p. 40

----- Sewell, 1940, p. 322, fig. 74, ♀♂, Nicobar Id

--, Vervoort, 1964, p. 335

- (L.) -, KRISHNASWAMY 1957d:71, CAPE COMORIN, MADRAS

Laophonte hamatus var. reflexus Monard

----- Monard 1935a, p. 74, figs. 208-209, Roscoff,
France

Laophontidae - Harpacticoida

Laophonte hecate Brehm, ♀.

— — Brehm, 1910, p. 424: no figs.

Habitat.

Laophontidae - Harpacticoida

Laophonte herdmani A. Scott.

— — A. Scott, 1902, p. 414; ⁴¹⁵pt. 1, f. 15; pl. 2, figs. 3-8.

-- --, Wells, 1970, p. 266

--, Vervoort, 1964, p. 335

A synonym of Laophonte brevirostris,
(Sars, 1907, p. 256).

LAOPHONTE HIRSUTA THOMPSON + SCOTT - SFF

APPLANOLA

Laophonte hirsutus Pallares, 1979

-- Pallares 1979b: 13-, Pl. V, n. sp. female + male,
Tierra del Fuego

-- WILLEN 1996: 1320-1321, TAB. 1

^{Asaphonidae — Harpacticoida}
Asaphonte hispida (Brady & Robertson). ♀.

Asellopsis — B. & R., 1873, p. 137: pl. 9, figs. 6-10
Asaphonte — Brady, 1880, p. 85: pl. 81, figs. 1-11

Replaced in Asellopsis by Sars, 1907, p. 268.

-- A. Scott 1896: 144

-- Thompson, 1893, p. 200: pl. 21, f. 4, a-d.

-- --, Wells, 1970, p. 267

Laophontidae - Harpacticoida.

Laophonte hodgii Brady,

— — Brady, 1872, p. 437: pl. 21, figs. 1-9.
—, Vervoort, 1964, p. 316

a synonym of Laophonte longicaudata,
(Sars, 1907, p. 243).

Laophonte horrida Sars - see Echinolaophonte

Laophonte humilis Brian, ♀

— — Brian, 1929, p. 274: figs. 13-24.

--, Vervoort, 1964, p. 357

-- KIEFFER 1949: 83, SYN. OF L. MOHAMMED BLANCHARD & RICHARDSON

Habitat. Aegean Islands

Laophonte huntsmani Willey - see Paronychocamptus

Laophontidae - Harpacticoida

Laophonte hyperborea G.O. Sars, ♀.

— — Sars, 1909, p. 37: pl. 12, figs. 1-12.

— — Lang, 1936, p. 35-36 :

—, Vervoort, 1964, p. 335

Habitat. Northern Seas.

Laophonte hystrix Brian ♀♂.

— — Brian, 1928^b, p. 30: figs. 130-142, text.

L. steueri van Douwe: = Monard 1935a, p. 70

--, Vervoort, 1964, p. 357, 359

--, Klie, 1941, p. 93, a syn. of L. steueri

Habitat. Mediterranean.

xxxxKxx

Laophonte ifalukensis Vervoort, 1964

n. sp., Vervoort, 1964, p. 5, 6, 317, 323-330, figs. 127,
128c, 129, 130, p332 - *IFALUK ATOLL*

Laophonte ifalukensis brevipes Vervoort, 1964

n. ssp., Vervoort, 1964, p. 6, 317, 325, 330-332, figs.
128a,b, 131 a-e

Laophontidae - Harpacticoida.

Laophonte inopinata T. Scott, ♂. ♀.

-- Th. Scott, 1892, p. 256: pl. 11, fig. 1-12.

-- Sars, 1908, p. 263: pl. 183.

-- Th. Scott, 1906, b, p. 335; 1903, p. 17.

-- LANG, 1948, p. 1360, Pl. 547: 5 - 549: 2

-- , Jespersen, 1940, p. 86-87. Iceland.

Habitat. British Seas: Norway: Finmark.

--, Vervoort, 1964, p. 317

--, Klie, 1941, p. 36

--, Roe, 1958, 232

--, Klie, 1950, p. 119-20, fig. 148-9

--, Lang, 1944, p. 33

--, Roe, 1960: 287

--, Coffin, 1978-79, p. 593, NEW ENGLAND

--, Medioni & Soyer, 1966, p. 1059

--, Hammond, 19--: tab. 2.

--, Thompson, 1895: 101

--, Hicks 1980: 164-, BRITAIN

--, CHISLENKO 1977b: 258, FIG. 13(5,6), FRANZ

JOSEF LAND

--, FIERs 1993: 209-

Laophontidae-Harpacticoida

Laophonte inornata A. Scott, ♀.

- — A. Scott, 1902, p. 413: ⁴¹⁴ pl. 1, f. 16: pl. 2, figs. 9-14.
— — Thompson & Scott, 1903, p. 266.
— — Gurney, 1927, p. 553.
— —, Noodt, 1955, p. p. 213,
— —, Hamon, 1958, p. 1355, pl. 546.

Habitat. Pearl oyster beds, Ceylon.

EGYPT, SUEZ, ALGIERS, ITALY, BANYULS.

- —, Hamond, R., 1969, p. 6-7, fig. 17
— —, Hicks, 1977a: TAB. 3, 4

-- --, Wells, 1970, p. 266

-, Vervoort, 1964, p. 316, 318, 322, 331

--, Lang, 1944, p. 33

-, BODIN 1968: p. 282.

-, BODIN 1972: p. 672, TAB. 2.

— Wells, 1967: 193

Laophonte inornata A. Scott

-Por and Marcus, 1972: 270, Suez Canal

-Por, 1979: 13, 14 Gulf of Elat, Red Sea

- BODIN 1977: 353

-- KASK ET AL. 1982: 38, NANAIMO, BRITISH COLUMBIA

-- BODIN 1964: 150, GULF OF MARSEILLES

-- WILLEN 1986: 1322, TAB. 1

-- POR 1962: 24, MEDITERRANEAN COAST, ISRAEL

LAOPHONTE INSIGNIS - SEE HETERO LAOPHONTE

Laophontidae - Harpacticoida.

Laophonte intermedia T. Scott.

-- T. Scott, 1895, p. 168: pl. 3, fig. 10-20.

-- T. Scott, 1906, b, p. 335; 1899^c, p. 102.

-- T. Scott, 1901^b, p. 248

-- --, Wells, 1970, p. 267

Habitat. British Seas.

--, Pesta, 1932, p. 141

-- A. Scott 1896: 143-144, GREAT BRITAIN

-, Vervoort, 1964, p. ~~36~~ 346

Laophontidae — Harpacticoida.

Laophonte karmensis Sars, ♂, ♀.

— — Sars, 1911, p. 426; Suppl. pl. 46.

--, Vervoort, 1964, p. 335

--, Lang, 1944, p. 37, a syn. of Paralaophonte k.

Habitat. Norway.

Laophonte kliei Monard

____ Monard 1935a, p. 70, figs. 175-184, ♀, Roscoff,
Atlantic coast of France

Onychocamptus ____, Lang, 1948, p. 1425, fig. 581:2.

--, Dolzonolskaya, 1970, p. 110, a syn. of
Onychocamptus k
cf. Onychocamptus kliei

--, Vervoort, 1964, p. 315, 370

--, Lang, 1944, p. 38, a syn. of *Onychocamptus k*.

Laophontidae - Harpacticoida,

Laophonte koreni Boeck. ♂. ♀.

-- Boeck, 1873, p. 51.

-- Sars, 1908, p. 248: pl. 169.

-- Klie, 1913, p. 28: fig. 13. text.

-- --, Wells, 1970, p. 267

Habitat. Norway.

--, Pesta, 1932, p. 138, fig. 68

--, Vervoort, 1964, p. 315, 332

--, Klie, 1950, p. 118

--, Lang, 1944, p. 34, a syn. of *Pseudonychocamptus* k.

Isaophonthe lamellifera (Claus), ♂. ♀.
Isaophontheidae - Harpacticoida

Cleta — Claus, 1863, p. 123: pl. 15, figs. 21-22.

Isaophonthe — Brady, 1880, p. 83: pl. 75, figs. 15-23.

— — Claus, 1885, p. 324.

— — T. Scott, 1906, b, p. 333.

L. —, BRADY 1872: 437, ENGLAND - COAST

Habitat: British Seas; Mediterranean

L. LAMELLATA, A. SCOTT 1896: 144

- Thompson, 1893, p. 200: pl. 20. f. 8, a-d.

Laophonte lamellipes Nicholls

— — Nicholls 1944, p. 497, fig. 6, ♀♂, Red Sea

--, Vervoort, 1964, p. 372

LAOPHONTE LAURENTICA NICHOLLS - SEE
HETEROLAOPHONTE

Laophonte lignosa Hicks, 1988

- Hicks, 1988: new species, pp 437, 446-451
figs 7-10, New Zealand

-- WILLEN 1996: 1321, 1322, TAB.1

Laophonte lithophila Monard

1934--- pages 4-6, Fig. 11-18

- litophila, Vervoort, 1964, p. 372

- (MESOLAOPHONTE)-, RAIBAUT 1961: 628

Laophontidae - Harpacticoida.

Laophonte littoralis T. Scott, ♂. ♀.

— — T. Scott, 1893, d, p. 238: pl. 11, fig. 7-14.

— — Sars, 1908, p. 255: pl. 175.

— — e T. Scott, 1906, b, p. 335.

— — ^{is} Klie, 1927, p. 15:

Monard 1935a, p. 68, Roscoff, France

Habitat. British Seas; Norway.

—, Pesta, 1932, p. 140-1, fig. 72

—, Vervoort, 1964, p. 314, 333

-, Klie, 1941, p. 39

-, Lang, 1944, p. 35, a syn. of Heterolaophonte 1.

MESOLAOPHONTE)-, RAIBAUT 1961: 628

^{Laophontiidae — Harpacticoida}
Laophonte longicaudata Boeck, ♂, ♀.

— — Boeck, 1865, p. 55 (279).

— Hodgii, Brady, 1872, p. 437: pl. 21, figs. 1-4

— — Brady & Robertson, 1875, p. 196.

— longicaudata Brady, 1880, p. 82: pl. 74, figs. 12-15
pl. 76, figs. 10-15.

Habitat:

British Seas: Adriatic.

— Scott & Scott, 1901: 345

- — Sars, 1908, p. 243: pl. 164.
— — Norman & Brady, 1909, p. 140.
— — T. Scott, 1906, b, p. 334: 1899^c, p. 102.
— — Sharpe, 1910, p. 421: fig. 15, a-b, text.
— — Pesta, 1921, p. 621: text-fig. 059.
— — Wilson, 1932, p. 276: fig. 172.
— —, LANG, 1948, P. 1352, PL. 543: 1 - 545: 3.
— —, Wells, 1965. p. 6
— —, Dolzonolskaya, 1970, p. 106, pl. XXXIII, fig. 3
— —, Vervoort, 1964, p. 316

Laophonte longicaudata

card 2

- , Jakobi, 1959, p. 135
- , Klie, 1941, p. 89
- , WELLS, 1979: 5
- , COULL, 1977: 17, 44
- , BODIN 1970: p. 430; Tab. B.
- , BODIN 1971: p. 425, 428 - TAB.
- , HICKS, 1988: 450
- VOROBYEVA + KULAKOV 1990: 14, SEA OF AZOV
- POR 1962: 33, 37, BLACK SEA

Laophonte longicaudata reducta

---, Vervoort, 1964, p. 316

---, BODIN 1968: p 282.

LAOPHONTE LONGICAUDATA TYPICA BOECK

--, MARCOTTE & DOULL, 1974: TAB. 1

--, Becker, Von K., 1970, p. 59

Laophontidae - Harpacticoida

Laophonte longipes T. Scott, ♀

— — T. Scott, 1894, p. 96: pl. 10, fig. 13-23.

--, Vervoort, 1964, p. 335

Habitat. Gulf of Guinea.

LAOPHONTE LONGIREMIS - SEE ARCHESOLA

Laophonte longiseta Nicholls - see Mourephonte

kaophontidae - harpacticoida

Kaophonte longistylata Willey, ♀ ♂.

— — Willey, 1935, p. 79: figs. 108-112

— —, HANC. 1948, p. 1361, PL. 549:3.

--, Vervoort, 1964, p. 317

--, HAMOND, 1973a: 54

--, MEDIONI & SOYER, 1966, p. 1059

Habitat. Bermuda-Is..

-- REID 1990g: 199

-- WILLEN 1995: 254

Laophonte lunata Willey - see Paralaophonte

Laophonte macani Sewell, 1940

— — Sewell 1940, p. 319, fig. 73, ♀, South Arabian
Coast

--, Vervoort, 1964, p. 372

- (L.)-, KRISHNASWAMY 1957d: 71, VEADALI, MADRAS

Laophontidae - Harpacticoida.

Laophonte macera Sars, ♂, ♀.

— — Sars, 1908, p. 259: pl. 179.

— — "Spinnvaer". Nicholls, 1941, p. 105

Habitat. Norway.

Laeonitidae - Harpacticoida

Laeonite manifera n.sp. ♂, ♀.

— — Wilson, 1931,

— — Wilson, 1932, p. 266: pl. 15.

--, Vervoort, 1964, p. 333

Habitat Pond sand Marthas Vineyard.

SEE HETEROLAONITE

Laophonte manifera sulamericana

---, Vervoort, 1964, p. 333

Laophonte meinerti Brady, 1899 -- see Paralaophonte

Laophonte mendax Klie

— — Klie 1939, p. 225. Iceland.

— —, Jespersen 1940, p. 87. "

--, Vervoort, 1964, p. 333

--, Klie, 1941, p. 36-9, figs. 34-42

Laophontidae - Harpacticoida.

Laophonte minuta Boeck, ♂.♀.

— — Boeck, 1873, p. 52.

— — Sars, 1908, p. 253: pl. 174.

— — Klie, 1929, p. 369:

— — Klie, 1927, p. 15:

Habitat. Norway.

- --, Wells, 1970, p. 267
- , Pesta, 1932, p. 139-40, fig. 71
- , Dolzonolskaya, 1970, p. 108, a syn. of Heterolaophonte
minuta
- , Vervoort, 1964, p. 333
- , Lang, 1944, p. 35, a syn. of Heterolaophonte m.

Laophonte minuticornis (Buchholz), ♀.

Cleta m. — Buchholz, 1874, p. 393: pl. 15, fig. 3.
Laophonte horrida Norman, 1876, p. 205,
— — G. O. Sars, 1908, p. 246: pls. 166-167,
— — Brady, 1880, vol. 2, p. 74: pl. 74, fig. 1-11.

Habitat, British Seas: Norway: Greenland.

— — T. Scott, 1906. b, p. 335.

— — Stephensen, 1913, p. 333.

Laophontidae - Harpacticoida

Laophonte mirabilis Gurney, ♀

— — Gurney, 1927f, p. 559: fig. 162, A-G.

--, Vervoort, 1964, p. 357, 358

Habitat Suez Canal.

LAOPHONTE MISSISSIPPIENSIS HERRICK, 1887

-- HERRICK 1887: 20, PL. I FIGS. 14, 15, PL. II, N.SP.,
GULF COAST OF ALABAMA, USA

-- VERDOORT 1964: 372

LAOAHONTA MOHAMMED - SEE ONYCHOCAMPUS

Laophontidae - Harpacticoida

Laophonte nana Sars, ♂. ♀.

— — Sars, 1908, p. 262: pl. 182.

— — Pesta, 1921, p. 621: text-fig. 064.

— — Klie, 1913, p. 30: fig. 14, text.

— — Klie, 1929, p. 369:

Monard 1935a, p. 69, Roscoff, France

Habitat. Norway: Adriatic.

— Willey, 1923: 322-23

— Wilson, 1932, p. 271: fig. 168.

--, Jakubisiak, 1930, pp. 16

--, Pesta, 1932, p. 136-7, fig. 65, 66

-, Dolzonolskaya, 1970, p. 109, a syn. of
Paranychocamptus nanus

-, Klie, 1941, p. 89

- SAGE ET AL 1976: 85, TABLE 1 - POTOMAC RIVER

Laophonte noncapillata

--, Vervoort, 1964, p. 333

Laophontidae - Harpacticoida.

Laophonte nordgaardii Sars, ♂, ♀.

-- Sars, 1908, p. 260: pl. 180.

-- , LANG, 1948, p. 1355, pl. 547:3 - 548:5

--, Vervoort, 1964, p. 316

Habitat, Norway -; SALTEN FJORD.

Laophonte ^{Laophontidae - Harpacticoida} nordlandica Boeck, ♀.

— — Boeck, 1873, p. 51.
—, Vervoort, 1964, p. 372

Habitat. Norway.

Laophonte octavia

--, Vervoort, 1964, p . 335

Laophonte oculata Gurney, ♀.

— — Gurney, 1927f, p. 557: fig. 161, A-E.
-- , Vervoort, 1964, p. 334

Habitat. Suez Canal.

Laophonte paranaensis Jakobi

-- --, Jakobi 1953 pp. 52 figs. 2

Habitat; Off Brazilian Coast S. Am.

Laophontidae - Harpacticoida.

Laophonte parvula Sars, ♀.

— — n. sp. Sars, 1908, p. 261: pl. 181,

— —, LANG, 1948, p. 1356, pl. 547:1-548:1

— —, Wells, 1963, p. 24

— —, Hamond, R., 1969, p. 4-6, Fig 16

Habitat. Norway. SWEDEN, FJORDS.

(over)

Sars made Claus' genus Cleta a synonym
of Laophonte - But Claus described a
species Cleta parvula, which thus becomes
Laophonte parvula and takes precedence of

Sars' species,

--, Vervoort, 1964, p. 316

-, BODIN 1968: p. 282.

- BODIN 1977: 353-354,
RE, FRANCE

- BODIN 1964: 150, GULF OF MARSEILLES

- WILLEN 1995: 249

FIG. 21, MARTRAI, ÎLE DE

OF MARSEILLES

^{Laophontiadae - Harpacticoida}
Laophonte parvula (Claus) , ♀.

Cleta — Claus, 1866, p. 23: pl. 2, f. 25-28
Laophonte — Carus, 1885, p. 324.

Habitat. Mediterranean.

Laophontidae-Harpacticoida

Laophonte parvuloides Monard

____ Monard 1935a, p. 72, figs. 201-205 ♀, Roscoff,

— —, *LANG.* 1948, P. 1357, Pl. 548:3

--, Vervoort, 1964, p. 316

HABITAT: ROSCOFF, FRANCE.

LAOPHONTE PAUCISETA - SEE HETEROLAOPHONTE

LAOPHONTE PERPLEXA - SEE PARALOPHONTE

Laophonte phycobates Monard

____ Monard 1935a, p. 71, figs. 193-200, , Roscoff,
--, Vervoort, 1964, p. 333

^{Laophontidae - Harpacticoida}
Laophonte pilosa Car, ♂. ♀.

— — Car, 1884, p.

— — Carus, 1885, p. 325.

A synonym of Laophonte similis.
(Pesta, 1921, p. 622).

Habitat, Mediterranean.

— — Monard, 1928, p. 423 : fig. 42.

— — Monard 1935a, p. 69, Roscoff, France

--, Vervoort, 1964, p. 333

--, Klie, 1941, p. 89

Laophonte plana Fiers, 1986

— Fiers, 1986c : 138-140 , fig. 5-6, n. sp., CURAÇA

-- REID 1990g: 199

Laophonte platychelipusoides Noodt - see Coullia

Laophonte propinqua Th. Scott.

--- Th. Scott,

--, Vervoort, 1964, p. 316

-- A. SCOTT 1896: 143, ISLE OF MAN

A synonym of Laophonte serrata.
(Sars, 1907, p. 237).

Laophontidae - Harpacticoida

Laophonte proxima Sars, ♀,

— — Sars, 1908, p. 250: pl. 170.

— — Klie, 1929, p. 367

— — Wilson, 1932, p. 274: fig. 170

--, Pesta, 1932, p. 139, fig. 70
Vervoort, 1964, p. 332

Habitat. Norway -

-- SAGE ET AL 1976: 85, TAB. 1 - POTOMAC RIVER

- (MESOLAOPHONTE) - RAIBAUT 1961: 628

Laophonte (Mesolaophonte) pseudo-oculata Krishnaswamy

-- -- Krishnaswamy, 1959. pp. 29-32, fig. 1,2

--, Vervoort, 1964, p. 335

Laophontidae - Harpacticoida.

Laophonte pygmaea T. Scott.

— T. Scott, 1894, p. 95: pl. 10, fig. 24-30.

--, Vervoort, 1964, p. 334

— A. Scott, 1902: 413

Habitat. São Thomé Island.

LAOPHONTE QUATER SPINATA - SEE PARALAOPHONTE

LAOPHONTE QUINQUE SPINOSA - SEE

QUINQUE LAOPHONTE

Laophontidae - Harpacticoida

Laophonte recticaudata Willey ♀.

— — Willey, 1935, p. 80: figs. 113-118.

— —, LANG, 1949, p. 1359. Pl. 549:1.

--, Vervoort, 1964, p. 317

-- REID 1990g: 199

Habitat, Bermuda, Is.

Laophonte rhodiaca Brian, ♂.

— — Brian, 1928^b, p. 29: figs. 122-129, text.

— — Nicholls 1945a, p. 10, fig. 6A, ♀♂, Western
Australia

--, Vervoort, 1964, p. 346, 347

Habitat. Mediterranean.

Laophontidae - Harpacticoida

Laophonte rosei Monard ♀

— — Monard, 1928, p. 417: figs. 39, 40.
—, Vervoort, 1964, p. 346

Habitat. Banyuls

LAOPHONTE ROTTENBURGI - SEE HETEROLAOPHONTE

Laophonte royi Jakubisial - see Paralaophonte

Laophonte sagenarum - see Euterpina acutifrons

Laophontidae - Harpacticoida.

Laophonte serrata (Claus), ♂. ♀. ①

Cleta — Claus, 1863, p. 123: pl. 15, figs. 13-20

Laophonte — Sars, 1908, p. 237: pl. 159,

— propinqua T. Scott,

not serrata Brady, 1880, vol. 2, p. 71: pl. 73, fig. 1-14

Habitat, British Seas; Gulf of Guinea;

Indian Ocean:

- Scott & Scott, 1901: 345

- — T. Scott, 1894, p. 96: pl. 12, f. 24-28.
— — Thompson & Scott, 1903, p. 266.
— — Boeck, 1865, p. 277.
— — Brady, 1899, p. 40
— — Thompson, 1893, p. 198: pl. 20, f. 6, a-d.
— —, LANG, 1948, p. 1348-49. Pl. 543:2 - 544:2.
— —, Wells, 1970, p. 266
— —, Pesta, 1932, p. 134, fig. 62
— —, Klie, 1950, p. 118
— —, Lang, 1944, p. 32, Cleta s. is a syn.
— —, Hicks, 1977a: 455
— —, Roe, 1955: 232
— —, Roe, 1960: 287

Laophonte serrata (Claus, 1863)

card 2

-- Hicks 1980: 165-, Britain

Laophontidae - Harpacticoida.

Laophonte serrata Brady ♂.♀.

— — Brady, 1880, vol. 2, p. 71: pl. 73, figs. 1-14.

A synonym of Laophonte cornuta,
(Norman & Brady, 1909, p. 139).

--, Marques, 1975, p. 49-50

Laophonte sagenarium

--, Vervoort, 1964, p. 372

Laophonte serrata group

---, Vervoort, 1964, p. 316

Laophontidae - Harpacticoida.

Laophonte setosa Boeck. ①

— — Boeck, 1865, p. 277.

— —, Noodt, 1956, p. 61.

— —, Noodt, 1952, p. 19.

A synonym of Laophonte similis,
(Sars, 1907, p. 244).

HAB: BRITISH & NORWAY SEAS,

— —, LANG, 1948, p. 1351, Pl. 543:5 - 545:1.

— —, Wells, 1964 p. 454

— —, Roe, 1958: 232

- Makkaveeva, 1961: 154, fig. 10-11
-- --, Wells, 1970, p. 266
--, Dolzonolskaya, 1970, p. 106, pl. XXXIII, fig. 2,
syn.: Cleta similis
--, Vervoort, 1964, p. 316
--, Jakobi, 1959, p. 137
--, Lang, 1944, p. 33
--, Aguesse & Dussart, 1957^m, p. 482, 498
-, Goswami & Goswami, 1972: 154; fig. 5
-, RoE, 1960: 286
- Goswami 1983: 256-257, INDIA
- Michailova-Neikova, 1968: 215
- Goswami 1977: 563-570, FIGS. 1, 2, DEVELOPMENT
- Serban, 1959: 280 Romania

Laophonte setosa Boeck, 1865

card 2

-- Raibaut 1967: 560 -, Camargue

LAOPHANTE -, MERRYLAL JAMES Y MARTIN
THOMPSON 1986: 1275

-- SHIH ET AL. 1971: 211, CANADA-ARCTIC

-- HICKS 1980: 164-, BRITAIN

-- BODIN 1964: 150-, GULF OF MARSEILLES

LAOPHONTE SIGMOIDES - SEE HETEROGLAOPHONTE
QUINQUE SPINOSUS

Laophontidae - Harpacticoida

Laophonte sima Gurney, ♀

— — Gurney, 1927f, p. 561: fig. 163, A-E

--, Vervoort, 1964, p. 316

--, Klie, 1950, p. 118-9, fig. 146-7

--, Hicks, 1977e: TAB. 3, f

Habitat, Suez Canal.

--, MARCOTTE & COULL, 1974: TAB. 1

- CF. -, WILLEN 1996: 1321, 1322, TAB. 1

Laophonte similis (Claus) ♂. ♀.
Laophontidae - Harpacticoida

Cleta — Claus, 1866, p. 23: pl. 5, figs. 13-16

— forcipata (?) Norman, 1868, p. 296.

Laophonte similis Brady, 1880, p. 78: pl. 75, figs. 1-14.

— — Carus, 1885, p. 325

Habitat. British Seas.

- — Norman & Brady, 1909, p. 139.
— setosa Boeck,
— affinis Boeck,
— similis Sars, 1908, p. 244: pl. 165.
— — T. Scott, 1902, b. p. 464: 1899^c, p. 102.
— — T. Scott, 1906, b. p. 334,
— — Herrick, 1884, p. 183.
— — Brady & Robertson, 1873, p. 138.
— — Pesta, 1921, p. 622: text-fig. 060
— pilosa Car, 1884
— similis Thompson, 1893, p. 199: pl. 21, f. 5, a-d.
— — Monard 1935a, p. 67 Roscoff, France
— — Jespersen, 1940, p. 86. Iceland.

Laophonte similis card 2

--, Vervoort, 1964, p. 316

--, Klie, 1941, p. 89

--, Klie, 1941, p. 35

-- BRADY 1872: 436-437, ENGLAND-COAST

-- HERRICK 1887: 20

-- POOR 1962: 32, BLACK SEA

Laophontidae - Harpacticoida.

Laophonte simulans

--, Vervoort, 1964, p. 315, 370

a synonym of Harrietella simulans.
(T. Scott, 1906. a, p.).

LAOPHONTE SPELLAFA - SEE ESOLA

Laophonte spinicauda (Vervoort, 1964)

Paralaophonte spinicauda, Vervoort 1964: 6, 335-341,
figs. 132b, 133, 134c,d, n. sp.

Paralaophonte -, Coull 1971: 208, 216-218, figs. 31-37;
-- Fiers 1984b: 317-319, figs. 1-7, allocated to

Laophonte.

— Fiers, 1986c: 141-

— REID 1990g: 199

LAOPHONTE SPINIFER Kunz

— Kunz, 1975: 208-209, figs. 277-294

--, Wells, 1979: 6

-- WILLEN 1996: 1324

Laophontidae - Harpacticoida
Laophonte spinosa I.C. Thompson, ♂♀

— — Thompson, 1893, p. 198: pl. 33, f. 1-13.

— — Vervoort, 1964, p. 315, 357

L. —, A. Scott 1896: 147

A synonym of Pseudolaophonte spinosa.
(Sars, 1901, p. 428)

Laophonte sporadiensis Brian ♀♂.

— — Brian, 1928^b, p. 25: figs. 105-121, text.

— — Nicholls 1944, p. 496, ♀♂, Red Sea

--, Vervoort, 1964, p. 316, 322

--, Klie, 1941, p. 90

Habitat. Mediterranean.

Laophonte steueri Douwe ♀

_____ Douwe, 1929, p. 291, text figs. 16-21.
syn. of *L. hystrix*, Monard 1935a, p. 70

Habitat: Cette (Etang de Thau), Neapel, Rovigno.
--, Vervoort, 1964, p. 357, 359, 362
--, Klie, 1941, p. 93, *L. hystrix* is a syn.

Laophontidae - Harpacticoida.

Laophonte strömii (Baird), ♂, ♀.

Canthocamptus — Baird, 1850, p. 208: pl. 27, f. 3, 3.

Cyclops — Baird, 1837, p. 330: pl. 9, f. 23-25.

Canthocarpus — Baird, 1845, p. 154.

Nauplius — Philippi, 1843, p. 69.

--, Klie, 1941, p. 89

Habitat. Norway: British Seas.

L. —, GRANDORI 1913: 166, VENICE LAGOON

Cyclops brevicornis Baird, 1835, p. 97.
Caophonte curticauda Brady, 1880, vol. 2, p. 80: pl. 73,
§. 15-18: pl. 76, §. 1-9.

— *strömi* Sars, 1908, p. 251: pls. 171 & 172.

— — Pesta, 1921, p. 622: text-fig. 065.

— — Brian, 1928, p. 332: figs. 46-47. text.

— — Monard, 1928, p. 426: fig. 43.

— — Wilson, 1932, p. 273: fig. 169.

— — Monard 1935a, p. 68, Roscoff, France

— *stromi*, S well 1940, p. 317, ♀, Maldive Arch.

— —, Wells, 1970, p. 267

— —, Pesta, 1932, p. 138

Laophonte stromii brevicaudata

---, Vervoort, 1964, p. 333

(Monard, 1928)

Laophonte subsala

--, Vervoort, 1964, p. 333

LAOPHONTE TALIPES WILSON- SEE ONYCHOCAMPTUS

LAOPHONTE TALIPES WILSON

2-1-57

Laophonte taurina Monard ♀, ♂

— — Monard, 1928, p. 422, : figs. 41, 42.

--, Vervoort, 1964, p. 335, 338, 341

- (MESOLAOPHONTE) -, RAIBAUT 1961: 628

Habitat. Banyuls.

Laophonte tenuispina Lang, 1935 - see Heterolaophonte

Laophontidae - Harpacticoida

Laophonte thoracica Boeck, ♀

— — Boeck, 1865, p. 54 (278). [p. 196

Tetragoniceps longiremis, Brady & Robertson, 1875,

Laophonte thoracica Brady, 1880, p. 76: pl. 77, figs. 1-8

— — Sars, 1908, p. 240: pl. 161.

Habitat: British Seas: Norway: Finmark

--, Klie, 1950, p. 118

--, Roe, 1958: 232

- — T. Scott, 1906, b, p. 334; 1903, p. 17
— — Thompson, 1893, p. 199; pl. 21. f. 5, e-g.
— — Klie, 1929, p. 367;
— — Klie, 1927, p. 15:
— — Monard 1935a, p. 67, Roscoff, France
— — **HANG, 1948, p. 1352, pl. 543:6 - 545:2**
— — —, Vervoort, 1962. pp. 455-457, fig. 24e, 27
— — —, Wells, 1970, p. 266
— — —, Pesta, 1932, p. 136, fig. 64
— — —, Dolzonolskaya, 1970, p. 106, pl. XXXIII, fig. 4
— — —, Vervoort, 1964, p. 316
— — —, Klie, 1941, p. 89

Laophonte thoracica Boeck

card 2

--, Becker, Von K., 1970, p. 59

— Mielke, 1974: 43

-- Hicks 1980: 165-, BRITAIN

-- PESTA 1959: 151-, FIG 130a-f, OFF NAPLES, ITALY

Laophonte thoracica triarticulata Monard

-- -- --, Marcus & Pór, 1960. Yalta

Laophonte trilobata Willey, ♀.

— — Willey, 1929, p. 531: figs. 4, 5, 8-11.

— — Noodt, 1956, p. 62.

--, Vervoort, 1964, p. 314

--, Klie, 1950, p. 120, fig. 150, GERMANY; MAINTAINED IN

LAOPHONTE

Habitat. St. Andrews, N.B.

Laophonte trispinosa Sewell - see Xanthilaophonte

LAOPHONTE TYPHLOPS - SEE ARCHESOLA

Laophonte uncinata Chichkoff, 1912

--, Dolzonolskaya, 1970, p. 107, a syn. of Heterolaophon
uncinata

--, Vervoort, 1964, p. 333

Laophontidae - Harpacticoida

Laophonte varians Brady, 1910, ♀

— — Brady, 1910, p. 524: pl. 56, f. 15: text f. 1

--, Vervoort, 1964, p. 372

-- WILLEN 1996: 1322, TAB. 1

Habitat. Antarctic Ocean.

Laophonte vietsi Klie

-- -- Klie, 1944. pp. 270-276, fig. 7-17

--, Klie, 1941, p. 89

LAOPHONTE VITROSPINULOSA SHEN & TAI, 1963

-- SHEN & TAI, 1963: 423-426, 430-431; FIG. 42-

Laophontidae - Harpacticoida
Laophonte wiltoni T. Scott, ♀.

— — T. Scott, 1912, p. 566: pl. 7, figs. 7-15.

--, Vervoort, 1964, p. 372

-- WILLEN 1996: 1322, TAB. 1

Habitat, South Orkneys.

Laophonte Zimmeri Douwe ♂♀

- 82 _____ Douwe, 1929, p. 288, text figs. 10-15,
--, Vervoort, 1964, p. 335
--, Klie, 1941, p. 89

Habitat: Etang de Thau (Cette), Bucht von Cavalière,
Villefranche.

Laophonte sp.

- sp., Wells, 1963. pp. 93-95, fig. 40-47
- BELL & McLINTOCK 1982: 232, oectinoderma.
- GAJBHIYE ET AL 1984: 77-79, INDIA
- Michailova-Neikova, 1968: 215
- CARLI 1966: 10, TUSCAN LITTORAL
- ALVAREZ 1987: 5, OFF SÃO PAULO, BRAZIL
- CARVALHO 1939: 41, 43, FIG. 11, SÃO PAULO, BRAZIL

LAOPHONTE SP. PESTA, 1959

-- PESTA 1959: 153-, FIGS. 133, 134, OFF NAPLES, ITALY