

Canthocamptidae - Harpacticoida.

Leptomesochra.

G.O. Sars, 1911.

L. attenuata, [♂]

Syn. Leptomesochra Sars, 1911, p. 418.

Λεπτός, thin, slender and Mesochra.

Body narrow, elongate; gen. segt. in ♀ not subdivided; caudal rami short. First antennae 8- or 9-jointed, slender. Exopod of 2nd. pair small. First legs feeble but prehensile, endopod 2-jointed. Endopod of 2nd. & 3rd. legs also 2-jointed, of 4th. legs 3-jointed.

Leptomesochra

key, Vervoort, 1964, p. 270, 272 - Ameiridae

- ROUCH 1969: 422

- HUYS & CONROY-DALTON 1993: 292

- HUYS 1992: 71-

- SOYER 1974d: 400

Leptomesochra africana

Kunz, Helmut von ----- 1951, pp. 76-77

--, Vervoort, 1964, p. 272, 276

LEPTOMESOCHRA ATTENUATA (A. SCOTT) -

SEE INTERLEPTOMESOCHRA

LEPTOMESOCYRA ATTENUATA (NICHOLLS, 1939)

LEPTAMEIRA A., NICHOLLS 1939b: 282, FIGS. 14, 15, ST.
LAWRENCE RIVER, CANADA, ♀♂

LEPTAMEIRA A., NICHOLLS 1940: 282, FIGS. 14, 15

LEPTAMEIRA NICHOLLSI, NOODT 1955:

NOMEN NOVUM BECAUSE "ATTENUATA" PREOCCUPIED

LEPTAMEIRA ATTENUATA, L. NICHOLLSI, VERVOORT 1964:

272

LEPTOMESOCYRA A., LANG 1965: 338, SYNONYMIZED

LEPTAMEIRA WITH LEPTOMESOCYRA +

RESTORED NAME "ATTENUATA"

Canthocamptidae - Harpacticoida.

Leptomesochra confluens G. O. Sars, ♂, ♀.
= Leptameira confluens

— — Sars, 1911, p. 421: Suppl. pl. 43.

Leptameira confluens Lang 1936, p. 134-5

— —, Lang, 1948, p. 84.

--, Vervoort, 1964, p. 272

--, Jakobi, 1959, p. 145, 279

Habitat. Norway Coast. GERMANY, HELGOLAND.

Leptomesochra diazi n.sp.

--, Kunz & Kunz, 1973, p. 56 (tbl.5)

Leptomesochra elongata

BOZIC, 1954

--, Vervoort, 1964, p. 272

--, BOZIC 1954: 8-10; Pl. 3, Figs. 1-8; Descript. ♂

LEPTOMESOCYTRA EULITORALIS NOODT

— —, 1955, P.P. 96.

— —, 1955, P.P. 152-53.

— —, 1956, P.P. 53. N. SEA AREA.

— —, Petkovski, 1964. p. 15

— —, Wells, 1963 p. 15

— —, Wells, 1970, p. 263

— —, Vervoort, 1964, p. 272, 273

— —, MASEY, 1970: 238-240 ♀ ♂; FIG. 6

— Noodt, 1952: 112-114 fig 4-12.

Canthocamptidae - Harpacticoida

Leptomesochra infima Monard, ♀

-- Monard, 1928, p. 412: fig. 38

--, HANIG, 1918, p. 242.

--, Vervoort, 1964, p. 272

-- BODIN 1964: 142

Habitat Banyuls

Canthocamptidae - Harpacticoida

Leptomesochra macintoshi (T. + A. Scott) ♂

— — Klie, 1929, p. 360: figs. 42-43.

— —, Noodin, 1956, p. 53, N. SEA

— —, Hancock, 1948, p. 839.

— —, Pesta, 1932, p. 85-6, fig. 12

— —, Vervoort, 1964, p. 272

Habitat. Baltic Sea, Kieler Bay, SCOTLAND,
FIRTH OF FORTH.

— Mielke, 1975: 68, fig. 42-43

— Mielke, 1976: 40-42

- Noodt, 1952: 110-112, fig. 2, 3

- MARTINEZ ARBIZU & MOURA 1994: 67-, IN
AMEIRIDAE

Leptomesochra nasuta Sewell

_____ Sewell 1940, p. 301, fig. 69, ♀, Maldive Arch.
--, Vervoort, 1964, p . 272

Leptomesochra nichollsi - SEE L. ATTENUATA NICHOLLS

--, Vervoort, 1964, p. 272

Leptomesochra pygmaea Vervoort, 1964

n. sp., Vervoort, 196;4, p. 6, 272-276, figs. 110, 111

Canthocamptidae - Harpacticoida.

Leptomesochra tenuicornis G. O. Sars, ♀

— — Sars, 1911, p. 420; suppl. pl. 42.

— —, LANG, 1948, p. 841.

— —, Wells, 1970, p. 263

--, Vervoort, 1964, p. 272

-- REID 1970: 37-, NORTH CAROLINA

Habitat. Norway Coast,

-- REID 1978: 45-, NORTH CAROLINA

Leptomesochra theodoridis Soyer

-- -- Soyer, 1966, pp. 318-322, f.7-9

LEPTOMESOCHRA SP.

-- FLEEGER, TANG & HIGGINS 1983: 940-942, 945,
TABS. 1, 2, CHINA

Leptomesochica sp.

--, BODIN 1970: pp. 411-414, 431; Pl. 19, 20;

TAB. B.

-- BELL & McCLINTOCK 1982: 232, on echinoderms.

Leptomesochra sp. Bodin, 1964

-- Bodin 1964: 140-, Pl. VII fig. 41, 42-47, female
only, Gulf of Marseilles