

Siphonostomatoida:  
Lophoura, synonym.

Kölliker, 1852,

Sphyriidae  
~~Lernaeopodoidea~~

L. edwardsii.

This name was thrice preëempted;  
in 1822 for birds & 1840 for reptiles. Poche  
(1902) has offered Rebellula in place of it,  
and by Walker in 1856 for genus of Lepidoptera.

Λόφος = A tuft or crest; ούρα = tail.

LOPHOURA KÖLLIKER, 1853

- KABATA 1988: 75, DIAGNOSIS + KEY TO CANADIAN  
SPP.

-- Dojiri + Deets 1988: 682

-- Ho 1990: 6

-- KABATA 1992: 108-109, DIAGNOSIS

=LOPHOURA

Sphyriidae - Bernacopum

Rebelula bouvieri (Quidor) ♂. ♀. ①

Hepatophilus — Quidor, 1912, p. xliii; text-f. 5 & 6.

Rebelula — Wilson, 1919, p. 579; pl. 53, f. 34-  
— 40; pl. 54, f. 41-44.

— — Wilson, 1932, p. 528; fig. 313.

Host. Flesh of Macrourus bairdii.

Martha's Vineyard: New Jersey.

Lophoura bouvieri (Quidor, 1912)

(2)

Rebelula bouvieri, Quidor 1912

--, Szidat, 1971, p. 137

--, Ho, 1977, p. 4, fig. 4

-- KABATA 1988: 75, FIG. 396, H; HOST LIST.

R. --, Ho 1970: 208, MARTHA'S VINEYARD, MASS., EX

GURNARD; CORRECTS WILSON'S (1932: 495) DETER-  
MINATION OF "ORALIEN TRIGLAE"

R. --, LÜHING 1953: 16, FIG. 13A, 14, 15

Lophoura carduna (Leigh-Sharpe, 1934)

--, Szidat, 1971, p. 137

Lophoura cornuta (Wilson, 1919)

--, Szidat, 1971, p. 137

-- BOXSHALL 1989: 215-216, FIG. 9, NEW CALEDONIA

Lophoura edwardsii, Kolliker, Lernaeidae. ①

Kolliker, 1852, p. 359.

Claus, 1860, p. 34, pl. I, fig. 11.

Comalia, 1865, p. 1, pl. I, figs. 1-8, 11.

Coms, 1885, p. 374.

B-Smith, 1899, p. 486.

--, Szidat, 1971, p. 137

Host, Macrurus coelorhynchus (muscles)

(over)

- - Brian, 1903, p. 2.

-- --, Nunes-Ruivo, 1953, pp. 12, fig. 5.

Lophoura was applied to a genus of birds in 1822 by Fleming - and so Boche (1903) proposes the new genus name Rebelula for Dr. Rebel of the Vienna Museum.

- EDWARDS, KENSLEY & GRINDLEY 1973:120.



Lophoura edwardsi Kölliker, 1852

card 2

-- Kabata 1992: 109-, Fig. 24G, synonymy, host list

Lophoura elongata Kensley & Grindley 1973

-- Kensley & Grindley 1973: 119-120, fig. 35a-d, n. sp.

♀, from Synaphobranchus bathybius, Cape Point,

South Africa.; p. 128.

Lophoura gracilis (Wilson 1919)

--, Szidat, 1971, p. 137

--, Ho, 1977, p. 4, 12, fig. 5

-- KABATA 1988: 75, FIG. 34I; HOST LIST.

-- Ho 1985: 493; HOST JYNAPHOBRANCHUS KAUPPI,  
NEW YORK BIGHT

Lophoura kamoharai (Yamaguti, 1939)

--, Szidat, 1971, p. 137

Lophoura laticervix Hewitt 1964

-- --, Hewitt 1964. pp. 55-58, fig. 1-4

--, Szidat, 1971, p. 137

-- KENSLEY & GRINDLEY 1973:120.

Lophoura magna n.sp.

--, Szidat, 1971, p. 138-140, figs. 1-3

-- KENSLEY & GRINDLEY 1973: 120.

Lophoura pentaloba Ho, 1985

-- Ho 1985: 485, 493-495, fig. 4A-E, n. sp. ♀ only;  
hosts Nezumia bairdii, Corypheanoides (Nematonurus)  
armatus, New York Bight

Lophoura tetraphylla Ho, 1985

-- Ho 1985L 485, 495-496, fig. 5A-E, n. sp. ♀ only;  
host Antimora rostrata, New York Bight



Lophoura tripartita (Wilson, 1936)

35

--, Szidat, 1971, p. 137

-- KENSLEY & GRINDLEY 1973: 120.

Lophura sp. Kölliker

--, Szidat, 1971, p. 137-140