

⁽ⁿ⁾ Siphonostomatoidea: Pandaridae Caligoidae
Nesippus, valid,
Heller, 1865, N. orientalis.
Caligidae.

Syn. Nesippus Heller, 1865, p. 193.

νησίς = an islet.

First thorax joint only fused with head to form
a broad carapace. 2nd & 3rd joints fused inter se.
4th joint free, with no dorsal plates or with a
pair of very small ones, not reaching v gen.
seg't. Frontal plates distinct, no lunules.
2nd antennae uncinate, with a spine at v base
terminal joint. Mouth-tube elongate - first
mx. jointed = 2nd pair 3-jointed. 2nd mxpds.
with toothed end-claw.

Gen. seg't elongated - abdomen short - anal
laminae small; setae rather large.

All the swimming legs biramous - first three
pairs with 2-jointed rami - last pair with 1-jointed
rami - Egg-cases very long & slender.

Nesippus

-, Heegaard, 1972, p. 307, 316

Nesippus

Heegaard 1943 a, p. 6
--, Pillai, 1968, p. 20

Galigidae.

Nesippus alatus, Wilson, ♂. ♀.

—, Wilson, 1905, a, p. 130.

—, M. J. Rathbun, 1905, p. 94

—. Wilson, 1907, p. 426: pls. 34 & 35.

Specilligus — Fowler, 1912, p. 478.

Host. Carcharhinus obscurus; Carcharias
littoralis; Fundulus majalis; Mustelus
canis - Scoliodon terræ-novæ: Sphyrna
tigris: Tympanopleura N. Atlantic.

— — Wilson, 1932, p. 438; fig. 276

— — Haegaard, 1943, p. 27.

— — Causey, 1960, p. 331. Cholla Bay, Mexico, on Carcharhinus lamiella.

-- KENSLEY & GRINDLEY 1973: 125

Nesippus angustatus (Beneden), ♂. ♀.
[figs. 5+7, ♂]

Pandarus affinis, P.J.v.Beneden, 1892, a, p.224: pl. I,

Nogagus angustatus, P.J.v.Beneden, 1892. b, p.245: pl. I.

figs. 5-10.

Dysgamus sp., B-Smith, 1899, p. 459.

Host. Unknown.

Bay of Dakar.

"the two sexes" claimed by Beneden in 1892, b.
are both females - one with, the other without
egg strings. But the male described in
1892, a. is not a Pandarus but a Nesippus
and may well go with these females.
N. angustatus Wilson, 1907, p. 431.

Nesippus australis Heegaard

-- --, Heegaard 1962. pp. 178-179, fig. 162-172
-- , Pillai, 1968, p. 20

Nesippus bengalensis Gnanamuthu

1949----Gnanamuthu, C.P., pp. 363-367, text figs.
12-23.

Nesippus borealis. Stp. & Ltk, ♂.

Nogagus b—, Stp. & Ltk, 1861, p. 387, pl.

XI, fig. 21.

— —, B-Smith, 1899, p. 460.

— — Wilson, 1908, p. 453.

Host. These males all taken in tow.

Spitzbergen

- — Wilson, 1907, c, p. 437: pl. 37.
— — Wilson, 1920, p. 132.
— — Wilson, 1923, p. 10
— — Hausen, 1923, p. 36.
— — Lewis, 1966, p. 8.
— , Vaissiere, 1961, p. 80, fig. 34
— , Stephensen, 1940, p. 6

Nesippus borealis

card 2

--, Hewitt & Hine, 1972, p. 73

--, Hewitt, 1967, p. 189-193, fig. 10-20

Pandaridae - Catigocida -

Nesippus costatus Wilson ♀ ♂

— — Wilson, 1924, p. 213: pl. 20, figs. 9-16.

— —, Lewis 1964. pp. 211-225, fig. 19a-e, 20a-s,
21a-p.

— , Lewis, 1967, pp. 31

Host. 9-foot shark. Indefatigable Island.

Pandaridae

Nesippus crypturus Heller, 1865.

N. crypturus Heller, 1865, p. 196, pl. 18, fig. 4;
Bassett-Smith, 1899, p. 459; Wilson, 1907,
p. 425 (in key); Wilson, 1935, p. 3, pl. 1,
figs. 11, 13, 14, pl. 3, figs. 28-32.
--- ---, Lewis, 1966, pp. 116-123.

Reported Hosts: Sphyrna zygaena.

Distribution: Java, Puerto Rico.

--- ---, Cressey, 1967, p. 61.
.. Cressey, 1967, p. 4, 18, 19
--, Cressey, 1970, p. 12, fig. 37

--, Lewis, 1969, p. 5, fig. 1b

--, Lewis, 1966, pp. 116-117, 119, figs. 27a-e, 28a-g,
29a-f, 30a-d, tbl. 11 & 12

Nesippus crypturus Heller, 1865

card 2

--, Pillai, 1968, p. 20

Caligidae — Categoida.

Nesippus curtaudis(Dana). ♂

— Wilson, 1907, c, p. 434: pl. 36, f. 215-223.

— Brady, 1910, p. 589.

Dana's single specimen was probably a male of the genus Nessipus but this can never be fully proved. If it could, Dana's name would take precedence, but as it cannot, it is better to leave the two names as separate genera.

Between Papua and Japan.

--, HEGNAARD, 1955, P. 54, - 55 - FIG. 69.

CAPE VERDE IS.

Nesippus gonosaccus Heegaard

— — — Heegaard 1943a, p. 8, figs. 25-37, Gilbert Ids.

Host: *Eulamia menisorrhia*, ♀

--, Heegaard,

--, Pillai, 1968, p. 20

Caligidae - Caligoidea

Nesippus gracilis n. sp. Wilson, ♀, ♂.

— — Wilson, 1935, p. 4; pl. 2, figs. 15-27; pl. 3, fig. 33.

Host. Unidentified Shark.

Porto Rico Deep.

Nesippus incisus Heegaard

--- ---, Heegaard 1962. pp. 179-181, fig. 173-181

Nesippus nana Cressey 1970

--, Cressey, 1970, p. 12-15, fig. 39-51

Tandaridae - Catigordae.

Nesippus occultus Wilson, ♂ ♀.

— Wilson, 1924, p. 214: pl. 20, figs. 1-8.

Host. 9-foot shark, Indefatigable Island.

Nesippus occulatus Wilson 1924

--, Pillai, 1968, p. 20

Neiippus orientalis, Heller, ♂. ♀.

— —, Heller, 1865, p. 194; pl. XVIII, figs. 2 + 3.

— —, B. Smilt, 1899, p. 459.

— — Wilson, 1907, p. 425 (key).

— — Brian, 1924, p. 33. *Zygaena malleus* + *Mustelus asterias* Mauritius.

— — Capart (A), 1953, pp. 658-659, fig. 6. On Sphyrna diplanata. Dakar.

Host. Gill of Oriodon meisorrhynchus.

— — Cressey, 1967, p. 60.

— — Cressey, 1967, p. 4 Java.

— — Cressey, 1970, p. 12, Fig. 36

-- , Nunes-Ruivo, 1956, pp. 16-19, pl. 4. On Sphyrna zygaena (L.) +
Mustelus canis Mitchell. Angola.

--, Brian, 1924, p. 394

--, CRESSEY, 1967: 4, 18, 19

Nesippus orientalis

card 2

--, Hewitt & Hine, 1972, p. 74

--, Hewitt, 1967, p. 183-189, fig. 1-9

NESSIPUS -, BENZ 1986:213, 214, 219, WHITE SHARK

Caligidae.

Nesippus (Nogaus ♂) orientalis. Heller.

— —, Heller, 1865, p. 194 : pl. XVIII, figs. 2 & 3.

— —, B-Smidt, 1899, p. 459.

— —, Wilson, 1907, p. 457.

This "male" is really a young ♀.

Host. Bills of Prionodon menisorrah.

— Capart, 1959 : 96

Java

Nesippus ornatus Thomsen, 1949, pp. 17-19, pl. 6,
fig. 1-11. Host: Mustelus schmitti Springer.

Nesippus tigris n. sp.

-- --, Cressey, 1967, p. 63-65.

-- --, Cressey, 1970, p. 12, fig. 38

-- BENZ 1986: 216, 219, TIGER SHARK

Nesippus vespa,

— — , Cressey, 1967, p. 65.

— , Pillai, 1968, p. 18-21, fig. 5, 6a-b

— , Pillai, 19? , p. 1624, fig. 142

Nesippus sp.[♂]

— sp. Wilson 1942, p. 195, fig. 31 Resembles
Specillieus curticaudis Dana

— — — . KABATA , 1966, p. 169.

-- Heegaard, P.E., 1943, pp. 6-8

--, CRESSY, 1967 : 4, 18 EX GALEOCERDO COVIER