

Parabrachiella valid
Wilson - 1915.

hervaeopodidae
hervaeopodoida

P. rostrata.

Syn. Parabrachiella, Wilson, 1915, p. 713.

πάρα = near and Brachiella.

Parabrachiella

proposal to suppress genus & transfer all of its
species to Brachiella; Kabata, 1970, p.
2165.

- PIASECKI 1993a: 331

^{hernaeopodidae - hernaeopodoida}
Parabrachiella australis n. sp.: ♂, ♀.

— Wilson, 1923, p. 8: pl. 2, figs. 16-23.

—, Kabata, 1970, p. 2164

— KENSLEY & GRINDLEY 1973: 128.

Host, Gills of Merluccius capensis

South Africa

Parabrachiella incurva Shiino 1956 - see Neobrachiella

Parabrachiella insidiosa (Heller), ♂♀.

Brachiella —, Heller, 1865, p. 239: pl. 24, fig. 1.

See card Brachiella insidiosa.

Parabrachiella —, Wilson, 1915, pp. 700; 713.

Brachiella — Quedor, 1910, p. 1469.

Parabrachiella —, Nunes-Ruivo, 1956, p. 32. Merluccius capensis, Angola.

Host. Gadus sp. Merluccius vulgaris, &
M. esculentus.

— Stuardo & Fagetti, 1960: table Europe.

--, Kabata, 1970, p. 2164.

Parabrachiella rostrata (Krøyer) ♂, ♀. Hemaeopodidae.

Brachiella —, Krøyer, 1837, p. 207: pl. 2, fig. 1

See card Brachiella rostrata

Parabrachiella —, Wilson, 1915, p. 714: pl. 28, fig. 0
pl. 56, figs. 249-255.

Host. Gills of Pleuronectes pinguis + P. maximus,
Hippoglossus vulgaris + Trigla garmardus.

Greenland.

— — Wilson, 1920, p. 82

Brachiella — Hansen, 1923, p. 58.

Parabrachiella — Wilson, 1932, p. 519: fig. 308

-- --, Ronald, 1958. p. 5-6

--, Stephensen, 1940, p. 11

IRAKBRACHELIA

SIHAMA - SEE NEOBRACHELIA

PARABRACHIELLA SPINICEPHALA - SEE

NEOBRACHIELLA