

Lichomolgidae - Cyclopoida.

Paralichomolgus. valid

Thompson & Scott, 1903.

P. curticaudatus.

Syn. Paralichomolgus, T. & S., 1903, p. 281

Prefix Para and Lichomolgus.

Body composed of 10 seg'ts.; cephalothorax rotund or ovate, 5-jointed; gen. seg't. much larger than the others, really 2 seg'ts. united. 1st. antennae 8-jointed. 2nd. antennae, mouth-parts and legs as in *Lichomolgus*, the difference being in the lateral prolongations of the body seg'ts. and in the jointing of the 1st. antennae

Lichomolgidae. — Cyclopoida

Paralichomolgus curticaudatus Thompson & Scott, ♀.

— — Thompson & Scott, 1903, p. 281: pl. 16, fig. 1-7.

— — A. Scott, 1909, p. 267.

Habitat, General washings, Ceylon, Lucipara Islands.

Lichomolgidae - Cyclopoida.

Paralichomolgus longicaudatus Thompson & Scott, ♀.

— — Thompson & Scott, 1903, p. 282; pl. 20, fig. 6-8.

SEE : Stellicola semperi

Habitat. General washings, Ceylon.

Lichomolgidae - Cyclopoidea.

Paralichomolgus orbicularis Monod

—— Monod, 1928, p. 2 : figs. 2-4.

Host. Gills of Platydoris cruenta.

New Caledonia.