

(in)

Pandoridae:

Caligidae.

~~Caligoida.~~

Phyllothyreus Siphonostomatoida ①

Norman, 1903,

P. cornutus.

Syn. Phyllophora M-Edwards, 1840, p. 471.

Phyllothyreus Norman, 1903, p. 368.

Laminifera Wilson, 1907, p. 361.

not Thyllophora - Thunberg - Orthoptera - 1812.

Phyllophora = preoccupied.

Laminifera = antedated.

not Thyllophora - Macquart - Diptera - 1838.

not Phyllophora - Gray - Mammalia - 1838.

Φυλλον = a wing and Θυρεός = a large shield.

Phyllothyreus Norman, 1903

card 2

- Kabata 1992: 22, diagnosis

Phyllothyreus cornutus (M-Edwards). ♀.

Phyllophora cornuta, M. Edwards, 1840, p. 471: pl. 38,
figs. 13 & 14 (near Tongatabu).

—— us ——, B-Smith, 1899, p. 465.

Phyllothyreus ——, Norman, 1903, p. 368.

—— —, Norman & T. Scott, 1906, p. 212: pl. 24, figs. 9-17.

Host. Blue Shark, Carcharias glaucus.

Cornwall. Eng.

Phyllothreus cornutus, T. + A. Scott, 1913,
p. 92: pl. 19, figs. 11-18; pl. 23, fig. 3.

Taminiifera cornuta, Roche, Wilson, 1907
p. 361.

-- LEWIS, 1966, pp 96-102

-- CRESSEY, 1964, p 26-27

--, Kazachenko, 1975, p. 216

--, CRESSEY, 1967: 3, 18, 19

Phyllothyreus cornutus

card 2

--, Hewitt & Hine, 1972, p. 73

--, Hewitt, 1967, p. 233-239, figs. 112-122

-- CARLI & BRUZZONE 1973b: 131, = LAMINIFERA

DOELLO-JURADOI BRIAN, 1944

-- Benz & Dupre, 1987: 1275, 1276, 1278 New York

Host: Prionace glauca (blue shark)

PHYLLOTHEREUS -, PRABHA 1983: 55

P. cornutus (Cont'd.)

Monod et Dollfus, 1938, p. 196, figs. 1-15;
Brian, 1946, p. 142.

Laminifera doello-juradoi Brian, 1944, p. 205,
pl. 4, figs. 30-37, pl. 15, figs. 38-39.

Reported Hosts: Prionace glauca, Isurus
oxyrinchus, Lamna nasus.

Distribution: Mediterranean, England, warmer
parts of the Atlantic (Stp. & Ltk., 1861),
Tongatabu (Friendly Islands).

Pandaridae

Phyllothyreus cornutus (Milne-Edwards, 1840)

Phyllophora cornuta Milne-Edwards, 1840, p. 472,
pl. 38, figs. 13-14.

Nogagus grandis Steenstrup & Lütken, 1861,
p. 46, pl. 10, fig. 19.

Phyllophorus cornutus Bassett-Smith, 1899,
p. 465.

Phyllothyreus cornutus Norman, 1903, p. 368;
Norman and Scott [T.], 1906, p. 212, pl. 24,
figs. 9-17; T. & A. Scott, 1913, p. 92, pl.
19, figs. 11-18, pl. 23, fig. 3 [name
misspelled]; Wilson, 1932, p. 440;

Phyllothereus cornutus (M. Line Edwards) 4

-- Cressley, 1964, p. 3

-- Cressley, 1968, p. 3

-- Cressley & Lechner, 1970, p. 312, 315

-- Lewis, 1966, pp. 96-102, figs. 17a-e, 18a-f, 19a-d, tbl. 7

PHYLLOTHYREUS -, BENZ 1986: 212-219, FIG. 2 D, HOST
RECORDS.

PHYLLOTHERUS -, HERON & DAMKAER 1978: 13

PHYLLOTHYRUS -, KABATA 1992: 22-, FIG. 3A-D,
SYNONYMY, HOST LIST

Phyllothyreus crassus (Tichiardi), ♀.

Phyllophora crassa, Tichiardi, 1880, b, p. 148

— —, Carus, 1885, p. 361-

— —, Brian, 1905, p. 6-

Named but never described or figured. } of genus only

Host, Gills of Prionodon glaucus.

Mediterranean.