

in #

SIPHONOSTOMATOIDA

~~Caligoida~~  
Caligidae.

Pseudocaligus, valid.

A. Scott, 1901<sup>a</sup>

P. brevipedis.

Proposes this new subgenus for what B. Smith had called Caligus b.

Pseudocaligus A. Scott, 1901, p. 350

Pseudocaligus Wilson, 1905, p. 533.

Pseudo and Caligus

Pseudocaligus T. & A. Scott, 1913, p. 61.

Like Caligus except the fourth feet which  
are rudimentary, consisting of a basal  
joint only without any exopod.

- Dojiri, 1983: 294 - 297

- BEN HASSINE, 1983: 94-95

- KABATA 1992: 62, DIAGNOSIS

- PRABHA 1983: 50 -

Pseudocaligus      apodus      Brian

— Brian, 1924: 29, fig 31-32

— Brian, 1935: 46, fig 16-18

— Capart, 1959: 88-89, fig. 19

-- RAIBAUT ET AL. 1971: 172-173, HOST RECORDS,  
TUNISIA COAST.

-- CARLI & BRUZZONE 1973b: 132

— APODES, KABATA 1988b: 5, NOT IN PSEUDOCALIGUS

*Pseudocaligus*  
Caligus brevipedis B-Smith, ♀. ①  
Caligidae. - Caligoida. ✓

— —, B-Smith, 1896, a, p. 157.

— —, B-Smith, 1896, b, p. 11: pl. 3, fig. 1.

— —, B-Smith, 1899, p. 447.

*Pseudocaligus* — A. Scott, 1901, a, p. 350: pl. 2, f. 1-6.

—, Parker, 1968, p. 363: transferred by A. Scott, 1901

Host, Gills of Notella tricirrata.

— Margolis et al 1975: 20

Plymouth.

— — Wilson, 1905, p. 555.

— es A. Scott, 1904, a, p. 39: 1904, b, p. 119.

Caligoida - Caligidae. (2)

Pseudocaligus brevipedis, B. - Smitt. - ♂ + ♀.

Caligus brevipedis, B. - Smitt. 1896<sup>a</sup>, p. 157.

" " " " " 1896<sup>b</sup>, p. 11, pl. III, fig. 1.

Pseudocaligus brevipedis, B. Scott, 1901<sup>a</sup>, p. 350, pl. II, figs. 1-6.

" " brevipedis, T. Scott, 1902<sup>a</sup>, p. 291.

Host. Three-bearded Rockling - (Onos tricirratus)  
inside operculum.

English Seas,

- —, T. Scott, 1905<sup>a</sup>, p. 110
- Pseudo-brevipedes, A. Scott, 1904, p. 119.
- — Wilson, 1905, p. 555.
- — T. Scott, 1906, 3, p. 367.
- — Leigh-Sharpe, 1934, p. 112. *Gobius paqanellus*<sup>host</sup>
- , HAMEED, 1977: 61, 65
- BEN HASSINE, 1983: 94
- KABATA 1988c: 618, FIG. 3
- KABATA 1992: 627, FIG. 14F-I, SYNONYMY, HOST LIST

PSEUDOCALIGUS FISTULARIAE PILLAI

-- PILLAI, 1961: 112; FIG. 14

-- HAMEED, 1977: 61, 65; SYN: P. SIMILIS; P. TENUI-  
CASTA

-- , Pillai, 19?, p. 1595-1596, fig. 84

-- PRABHA 1983: 67, FIG. 5



Pseudocaligus fugu Yamaguti ♀

— — Yamaguti, 1936, p. 9, pl. 6, f. 86-89; pl. 7, figs. 90-99.

-- -- Shiino 1963, pp. 331-333, fig. 1

--, YAMAGUTI & YAMASU, 1959: 90

--, HAMEED, 1977: 61, 65

← Dojiri, 1983: 298-303, fig. 120-124

Host. Body of *Spheroides* sp. Japan.

PSEUDOCALIGUS INDICUS HAMEED, 1977.

-- HAMEED, 1977: 61-66 ♀♂; FIG. 1-19; EX

DACTYLOPTENA ORIENTALIS BODY SURFACE

*Pseudocaligus laminatus* Rangnekar

1955--Rangnekar, M.P., pp. 44-48, figs. 1-15.

--, HAMEED, 1977: 61, 65

--, Pillai, 19?, p. 1596

Pseudocaligus parvus (Bassett-Smith, 1898)

--, Rangnekar & Murti, 1964, pp. 42-44, figs. a-n,  
transferred from Caligus.

--, HAMEED, 1977: 66, 67

-- PRABHA 1983: 50 -

Pseudocaligus similis

-- Lewis, 1968, p. 41

--, = P. FISTULARIAE, (Hameed, 1977: 61)

PSEUDOCALIGUS SUBPARVUS HAMEED, 1977

-- HAMEED, 1977: 66-69 ♀; FIG. 20-36; EX

ACOTHRON HISPIDUS ELLS

Pseudocaligus tenuicauda n. sp.

-- --Shiino, 1964, p. 249-254.

--, = P. FISTULARIAE, (HAMEED, 1977: 61)