

in

Canthocamptidae - Harpacticoida

Psyllocamptus

T. Scott - 1899^b

P. fairliensis (M)

Syn Psyllocamptus, T. Scott, 1899^b, p. 254.

Psyllocamptus, Willey, 1932, p. 99.

- Lang, 1965: 362 Key

- CECCHERELLI 1988: 164-165 KEY

Similar to *Canthocamptus* but endopods of 1st. legs 2-jointed, the same length as exopods. 1st. ant. 8-jointed; 2nd. ant. 3-jointed, outer ramus small, 1-jointed. 2nd., 3rd., & 4th. legs with 3-jointed rami; 5th. legs foliaceous, 2-jointed.

PSYLLOCAMPTUS S. STR.

-- CECCHERELLI 1988: 164, IN KEY

PSYLLOCAMPTUS (LANGPSYLLOCAMPTUS)

-- CECCHERELLI 1988: 164, IN KEY

Canthocamptidae - Harpacticoida

Psyllocamptus bermudae Willey, ♀.

— — Willey, 1932, p. 99; figs. 46-47.

— —, LANG, 1948, p. 828.

-- CECCHERELLI 1988: 164, 165

-- REID 1990g: 196

Habitat. Bermuda -

Psyllocamptus carolinensis n. sp.

--, Lindgren, 1975, p. 453, figs. 6-8, t. 2

-- CECCHERELLI 1988: 164, 165, IN PSYLLO, STR.

Psyllocamptus eridani Ceccherelli 1988

-- Ceccherelli 1988: 155, 160-165, figs. 4-6, n. sp. ♀♂,

North Adriatic lagoons

Canthocamptidae - Harpacticoida

Psyllocamptus fairliensis T. Scott ♀

— — T. Scott, 1899, p. 254: pl. 13, figs. 12-19.

Habitat. Scotland -

PSYLLOCAMPTUS FUEGIENSIS PALLARES, 1982

Psyllocamptus (Langpsyllocamptus) longisetosus

— Kunz, 1975: 188 - 192, fig. 76-95 - n.sp.

--- CECCHERELLI 1988: 164

PSYKLOCAMPTUS MINUTUS SARS

— —, LANG, 1946, P. 827.

— —, NOODT, 1955, P. 80, figs. 55-64.

-- --, Vervoort, 1962. pp. 452-455, fig. 24c, d, 26

— —, Wells, 1963 p. 15

HAB: TUNISIA, ITALY. FRANKREICH.

-- --, Wells, 1970, p. 263

--, WELLS, 1973: 133, 134, 135-137, 145; FIG. 2

--, SOYER, 1974d: 406

--, BODIN 1970: p. 411; Tab. B.

Psyllocamptus minutus Sars

card 2

--, Moore, C.G., 1976, p. 454 (fig. 2)

— Sars, 1911:

— Moore 1976: 43-46, fig 8-9

— Wells, 1967: 193

-- WELLS + MCKENZIE 1973: 133, 134, 135-137, FIG-5.

2nd - ALDABRA

— Por & Marcus, 1972: 269 Suez Canal

-- CECCHERELLI 1988: 169, 165

-- GOMOU 1971: 157 -, BLACK SEA

Psyllocamptus minutus G.O. Sars, 1911

card 3

-- Kask et al. 1982:36, Nanaimo, British Columbia

Psyllocamptus minutus gelatinosa (Kunz, 1951)

--, Moore, C.G., 1976, p. 455

-- GELATINOSUS, WELLS + MCKENZIE 1973: 135-137

-- GELATINOSUS, CECCHERELLI 1988: 164, 165

-- " , KASK ET AL. 1982: 36

Canthocamptidae - Harpacticoida

Psyllocamptus monachus Chappuis, ♂

①

— — Chappuis, 1938, p. 166; text-figs. 13-19.

— —, LANG, 1948, p. 829,

--, Jakobi, 1959, p. 274

-- PESCE 1983c: 63, 65-6, 79

— Kiefer, 1978: 217

Habitat, Southern Italy

-- ROUCH 1968a: 22

-- ROUCH 1986b: 328, RECORD.

-- CECCHERELLI 1988: 164, 165

PSYLLOCAMPTUS MONACHUS CHAPUIS, 1938

(2)

-- GALASSI 1997: 285

Psyllocamptus propinquus (T. Scott, 1896) card 1

Mesochra propinqua, T. Scott 1896: 162, pl. 3 f. 11-22,
n. sp., Scotland, tide pools.

M. -, T. Scott 1906b:332-

P. -, Lang 1948:827

P. -, Klie 1950:93, figs. 89-91

P. -, Roe 1958:231

P. -, Serban 1959:274, Romania

P. -, Hamond 19__ : Tab. 2

P. -, Plesa 1963:805

Psyllocamptus propinquus (T. Scott, 1896) card 2

--, Doznolskaya 1970: 90, pl. XXV, fig. 3; syn. Mesochra
propinqua

--, Ceccherelli 1988: 164, 165

Psyllocamptus (Langpsyllocamptus) quadrospinosus

— Kunz, 1975 : 192-193, Fig. 96-112.

--- CECCHERELLI 1988: 164, 165

Psyllocamptus quinguespinosus Coull, 1970

--, Coull, 1970 p. ^{130 Table 1} 131-132, fig 15-25

--, Coull, 1971, p. 208, 218

- (L.) QUINGUESPINOSUS, CECCHERELLI 1988: 164

-- REID 1990g: 196

Psyllocamptus triarticulatus Lang

- Lang, 1965: 362-366, fig. 199-201, CALIFORNIA

- (L.)-, CECCHERELLI 1988: 164, 165

Psyllocamptus sp.

-- Hartzband 1971: 12-, St. Thomas