

in

~~Cyrtopoda - Asterocheridae~~

Ratanidae: siphonostomatoida.

Ratania

Giesbrecht, 1892, R. flava.^(M)

Syn. Ratania Giesbrecht, 1892, p. 83, 616.
Ratania Giesbrecht, 1899, p. 22

Gen. seg't. but little widened - Aesthe-
task of 1^o ant. very long + thick - B 2 of
1^o max with 4, Li with 3 spines -
notches on joints - swimming legs poorly
developed - Ri 2 without double teeth: outer
margin spines of Re quite long: Re 3
with 4, 4, 4, 4 plumose setae: Ri 3 with
6, 6, 5, 4 spines - Apical 5i of Ri 3 of
2^o 1-4^o legs awl-shaped - End joint of
5^o legs with 5 spines -

Ratania atlantica Farran, ♀

①

— — Farran, 1926, p. 296: pl. 9, f. 18: pl. 10, f. 11-12.

— — Farran, 1929, p. 283

— — Owre, 1962

— —, Heron & ~~Dankers~~, pp. 18-22, figs. 22-26

— —; Vervoort, 1957, p. 146.

Habitat. Bay of Biscay, 750-1000 fath.
New Zealand

—, BOKSHALL, 1979: 240 FIG. 17

— Deevy & Brooks, 1977: 266

Ratania atlantica Farran, 1926

card 2

-- Razouls 1994: 12

Rataniiidae *Antencheridae* *Siphonostoma*
Ratania glava Giesbrecht, ♀. ①

- Giesbrecht, 1892, p. 616: pl. 5, 48.
- Giesbrecht, 1897, p. 8 (sep).
- Saraswathy, 1961. pp. 142-146; fig. 1-17
- Owre, 1962

Saraswathy, 1967, p. 89

Habitat. Naples.

- Boxshall, 1979: 238-240, 259, fig. 17
- Owre & Tóth, 1979: TAB. 5
- Scotti di Carlo, et al., 1975: TAB. 1

Ratania flava Giesbrecht, 1892

card 2

-- Sander & Moore 1978: 233, Barbados

→ Saraswathy, 1982: 638-639

→ Deevy & Brooks, 1977: 266

→ Hure, 1955: 37

-- CITARELLA 1986: 278-, MARSEILLES

-- RODRIGUEZ & VIVES 1984: 242-, MALAGA

-- BÖTTGER-SCHNACK 1988: 313-, RED SEA

-- BOTTOER 1985: 123-, RED SEA

-- ROSE 1934: 59-81, OFF ALGERIA