

syn

Sphyriidae - Lernaepodoida.  
siphonostomatoida (M) ①

Rebelula, valid,

Poche, 1902

R. edwardsi.

Syn. Lophoura Kölliker, 1853, p. 359.

Rebelula Poche, 1902, p. 20.

Rebelula T. & A. Scott, 1913, p. 162.

Hepatophilus Quidor, 1912, p. 88.

Rebelula Wilson, 1919, p. 576

To Dr. Rebel of the Vienna Museum,

Head oval, in the same straight line as the neck and gen. seg't, having two wing-like processes at its base; neck slender.

Gen. seg't squarish, giving off posteriorly 2 bundles of filiform appendages.

Four pairs of biramous legs placed near the head. Egg-tubes slender.

REBELUKA

- LÜLING 1953: 16

(2)

Rebelula bouvieri (Quidor) - see Lophoura bouvieri

1912

Rebelula caparti Nunes Ruivo

-- -- Nunes Ruivo, 1962. pp. 81-83, fig. 6

Lernaeidae - Caligoidae

Rebelula cardusa Leigh-Sharpe ♀

— Leigh-Sharpe, 1934, p. 39: fig. 37.

Host, Hymenoccephalus striatissimus  
Makassar Strait.

Sphyriidae - Lernaeopoda

Rebelula cornuta Wilson ♂ ♀.

— Wilson, 1919, p. 582: pl. 55.

— Lüning 1953: 16

Host. Flesh of Synphobranchus affinis.

Japan.

Sphyrriidae - Lernaepoda  
Rebelula edwardsii (Kölliker), ♀.

Lophoura — Kölliker, 1852, p. 359

— — Cornalia, 1865, p. 1: pl. 1, figs. 1-8, 11.

Rebelula edwardsi Brian, 1908, p. 15, fig. 6 A & B. (text).

— — Brian, 1912, p. 28: pl. 4, figs. 3 & 4; pl. 8, fig. 4.

— Capart, 1959: 114-115

Host Macurus sp.

Mediterranean.



— — Wilson, 1919, p. 586—

-- --, Nunes, 1953, pp. 12-14, figg. 5..

-- --, Torchio, 1962. pp. 21-30, fig. 1-5

--, Kabata, 1970, p. 81

Sphyriidae - Bernadep

Rebelula gracilis Wilson ♀.

— Wilson, 1919, p. 585: pl. 53, f. 33: pl. 54,  
f. 45.

— Wilson, 1932, p. 529: fig. 314.

Host. Filish of Synaphobranchus pinnatus  
and Histiobranchus infernalis

Martha's Vineyard: New Jersey.

Sphyriidae - kernaepodoidae

Rebelula kamoharai Yamaguti ♀

— — Yamaguti, 1939, p. 569: pl. 57, figs. 240-242

--, Kabata, 1970, fig. 57

Host. Skin, *Hymenocephalus striatissimus* Jordan & Gilbert

Kōti, Japan

Rebelula laticervix (Hewitt, 1964)

--Hewitt & Hine, 1972, p. 82

Sphyridae- Lernaeopodoida

*Rebelula tripartita* Wilson

— — — C. B. Wilson 1935, Tortugas, p. 342, pl. 6, figs.

72-75, ♀ Host: Calamus bajonado, jolt-head porgy