

in) Harpacticoida - Thalestridae

Rhynchothalestris valid

Sars, 1905-

R. rufocincta.

Syn. Rhynchothalestris G.O. Sars, 1905, p. 119

Thalestris (pars) Norman, Claus.

Rhynchothalestris Brian, 1921, p. 76.

Thalestris Claus (pars) 1863.

° Pύχχος = snout, and Thalestris.

Amenophia Boeck, 1864 (pars)

Body stout: head large and deep, with
the rostrum very prominent and mobile.
Urosome short, the anterior segts. expand-
ed laterally. 1^o antennae 9-jointed =
exopod of 2^o antennae 3-jointed. 1^o legs
like those of Thalestris: 5^o legs of moderate
size.

RHYNCHOTHALESTRIS AGIGENSIS Chappuis et Serban
1953

-- GEDDES, 1969: 3

-- Serban, 1959: 266-267

Romania

RYNCHOTHALESTRIS CORNUTA GEDDES, 1969

-- GEDDES, 1969: 3-8 ♀♂; FIG. 3-4; BAHAMAS

-- YEATMAN 1976: 207

-- REID 1990g: 202

Thalestridae - Harpacticoida.

Rhynchothalestris helgolandica (Claus), ♂. ♀.

Thalestris — Claus, 1863, p. 131: pl. 17, fig. 12-21,

— — Brady, 1880, vol. 2, p. 123: pl. 61, fig. 9-14.

Rhyncho — — Sars, 1905, p. 121: pl. 75: 1916, p. 6.

— — Norman & Brady, 1909, p. 128.

Habitat. English Seas: Norway Coast:
Polar Islands north of Grinnell Land

— — Ti. Scott, 1906, a, p. 315.

Thalestris curticauda Boeck, 1864, p. 55.

Rhynchothalestris helgolandica Stephensen, 1913, p. 331.

— — Lang, 1936, p. 42.

— —, Lang, 1948 p. 522, Pl. 214:1 - ENG. SEAS, NORWAY.

— —, Jespersen, 1940, p. 81-2. Iceland.

--, Pesta, 1932, p. 48, fig. 49

--, Jakobi, 1959, p. 137

--, Klie, 1941, p. 23

RHYNCHOTHALESTRIS HELGOLANDICA (Claus) (2)

-- C. B. WILSON, 1936: 373, CANADIAN ARCTIC

-- CHISLENKO 1971: 174

-- GEDDES, 1969: 8

"AMONARDIS"

-- TOPITSKY, 1976: ¹⁰⁸⁻¹²⁰~~120~~, TABS. 1, 2, BARENTS SEA; AS₁

-- YEATMAN 1976: 207

-- Knatz, 1986: passim

-- Willey, 1923: 329-330 Nova Scotia

-- SHIH ET AL. 1971: 212, CANADA-ARCTIC

-- CRANDELL 1967: 38

-- CHISLENKO 1977b: 244, FRANZ JOSEF LAND

Rhynchothalestris helgolandica (Claus),
var. campbelliensis nov. Tang ♂♀. 1934

— — — Tang, 1935, p. 20: figs. 40-48,

— — — Tang, 1936, p. 42

— — —, LANG, 1948, p. 523, pl. 21413 -

--, CHISLENKO, 1977: TAB. 1

Habitat, Campbell's Island

— Pallares, 1968: 57-59, pl. 16, fig. 1-10

RHYNCHOTHALESTRIS RUFOLINCTA - SEE

AMBUNGIPES

Thalestridae - Harpacticoida

Rhynchothalestris similis A. Scott, ♀.

— — A. Scott, 1909, p. 215; pl. 62, f. 6-11.

— rufocincta, Lang, 1936, p. 41.

Sewell 1940, p. 185, fig. 24-25, ♀♂, Maldives Arc.

May be variety of R. rufocincta

Habitat. Washings, dredged invertebrata,
Malaysia.

Thalestridae - Harpacticoida

Rhynchothalestris tenuicornis (Brady), ♀.

Amenophia — Brady, 1910, p. 534: pl. 54, f. 6-7: t-fig. 25

Rhynchothalestris — Lang, 1936, p. 42

— —, LANG, 1948, p. 525, Pl. 214: 5

Habitat. Antarctic -

Rhynchothalestris tenuis Chislenko, 1971

-- Chislenko 1971: 171-174, Figs. 13,14, n. sp. female
only, Posslet Bay, Sea of Japan

Thalestridae - Harpacticoida.

Phynchothalestris vanhöffeni Brady - ♀

Brady, 1910, p. 532: text-fig. 23.

Stebbing, 1910, p. 545.

Lang, 1936, p. 42.

Nicholls 1944, p. 489, fig. 2, ♀, Red Sea

—, LANG, 1948, P. 524, PL. 214:4-

Habitat. Antarctic Ocean: So. Africa.

RHYNCHOTHALESTRIS SP.

RHYNCHOTHALESTRIS SP., CRANDELL 1967:38-,
YAQUINA BAY, OREGON