

SUPERFAM. PSEUDOCYCLOPOIDEA -  
CALANOIDA

RIDGEWAYIIDAE

- MAUCKLINE 1988: 699

- VERVOORT 1964: 8-9, GENERA

- FOSSHAGEN & ILIFFE 1989: 207

- FOSSHAGEN & ILIFFE 1991: 339; BRATTSTROMIA  
LONGICAUDATA N.G. N.SP.

RIDGEWAYIIDAE, FERRARI 1995: 180-

in/

Calanidae - Calanoida.

Ridgewayia. valid.

Thompson & Scott, 1903,

R. typica.

Syn. Ridgewayia - Stejneger - Birds - 1883.  
Ridgewayia - T. & S., 1903, p. 245.

To Sir West Ridgeway, Governor of Ceylon.

Body cyclopoid; 6 cephalothoracic seg'ts.  
Abdomen 4-jointed; 1st. antennae 25-jointed.  
2nd. antennae biramous, exopod 2-jointed, endopod many-jointed. Mouth-parts similar to those of Calanus and Temora.

Both rami of first 4 pairs of legs 3-jointed, exopod of 5th. pair 3-jointed, endopod 2-jointed.

In antennae and mouth-parts of ♀ it resembles the Calanidae.

RIDGEWAYIIDAE: Calanoida

RIDGEWAYIA THOMPSON + SCOTT, 1903 CARD 2

- VERVOORT 1964: 8, 9

- FOSSHAGEN & ILIFFE 1989: 201, 207, CF.

BOHOLINA N. GEN.

- FOSSHAGEN & ILIFFE 1991: 339, 345, CF.

BRATTSTROMIA N. GEN.

- Bowman 1986: 298

- OHTSUKA 1992b: 300

- OTHMAN & GREENWOOD 1988b: 469, SPECIES LIST

- OTHMAN & GREENWOOD 1989: 63

12) *Ridgewayia* Pseudocyclopidae - Calanoida

Svezia, valid  
Gurney, 1927, f.

S. canalis (M).

Syn. *Svezia*, Gurney, 1927, f, p. 457.

Ridgewayia

RIDGEWAYIIDAE

LEZIA GURNEY, 1927

- VERVOORT 1964: 8-9

Ridgewayia Pseudocyclopididae - Calanoida  
Suezia canalis Gurney, ♂.

Syn. Ridgewayia probably M.S. Wilson

— — Gurney, 1927f, p. 457: fig. 109, A—I.

Ridgewayia — , M.S. Wilson, 1958, pp. 145-146.

--, TANAKA, 1964a: 243

--, Por 1979: 18

Habitat. Suez Canal.

-- KABATA 1988b: 6, ORIGIN OF NAME

Ridgewayia canalis (Gurney)

Suezia — Gurney, 1927 f, p. 457, fig. 109, A-1.  
Suez Canal.

Ridgewayia —, MS Wilson, 1958, pp. 145-146.

R. —, OTHMAN + GREENWOOD 1988b: 469

R. —, FERRARI 1995: 180-

Ridgewayia flemingeri Othman & Greenwood, 1988

-- Othman & Greenwood 1988b: 465-469, figs. 1,2, n. sp.

male only, Gulf of Carpentaria

-- FERRARI 1995: 180-

Ridgewayia fosshageni n. sp.

①

--, Humes & Smith, 1974, p. 125-139, figs. 1-18

--, Fosshagen, A., 1970, p. 34-36, fig. 4

--, Humes, 1982, p. 5

- Humes, 1985a: 315

-- FOSSHAGEN & ILLIFFE 1989: 202

-- FOSSHAGEN & ILLIFFE 1991: 339-

-- REID 1990g: 191

-- BOWMAN 1978a: 113-

-- OTHMAN & GREENWOOD 1988b: 469

Ridgewayia fosshageni Humes & Smith, 1974

card 2

-- Ferrari 1995: 180-

Ridgewayia gracilis M.S. Wilson

1958---Wilson, M.S., pp. 147-157, figs. 1-27.

--, Andronov, 1974, p. 1004

—, Bjornberg, 1971, p. 348

--, Por, 1979: 18

-- REID 1990g: 191

-- BOWMAN 1978a: 113-

-- OTHMAN + GREENWOOD 1988b: 469

-- FERRARI 1995: 180-

Ridgewayia klausruetzleri Ferrari, 1995

-- Ferrari 1995: 180-200, figs. 1-11, n. sp. female + male, Barrier Reef, Belize; + copepodid development

-- FERRARI + MARKHASEVA 1996: 277-288, TAB. 2

Krishnaswamy

Ridgewayia ~~gossiana~~ Ummerkutty

-- -- Ummerkutty, 1963. pp. 19-22, fig. 10-18

-- OTHMAN & GREENWOOD 1988: 469, AS

KRISHNASWAMI

-- FERRARI 1995: 180-

Ridgewayia marki (Esterly)

Lampoidopus — Esterly 1911, p. 219, pl. 1 fig 4; pl. 2  
figs. 13, 14, 20, 21; pl. 3, fig. 25, 26, 28-31, 34; pl. 4  
fig. 35, 38, 42.

L — —, Pinney, 1933, p. 142.

Ridgewayii —, M.S. Wilson, 1958, p. 146-147.

---, Andronov, 1974, p. 1004

--, Bjornberg, 1971, p. 348

-- --: Yeatman, 1969, p 7-8, figs 1-16.

R. —, FOSSHAGEN 1986: 630, BERMUDA CAVES

- Bowman, 1986: 298  
P. -, FOSSHAGEN & ILLIFFE 1991: 339  
D. -, REID 1990g: 191  
D. -, OTHMAN & GREENWOOD 1988b: 469  
D. -, ROCHA & ILLIFFE 1993: 44  
D. -, FERRARI 1995: 180-, FIG. 12  
R. -, SUÁREZ-MORALES & ILLIFFE 1996: 754  
R. -, HUYS 1996: 500, CAVE, BERMUDA

Ridgewayia shoemakeri M.S. Wilson

1958---Wilson, M.S., pp. 157-160, figs. 28-35. <sup>DRY</sup> TORTUGAS  
--, Andronov, 1974, p. 1004

—, Bjornberg, 1971, p. 348

-- REID 1990g: 191

-- BOWMAN 1978a: 113-

-- OTHMAN & GREENWOOD 1988b: 469

-- FERRARI 1995: 180-

Calanoida.

Ridgewayia typica Thompson & Scott, ♀.

— — Thompson & Scott, 1903, p. 245: pl. 1, fig. 1-13.

~~Lampoidopus marki Esterly 1911, ♀ ♂, Bermuda, p. 219,~~

~~Pl. 1, fig. 4; Pl. 2, fig. 13, 14, 20, 21; Pl. 3, fig. 25, 26, 28, 29, 30, 31, 34; pl. 4, fig. 35, 38, 42.~~

Habitat. Indian Ocean - Ceylon.

Ridgewayia typica, M.S. Wilson, 1958, pp. 142-143,

-- --, Ummerkutty, 1960. pp. 15-19, fig. 1-9

Ridgewayia typica Thompson & Scott, 1903

- Por, 1979: 13-19, figs 1-17, 59-65 Elat, Red Sea

-- FOSSHAGEN & KLIFFE 1991: 339

-- OTHMAN & GREENWOOD 1988b: 469

-- FERRARI 1995: 180 -

Ridgewayia wilsoni<sup>AF</sup> A. Fosshagen

1970-- Fosshagen, A. pp. 28-34, Figs 2, 3.

- WILSONAE, HUMES & SMITH 1974: 130, CORRECTED  
NAME.

- WILSONAE, REID 1990g: 191

- WILSONI, OTHMAN & GREENWOOD 1988b: 469

- WILSONAE, FERRARI 1995: 180 -

Ridgewayia sp. [Madras]

Suezia sp., Krishnaswamy, 1953, p. 127, fig. 7-9.

Ridgewayia sp., M.S. Wilson, 1958, pp. 143-4.

Ridgewayia sp. (Tortugas)

— — M.S. Wilson, 1958, pp. 160-162, fig. 36-37.  
♂ cop. V. off Loggerhead Key, Tortugas.

--, Humes & Smith, 1974, p. 125

Ridgewayia sp. A. Fosshagen

1970-- Fosshagen, A. pp. 34-36, Fig. 4.

(redescribed as Ridgewayia fosshageni)

~~Kimmerer, et al, 1985; table 4~~

-- OTHMAN + GREENWOOD 1988b: 469

Ridgewayia sp. Yeatman, 1969

-- Othman & Greenwood 1988b: 469