

Sabelliphilidae GURNEY 1927 ^{POECILOSTOMATOIDA}

key, Humes & Stock, 1972, p. 122

- Stock 1986b: 184
- HUMES + STOCK 1973: 7-8, DIAGNOSIS + KEY TO GENERA.
- HUMES 1990d: 581, 582, FORHANIA N.G.; 581, 591, CAMOTESIA N.GEN.; 596, KEY TO 3 GENERA FROM CNIDARIANS.
- GOTTO 1993: 72-, DIAGNOSIS, KEY

in) SABELLI PHILIDAE - POECILOSTOMATOIDEA Cyclopoidea.
Sabelliphilus, valid. Lichomolgidae
M. Sars, 1861^a S. elongatus ^(M)

Syn. Sabelliphilus M. Sars, 1861, p. 139.
Sabelliphilus G. O. Sars, 1918, p. 187.
Lichomolgus (pars) Thompson,

(Annelid genus)

Sabella and φίλος = loving.

Cecilia diagnosis.

Body subcylindrical, elongate, attenuate posteriorly
10 segts. Abdomen narrower than thorax.
Head joined with 1st thorax segt in ♀; not joined in ♂
Frontal margin deeply bifurcate,
1st antennae 7-jointed, first 2 joints more (♀) or less (♂)
dilated; 2nd antennae pediform, stout, 4-jointed,
last joint with 3 claws - penultimate joint with 1.
Mxpds. medium, 3-jointed, last joint with claw.
Rami of first 4 pairs of legs 3-jointed. 5th feet
rudimentary, very small, uniramose, 1-jointed.
Egg-sacs elongate, subcylindrical
Length 2mm - ♀, with egg-sacs 2.5mm - ♂ 0.75mm.

SABELLIAPHILUS M. SARS, 1862

CARD 2

- , BOCQUET + STOCK 19596: 238
- STOCK 19886: 545
- HUMES + STOCK 1973: 66-67, DIAGNOSIS, KEYS 90
- ~~HUMES 1990d: 581-582, FORHANIA N. GEN.; 581,
591, CAMOTRESIA N. GEN.~~
- GOTTO 1993: 85-, DIAGNOSIS, KEY

lichomolgidae - sp. n.
Sabelliphilus bispirae McIntosh. ♀

— — McIntosh, 1905, p. 86: pl. 9, figs. 51-56
— (?) —, HUMEST STOCK 1973: 82

Host. Annelid, So. Africa.

Lichomolgidae - Cyclopoidea
Sabelliphilus elongatus^{M. Sars}, ♂. ♀.

- M. Sars, 1861, a, p. 139.
- - Claparede, 1870, p. 6.
- - Sars, 1870, p. 113: 1918, p. 188: pl. 107.
- - Levinson, 1878, p. 352.
- - Hamond, 1973, p. 345.

Host. Sabella sarsii Krøyer; S. pavonina
British Isles: Mediterranean: French
Coast Norway. Spiro-
graphis spallanzani - Med. coast.

Sabelliphilus sarsii Claparede, 1870. p. 10: pl. 7, f. 1-8.
— *leuckartii* Kossmann,

Lichomolgus sabellae I. C. Thompson,

Sabelliphilus elongatus, Bocquet et Stock, 1964. pp.
pp. 157-181 figs.

--, Gotto, 1966, p. 194

--, Humes & Stock, 1972, p. 124

--, BOCQUET & STOCK 1964: pp. 157-159, 161-180; Figs. 2, 4,
6, 9-22, 32, 37, 39, 46, 48-51, 58-64, 65, 66-67,

-- IZAWA 1987: 152 -

Sabelliphilus elongatus M. Sars, 1862

card 2

-- Humes & Stock 1973:68, synonymy

Lichomolgus sabellae, I.C. Thompson 1888:68, pl. II figs.

1-9; host Sabella sp., English seas (LIVERPOOL BAY)

-- STOCK 1960: 248, BANYULS, FRANCE, ASSOC.

SPIROGRAPHS SPALLANZANI

-- Bocquet et Stock 1957: 427

-- Bocquet et Stock 1964

-- GOTTO 1993: 86, Figs. 18 E-I

-- RAIBAULT 1985: 257-

SABELLIPHILUS FOLIACEA - SEE

CHAULIOLOBION FOLIACEUM

Sabelliphilus leuckarti Kossmann, 1877

-- Humes & Stock 1973:82

+ = SABELLIPIILUS Lichomolgus
Lichomolgus sarsii Claparède, 3

— — Claparède,

— — Valle, 1879, p. 110; pl. I, figs. 1-26.

- - IZAWA 1987: 153, L. S. OF VALLE, 1880 =

SABELLIPILUS SARSI

Host. Actinia concentrica.

Adriatic -

Trichomolgidae - Cyclopoida
Sabelliphilus sarsii, Claparède, ♂. ♀.

— —, Claparède, 1870, p. 10: pl. VII, figs. 1-8.

— —, Claus, 1876, p. 161: pl. 10, figs. 4 & 6.

— —, Carus, 1885, p. 352.

— —, Canu, 1891[©], p. 437.

Host, Spirographis spallanzanii.

Sabella parvovina, Sabella

Sarsi.

Mediterranean.

- —, Stossich, 1880, p. 251.
Lichomolgus sarsii Della Valle, 1879, p. 110.
S— —, Claus, 1889, p. 14: pl. 1, figs. 8-10
— —, Levisseu, 1878, p. 353.
— —, T. Scott, 1906, b, p. 355.

Made a synonym of S. elongatus.

(G. O. Sars, 1918, p. 188).

- —, T. Scott, 1897, g, p. 256.
— —, Thompson, 1893, p. 210: pl. 25, f. 5, a-d.
— —, Bocquet et Stock, 1964. pp. 157-181, figs.

Sabelliphilus sarsi

Bocquet & Stock, 1957, p. 427

--, Bocquet & Stock 1964: pp. 157-159, 160-180;
Figs. 1, 3, 5, 7-8, 23-31, 32-36, 40-45, 47, 52-57, 65,
68, 69.

SABELLIPILUS -, IZAWA 1987: 153 -, S. S.
OF VALLE, 1880 = S. S. LICHOMOLGUS

S. Sarsi, HUMES & STOCK 1973: 68, FIG. 40; SYNONYMY.

-- STOCK 1960: 248

-- GOTTO 1993: 86, FIGS. 18J-N

RAIRAUT 1985: 256-; 262

SABELLIPHILUS SARSII CLAPARÈDE

(3)

S. Sarsi, HEUCH + KARLSEN 1997: 745

Lichomolgidae - Cyclopoida.

Sabelliphilus sarsii Della Valle,
var. branchialis.

— — Della Valle, 1879, p. 117 (under Lichomoligus).

— — Carus, 1885, p. 352.

— — Rioja, 1935, p. 239, figs. 1-16.

— — — HUMES + STOCK 1973: 68, = S. SARSII

Host. Gills of certain worms.

○ Mediterranean.