

ing

~~Seliidae - Notodetphyetidae.~~
~~NEREICOLIDAE - POECILOSTOMATOIDA~~

Selioides

Levinsen, 1878. ----- S. bolbroei, (M).

Syn. Selioides Levinsen, 1878, p. 353.
Cancerina, T. Scott, 1901^b, p. 252.

Selius, a copepod genus and idos.

Cephalothorax head-shaped; ventral part distinct from dorsal, with a keel, two pairs of antennae, free mandibles, and one pair of mx'pds. Ist. antennae 6-jointed, 2nd. pair 3-jointed. Mx'pds. stout, 2-jointed, uncinatae. Between mandibles & mx'pds. a pair of laminate appendages, armed on the posterior margin with a minute tubercle & 3 short spines. Abdomen rhomboidal, convex dorsally, flat ventrally, with 3 pairs of appendages the first and third near the lateral margin, the second on the midline, short, 3-jointed, last joint a stout chitin disk which fastens the parasite to its host. Postabdomen trapezoidal, with short anal laminae.

Selioides Levinsen, 1878

card 2

- Gotto 1993: 137-, diagnosis, key

- O'REILLY 1995: 56 -

SERIOIDES BOCQUETI CARTON, 1963

-- STOCK 1986: 75

-- GOTTO 1993: 137-, FIG. 33 F-K

-- IZAWA 1991: 72 (type as *Serioides*)

-- STOCK 1996: 442, TAB. 1

Selioides bolbroei Tevinsen, ♀, ♂.

~ ~. Tevinsen, 1878, p. 353: pl. 6, figs. 5-11.

~ ~. Hansen, 1887, p. 261.

~ ~. Stephensen, 1913, p. 342.

Horst, 1878, p. 54: pl. 3. f. 5 (unnamed).

Host. Harmothoe imbricata. Polynoë
rarspina.

Arctic Ocean.

- — Wilson, 1920, p. 4 Land III. ARCTIC,
— — Hansen, 1923, p. 21. HOST ACTINOE SARSI
— — Bresciani, 1967, pp. 220 - 226

--, Stock, Humes & Gooding, 1963, p. 12, syn.:

Cancerina confusa

--, Stephensen, 1940, p. 2

--, Gravier, 1912, p. 830

-- HUMES 1987a: 648, DENMARK STRAIT

-- STOCK 1986: 75

-- GOTTO 1993: 138-

FIG. 33L-N

-- STOCK 1996: 442, TAB. 1

Selioides bulbifer Stock, 1986

— Stock, 1986: 72 - 75, fig. 1-2, n. sp.

♀ ONLY - HOSTS HARMOTHOE CORRALOPHILA,
STYLASTER sp., CONOPORA sp., RÉUNION IS. -

INDIAN OCEAN

-- Stock 1986: 442, TAB. 1

SELIOIDES CAPENSIS STOCK, 1996

-- STOCK 1996: 438-442, FIGS. 1-10, TAB. 1, N.SP.,

TABLE BAY, SOUTH AFRICA; EX SUBADYTE

PELLUCIDA (POLYCHAETAE)

Selioïdes confusus (T. Scott) ♀.

Cancerina — a T. Scott, 1901, b, p. 252: pl. 18, figs. 12-20.

Selioïdes — us, Wilson mss.

Host. Dredged, 17-20 fath. Loch Fyne.

Selioides guineensis Carton & Laubier

-- Carton & Laubier, 1974: 131-136, figs. 1-13.

-- Stock 1986: 75

-- Stock 1996: 442, TAB. 1

Herpyllobiidae - Monstrilloida.

Selioïdes tardus Gravier, ♀.

-- Gravier, 1912, c, p. 63: 1 text-fig.

-- Gravier, 1912, h, p. 43: text-figs. 19-32.

-- Gravier, 1912, i, p. 831.

-- Wilson, 1920, p. 112.

-- Stock 1986: 75

Host. Hermadion rouchi (annelid).

-- STOCK 1986: 442, TAB. 1

Antarctic.

Selioides n. sp.

-- Stock 1986c: 474, hyperassociate of polychaete and coral