

CLETODIDAE - HARPACTICOIDA.

STRONGYLACRON GRE & HUYS, 1996

- GRE & HUYS 1996: 163, N.G. FOR CLETODES

BUCHHOLZI.

STRONGY LACRON

Cletodidae - Harpacticoida

Enhydrosoma buchholtzi (Boeck)

①

Cletodes — i Boeck, 1872, p. 53.

Enhydrosoma — Sars, 1909, p. 287: pl. 198. (BUCHHOLTZI)

E. — —, LANG, 1948, p. 1263, pl. 501: 6 - 504: 1

E. — —, Wells, 1963 p. 22

E. — —, COULL, 1975: 120, 121

Habitat, Norway Coast. ST. ANDREWS. N. BR. CANADA.

GERMANY KIELER BUCHT.

E. — —, BELL + KERN, 1983: 901, 903

E. — —, BUCHHOLTZ, KONDALAKRAO, 1984: 82.

(2)

STRONGYLACRON

Enhydrosoma buchholtzi (Boeck, 1872)

- E. --, Bodin, 1972, p. 853
- E., SHEN & TA, 1965: 135, 140
- E., BODIN 1972: p. 668; Tab. 2.
- E., Thistle, 1980, p. 392
- E., Coffin, 1978-79, p. 593, NEW ENGLAND
- E. Wells, 1967: 193
- E. CRANDALL 1967: 39, YAQUINA BAY, OREGON
- E. KASK ET AL. 1982: 37, NANAIMO, BRITISH COLUMBIA
- CLETODES -, KLIE 1929: 373 -
- CLETODES -, PESTA 1932: 145-146, FIG 77

STRONGYLACRON

Enhydrosoma buchholtzi (Boeck, 1872)

card 3

-- Gee 1994: 84--

STRONGYLACRON -, N. COMB., GEE & HUYS 1996: 163-173,
FIGS. 1-8, REDESCRIPTION, U.K.