

TAENIACANTHIDAE WILSON, 1911

- DOJIRI & CRESSEY 1987: 1-250, REVISION
- KABATA 1992: 195-, DISCUSSION, DIAGNOSIS
- BALARAMAN 1983a: 41-47, REVIEW, KEY TO GENERA

in Cyclopoida — Ergasilidae.

Taeniocanthus, valid.

Sumpf, 1871.

T. carchariae.

Syn. Taeniocanthus Sumpf, 1871, p. 7
— Wilson, 1911, p. 387.

Taenia, a fish genus and ἀκάρδος, spine.

First 4 segts & body strongly inflated, flattened, indistinctly separated from one another.

Post. thoracic segts & abdomen rudimentary.

Gen. seg't larger than all & abdomen segts.

First antennae 4-jointed; basal joint much elongated. Two hooks (first maxillae) beside & uncinata 2nd antennae. Post. maxils with large, sickle-shaped, terminal claws. First thorax legs modified into a broad, 2-jointed swimming-plate, set with plumose setae along its post and lateral margins. Fifth legs 2-jointed -

Taeniacanthus Sumpf, 1871

- , Pillai, 19?, p. 1559
- , Humes + Dojiri, 1984: 260
- , Dojiri + Cressey 1987: 1-10: REVISION, DIAGNOSIS + KEY TO ♀; SYN. PARATAENIACANTHUS; TYPE SPECIES T. CARCHARIAE Sumpf
- Izawa 1987: 156 -, FIG. 1A
- Kabata 1992: 196, DIAGNOSIS, KEY TO BRITISH SPA
- Balaraman 1983b: 41-

Ergasilidae - Cyclopoidea

Taeniacanthus acanthocepholae Yamaguti ♀

— — Yamaguti, 1929, p. 40: pl. 6, figs. 49-59.

-- DOJIRI & CRESSEY 1987: 3, 4, 6, 10-16, FIGS. 1-4, REDESCRIBED

♀; HOST ACANTHOCEPOLA LIMBATA, NINGPO, CHINA; 36,

80, 114

-- BALARAMAN 1983b: 42

Host Gills, Acanthocephola limbata (Cuv. & Val.)

Kōti & Maisaka, Japan.

Taeniacanthus albidus, n. sp. ♀.
Ergasilidae - Cyclopoidea

— — Wilson, 1911, p. 388: pl. 60,
text-fig. 41.

— — Pillai, 19? , p. 559

— —, DOTIRI + CRESSEY 1987: 163, 169, SYNONYM OF IRODES

GRACILIS

Host - Vent of Shoal-head Shark
Sphyrna tiburo.

— — SHEN 1957a: 327

Beaufort, N.C.

TAENIACANTHUS ALUTERI (AVDEEV, 1977)

ANCHISTROTOS -, HOLMES 1985: 24

T. -, DOJIRI + CRESSEY 1987: 3, 4, 6, 10, 16-22, FIGS. 5-9,

REDESCRIBED ♀♂, HOST ABALISTES STELLATUS,

PHILIPPINES; TRANSFERRED TO TAENIACANTHUS; 236.

TAENIACANTHUS ANGUILLARIS (DEVI + SHYAMASUNDARI)

- DOJIRI + CRESSEY 1987: 6, 10, 22-26, FIGS. 10-12,
REDESCRIBED ♀; HOST PLOTOSUS LINEATUS, NUMEROUS
INDO-WEST PACIFIC + RED SEA RECORDS; TRANSFERRED
TO TAENIACANTHUS; 71, 95
- DOJIRI + CRESSEY 1991: 595

Taeniacanthus balistae (Claus, 1864)

CARD 1

--, Ho, 1969, p. 129

-- DOJIRI & CRESSEY 1987: 2, 5, 6, 10, 26-32, FIGS. 13-16,

REDESCRIBED ♀♂; NUMEROUS HOST RECORDS; 84, 128, 236

SYNONYMS EUCANTHUS BALISTAE

ANGHISTROTOS B.

T. O.

TAENIACANTHUS LONGICHELA (NEW SYNONYMY)

T. LONGICHELA YAMAGUTI & YAMASU 1959: 99-100, PL. III,

FIGS. 56-66, N. SP.

TAENIACANTHUS BALISTAE (CLAUS, 1864) CARD 2

T. LONGICHELA, SHIINO 1960: 507-512, FIGS. 4-5

EUCANTHUS -, CLAUS 1864: 378, pl. 36, FIGS. 24-27.

EUCANTHUS -, CARNS 1885: 353

EUCANTHUS -, RICHIARDI 1880: 148

EUCANTHUS -, BRIAN 1906: 25

ANCHISTROTOS -, WILSON 1911: 384

ANCHISTROTOS -, HOLMES 1985: 24

T. -, DOJIRI & HO 1986: 33-34, FIG. 1A, HOST

CANTHIDERMIS ROTUNDATUS, JAPAN; GIVE SYNONYMY;
36.

Taeniacanthus canthigasteri n. sp.

-- -- Izawa, 1967, pp. 29-40., N. SP. - JAPAN

-- DOJIRI + CRESSEY 1987: 48, 54, JUNIOR SYNONYM OF

T. KITAMAKURA

Ergasilidae - Cyclopoidea

Taenioceanthus carchariae Sumpf. ♀

— — Sumpf, 1871, p. 7; pls. I & II.

— — Wilson, 1911, a, p. 388 (key).

—, Ho, 1969, p. 115, 128-9

—, ^{Nunes-}Ruiro, 1962, p. 4

Host, Gills of Carcharias, sp. lamia.

— Capart, 1959: 63-64, fig. 1a-b

locality not given.

TAENIACANTHUS CARCHARIAE

CARD 2

--DOJIRI & CRESSEY 1987: 2, 7-8, 11,

T. CARCHARIAE, BALARAMAN 1983b: 42

Ergasilidae - Cyclopoidea

Taeniacanthus coelus, n. sp. ♀.

— — Wilson, 1922, p. 6; pl. 3, f. 18-26,

— — Wilson, 1923, p. 4.

-- DOTIRI & CRESSEY 1987: 8, 32, 163

Host. An elasmobranch fish = pharynx
of sunfish.

Japan.

TAENIACANTHUS COMPARATUS DOJIRI + CRESSEY 1987

-- DOJIRI + CRESSEY 1987: 4, 9, 32-36, FIGS. 17-19,
N. SP. ♀; HOST CIRRIPECTES QUAGGA; TYPE LOCALITY
RÉUNION ISLAND; 22, 32, 49, 80, 89, 109

TAENIACANTHUS CYNOGLOSSI (RANGNEKAR + MURTI, 1960)

PARATAENIACANTHUS -, RANGNEKAR + MURTI 1961: 206-8, FIG. 1, N. SP.

-- DOJIRI + CRESSEY 1987: 6, 8, 36, TRANSFERRED FROM
PARATAENIACANTHUS; 16, 60, 76

Taeniacanthus dentatus Sebastian, 1964

— —, Pillai, 19? , p. 1560, fig. 4

— — DOJIRI & CRESSEY 1987: 9, 36-37, 103, 163

TAENIACANTHUS DIGITATUS DOJIRI + CRESSEY, 1987

-- DOJIRI + CRESSEY 1987: 5, 9, 37-41, FIGS. 20-22,
N. SP. ♀♂; HOSTS CIRRIPECTES PERUSTUS, SALOMON IS.;
ALSO C. spp. - VARIOUS RECORDS; 22, 36, 48, 84, 109

Taeniocanthus jagelkansi Wilson +

-- Wilson, 1913, p. 206: pl. 25, fig. 54-61.

-- Pillai, 19?, p. 1559,

--, DOJIRI + CRESSEY 1987: 163, 169, SYNONYMIZED WITH

TRODES GRACILIS HELLER

-- SHEN 1957a: 327

Host, Gill cavity of Sphyrna zygaena.

West Indies.

Taeniocanthus fugu Yamaguti & Yamasu, 1959

n. sp. Yamaguti & Yamasu, 1959, p. 94-5, pl. ~~III~~ II,
figs. 22-32

-- DOJIRI & CRESSEY 1987: 10, 41-43, FIGS 23-24,
REDESCRIBED ♀♂; HOST TAKIFUGU XANTHOPTERUS,
JAPAN; 54, 142, 163, 236

TARNIACANTHUS GLOMEROSUS DOJIRI & CRESSEY 1987

-- DOJIRI & CRESSEY 1987: 2, 5, 6, 8, 41-48, FIGS. 25-27,
N. SP. ♀; TYPE HOST CIRRIPECTES CASTANEUS; LIST OTHER
CIRRIPECTES SPP.; TYPE LOCALITY VURO ISLAND FIJI; 11, 22,
36, 49, 84, 108, 109, 136

Taeniacanthus hapalogenyos - see Orbitacolax

Yamaguti & Yamasu 1959

Taeniacanthus indicus Pillai 1963

-- -- Pillai, 1963. pp. 112-114, fig. 1 - n. sp.

--, Ho, 1969, p. 128

--, Pillai, 197?, p. 1559, fig. 1

-- DOJIRI & CRESSLEY 1987: 163, 169, SYNONYMIZED WITH

IRODES GRACILIS (HELLER)

Taeniacanthus inimici (Yamaguti & Yamasu) - see

Cirracanthus

Taeniacanthus kitamakura Yamaguti & Yamasu, 1959

--, Ho, 1969, p. 128

n. sp. Yamaguti & Yamasu, 1959, p. 97-8, pl. II, figs.
33-43

-- DOJIRI & CRESSLEY 1987: 2, 5, 10, 48-54, FIGS. 28-32,
REDESCRIBED ♀; HOST CANTHIGASTER RIVULATA, MISAKI,
JAPAN; T. CANTHIGASTERI IZAWA A JR. SYNONYM; 41, 142,
236.

- CANTHIGASTERI, IZAWA 1967: 29-40, N. SP. - JAPAN

-- BALARAMAN 1983b: 41-

Cyclonoida
Taeniacanthidae
CARD 1

Taeniacanthus lagocephali Pearse

1952. Pearse, A.S., pp. 8-9, fig. 1-4

--, Ho, 1969, pp. 111-5, figs. 1-5, p. 128, 129, = TAENIACANTHUS;
I. SABAFUGU YAMAOKI + YAMASU + SYNONYM.

- Izawa, 1986: 37-53, fig. 1-9

-- DOJIRI + CRESSEY 1987: 2, 6, 10, ¹¹54-60, ²³⁶FIGS. 33-37,
REDESCRIBED ♀♂, HOSTS LAGOCEPHALUS SPADICEUS + L.

LAEVIGATUS, JAPAN, BRAZIL, GULF OF MEXICO; GIVE SYNONYMY.

IRODES -, PILLAI 1963: 124-126, FIG. 7; TRANSFERRED TO

IRODES.

IRODES -, PILLAI 19? : 1563, FIG. 9

TAENIACANTHUS LAGOCEPHALI PEARSE, 1952 CARD 2

TAENIACANTHUS SABAFUGU, YAMAGUTI & YAMASU 1959: 102-4,

pl. VI, FIGS. 77-89, N. SP.; HOST SPHOEROIDES SPADICEUS
(= LAGOCEPHALUS SPADICEUS), INLAND SEA, JAPAN.

-- IZAWA 1987: 152 --

-- GOODING 1988: 363

-- HO 1987c: 79 --

-- IZAWA 1991: 72 --, FIG. 2B

-- KIM & HO 1992: 645

-- BALARAMAN 1983b: 41 --

TAENIACANTHUS LAGOCEPHALI PEARSE, 1952 CARD 3

-- IZAWA 1986b: 99-

-- FERRARI 1993b: 766-, TAB. 1

TAENIACANTHUS

Anchistrotos laqueus Leigh-Sharpe, 1935

①

A.-- Holmes 1985: 22

A.-- DOJIRI + CRESSEY 1987: 143, 148-152, FIGS. 103-105,
REDESCRIBED ♀; HOST RECORDS; SYNONYM A. HAMATUS

A. HEMATUS, ROUNDS 1960: 485-488, PL. 1, 2, N.SP.,
ADRIATIC

A. HAMATUS, HOLMES 1985: 23

TAENIACANTHUS - N. COMP., KABATA 1992: 200,
FIG. 44A, B, SYNONYMY, HOST LIST

TAEINIACANTHUS LAQUEUS (LEIGH-SHARPE, 1935) (2)

ANCHISTROTOS LAQUEUS, A. HAMATUS, AUDEEV 1977:135

A. L., HUMES + ROSENFELD 1960:186

Taeniacanthus longicaudus Pillai

-- -- Pillai, 1963. pp. 116-118, fig. 3

— —, Pillai, 19?, p. 1561, fig. 3

-- DOJIRI & CRESSY 1987: 6, 8, 9, 60, 36, 76, 119

TAENIACANTHUS LONGICERVIS (PILLAI, 1963)

PARATAENIACANTHUS -, PILLAI 1963: 120-122, FIG. 5-N.SP.;

HOST SAURIDA TUMBIL.

P. -, PILLAI, 1963: 1562, FIG. 6

T. -, DOJIRI & CRESSEY 1987: 8, 9, 60-65, FIGS. 38-41,

TRANSFERRED TO TAENIACANTHUS; HOSTS SAURIDA

UNDOsquAMIS, SOUTH CHINA SEA, & S. ELONGATA, HONG KONG;

36

P. -, CRESSEY & CRESSEY 1979: 13-14, FIGS. 25, 26,
REDESCR. 20, HOST SAURIDA UNDOsquAMIS

Taeniacanthus longichela Yamaguti et Yamasu ,1959

--- ---, Shiino 1960, pp. 507-512, fig. 4-5

n. sp. Yamaguti & Yamasu, 1959, p. 99-100, pl. III,
figs. 56-66

-- DOJIRI & CRESSY 1987: 26, 31-32, JUNIOR

SYNONYM OF T. BALISTAE

-- BALARAMAN 1983b: 42

TAENIACANTHUS

Anchistrotos lucipetus Holmes 1985

A.-- Holmes 1985:18-25, Figs.1-17, n.sp. ♀♂, Ireland,
Lough Ine; host unknown.

A.-- DOJIRI + CRESSBY 1987:143,152,147

TAENIACANTHUS -, N.COMB., KABATA 1992:198-
FIG. 43.F-H, SYNONYMY; HOST UNKNOWN.

TAENIACANTHUS MILES (PILLAI, 1963)

PARATAENIACANTHUS -, PILLAI 1963: 118-120, FIG. 4, N. SP.;

HOST PTEROIS MILES, TRIVANDRUM, INDIA.

P. -, PILLAI 19? : 1560, FIG. 5.

TAENIACANTHUS -, DOJIRI + CRESSEY 1987: 8, 9, 66-71,

FIGS. 42-45; TRANSFERRED TO TAENIACANTHUS; 95, 119

TAENIACANTHUS MOA (LEWIS, 1967)

ANCHISTROTOS -, LEWIS 1967: 10, 11, 13, 15, FIGS. 4, 5, N.SP.;

HOST OSTRACION LENTIGINOSUM, OAHU, HAWAII.

A. -, HO & DOJIRI 1976: 259, FIG. 3

A. -, HOLMES 1985: 24.

T. -, DOJIRI & CRESSEY 1987: 2, 6, 10, 71-74, FIGS. 46-

49, REDESCRIBED ♀; HOST O. LENTIGINOSUM, HAWAII;

TRANSFERRED TO TAENIACANTHUS; 16, 87, 236.

Ergasilidae - Cyclopoidea

Taeniacanthus monacanthi Yamaguti ♀

— — Yamaguti, 1939, p. 402; pl. 7, f. 60-68; pl. 8, figs 69-71.

— — DOJIRI + CRESSEY 1987: 152-157, FIGS. 106-108, TYPE OF

CIRRACANTHUS, NEW GENUS.

— MONOCANTHI, BALARAMAN 1983b: 42

Host Gills, Monacanthus cirrifer Temm. & Schleg.

Tarumi, Japan

Taeniacanthus narcini Pillai

-- -- Pillai 1963. pp. 114-116, fig. 2

--, Ho, 1969, p. 128

--, Pillai, 19?, p. 1559, fig. 2.

-- DOJIRI & CRESSEY 1987: 6, 8, 76, 23, 37, 60, 163

-- RADHAKRISHNAN & NAIR 1983: 97, HOST NARCINE
TIMLEI, INDIA

Ergasilidae - Cyclopoidea

Taeniacanthus neopercis Yamaguti ♀

— — Yamaguti, 1939, p. 403: pl. 8, f. 72-77; pl. 9, figs. 78-80

-- DOJIRI & CRESSEY 1987: 9, 76-80, FIGS. 50-52, REDESCRIBED

HOST PARAPERCIS SEXFASCIATUS, JAPAN; 36, 114

-- BALARAMAN 1983b: 42

Host Gills, *Neopercis aurantiaca*; *N. multifasciata* -

Kōti, Japan.

TAENIACANTHUS NUDICAUDA DOJIRI + CRESSEY, 1987

-- DOJIRI + CRESSEY 1987: 10, 80-84, FIGS. 53-55, N.SP.

♀♂, HOST CIRRIPECTES ALBOPICTUS, COOK ISLANDS;

22, 48, 71, 80, 95, 109, 114

TAENIACANTHUS OCCIDENTALIS ^{C.B.} (WILSON, 1924) CARD 1

ANCHISTROTOS -, WILSON 1924: 6, pl. 2, FIGS. 10-18,
N. SP. ♀ ONLY; HOST ALUTERA SCHOEPPFI, WOODS
HOLE, MASSACHUSETTS.

A. -, WILSON 1932: 385, FIG. 237

A. -, HUMRS + ROSENFELD 1960: 179-187, FIGS. 1-29,
REDESCR. ♀, DESCR. ♂; WOODS HOLE.

A. -, LEWIS 1967: 10

A. -, Ho 1978: 4, 10, FIG. 5

A. -, AUDREU 1977: 135

TAENIACANTHUS OCCIDENTALIS (WILSON, 1924) CARD 2

ANGHISTROTOS -, HOLMES 1985: 24

T. -, DOJIRI & CRESSEY 1987: 2, 6, 84-87, FIGS. 56, 57,
REDESCRIBED ♀; HOSTS ALUTERA SCHOEPPi, A. HEUDELOTII,
MASSACHUSETTS, FLORIDA; TRANSFERRED TO TAENIACANTHUS,
32, 128

T. -, DOJIRI & Ho 1987: 36

A. -, AUDEEV 1977: 135 (= TAENIACANTHUS -)

= TAENIACANTHUS

Cyclopoida - Ergasilidae.

Bomolochus onosi T. Scott, ♂, ♀.

①

— — T. Scott, 1902, a, p. 289: pl. 13, figs. 19-22.

— — B. Smith, 1903, p. 108

— — T. Scott, 1906, b, p. 361,

— — Wilson, 1911, a, p. 368 (key).

Anchistrotas Stock, 1953 (Beaufortia No. 24), pp. 9-11, fig. 34-44.

Host, Gill covers, Onos mustelus & O. cimbricus

British Seas.

--, Boer, 1970-2, Tbl. 1

ANCHISTROTOS —, HOLMES 1985: 22-23.

ANCHISTROTOS —, DOJIRI + CRESSBY 1987: 143, 152

= TAENIACANTHUS
ANCHISTROTOS ONOSI (T. SCOTT, 1902)

CARD R

BOMOLOCHUS -, T. SCOTT 1902a: 289, pl. 13 FIGS. 19-22, n. sp.;

HOSTS ONOS MUSTELUS v O. CIMBRIUS, BRITISH SEAS.

B. -, BASSETT-SMITH 1903: 108

B. -, T. SCOTT 1906b: 361

B. -, WILSON 1911a: 368 (KEY)

ANCHISTROTOS -, STOCK 1953 (BEAUFORTIA No. 24): 9-11, FIGS.

34-44.

A. -, BOER 1970-2, TBL. 1

= TAENIACANTHUS

CARD 3

ANCHISTROTOS ONOSI (T. SCOTT, 1902)

A. -, HOLMES 1985: 22-23

A. -, DOJIRI + CRESSAY 1987: 143, 152; GIVE HOST RECORDS,
DISTRIBUTION + SYNONYMY; 147;

163, T. ONOSI

TAENIACANTHUS -, N. COMB., KABATA 1992: 197-;
FIG. 43A-E, SYNONYMY, HOST LIST

A. -, AUDEEV 1977: 135 (= T. o.)

A. -, HUMES + ROSENFELD 1960: 185

A. -, KAZACHENKO 1994: 32, FIG. 5Z

TAEINIACANTHUS OSTRACIONIS (RICHARDI, 1870)

CARD 1

BOMOLOCHUS -, RICHARDI 1870: 47, pl. I B, FIGS. 1-5, N. SP;

HOST OSTRACION CORNUTUS (= LACTORIA CORNUTA),

~~MORAMBIQUE.~~ MEDITERRANEAN

BOMOLOCHUS -, SUMPF 1871: 8

ANCHISTROTOS -, ^{L.B.} WILSON 1911: 387, 392, TRANSFERRED TO

ANCHISTROTOS.

A. -, LEWIS 1967: 15

A. -, Ho 1969: 129

A. -, AUDERU 1977: 135 (= T.o.)

TAENIACANTHUS OSTRACIONIS (RICHARDI, 1870)

CARD 2

ANCHISTROTOS -, HOLMES 1985: 24.

T. -, DOJIRI + CRESSY 1987: 4, 10, 87-91, FIGS. 58-61,

REDESCRIBED ♀; HOST LACTORIA CORNUTA, QUEENSLAND,

AUSTRALIA; TRANSFERRED TO TAENIACANTHUS; 16, 76, 163,

236.

A. -, HUMES + ROSENFELD 1960: 185

TAENIACANTHUS PAPULOSUS DOJIRI + CRESSEY 1987

-- DOJIRI + CRESSEY 1987: 5, 9, 87-95, FIGS. 62-64,
N.SP. ♀♂, HOST EXALLIAS BREVIS, FIJI + AUSTRALIA; 22,
36, 48, 70, 84, 109

Taeniacanthus pectinatus Yamaguti & Yamasu, 1959

n.sp. Yamaguti & Yamasu, 1959, p. 95, 98, 101-2, pl.
IV, figs. 67-78.

-- DOUJRI & CRESSLEY 1987:10, 95-96, 16, 236

TAENIACANTHUS PETILUS DOJIRI & CRESSEY 1987

-- DOJIRI & CRESSEY 1987: 4, 9, 96-99, FIGS. 65-67, N.SP.
♀; HOST PLATYCEPHALUS CROCODILUS, UNGWAMA BAY,
KENYA; 80, 114, 119

TAENIACANTHUS PLATYCEPHALI (YAMAGUTI, 1936)

PARATAENIACANTHUS -, RANGNEKAR + MURTI, 1961: 208

P. -, KABATA, 1970: FIG. 12

T. -, DOJIRI + CRESSY 1987: 8, 9, 96-103, FIGS. 68-70,

TRANSFERRED TO TAENIACANTHUS; HOSTS PLATYCEPHALUS

INDICUS, KOJIMA BAY, JAPAN, + P. CERULEOPUNCTATUS,

PT. MACQUARIE, AUSTRALIA; REDESCRIBED; 36, 124

T. -, DOJIRI + HO 1987: 34, HOST PLATYCEPHALUS

INDICUS, JAPAN

TAENIACANTHUS POLLICARIS DOJIRI + CRESSEY 1987

-- DOJIRI + CRESSEY 1987: 5, 9, 103-109, FIGS. 71-74, N. SP.

♀♂; HOSTS CIRRIPECTES FUSCOGUTTATUS + OTHER CIRRI-

PECTES SPP; TYPE LOCALITY, TONGA ISLANDS; OTHER

RECORDS - PACIFIC; 22, 36, 41, 48, 70, 84, 95

TAENIACANTHUS PSEUDORHOMBI (YAMAGUTI, 1939)

-- DOJIRI + CRESSEY 1987: 2, 4, 5, 8, 109-113, FIGS. 75-78,

GIVE SYNONYMY; TRANSFERRED FROM PARATAENIACANTHUS;

9, IN KEY; 22, 48, 119, 124

TAENIACANTHUS PTEROIS SHEN, 1957

-- SHEN 1957a: 325, PL. IX, N. SP. ♀ ONLY, CHINA

-- DOJIRI + CRESSY 1987: 9, 114-118, FIGS. 79-82,

REDESCRIBED; HOSTS PTEROIS VOLITANS + P. MACRURUS,

GULF OF ELAT; SYNONYM PARATAENIACANTHUS

RUSSELLI DEVI + SHYAMASUNDARI; 80

TAENIACANTHUS ROTUNDICEPS (SHIINO, 1957)

PARATAENIACANTHUS -, SHIINO 1957: 422-428, FIGS.

5-6, 1 TBL, N. SP.; HOST PSEUDOBLENNIUS PERCOIDES,
SETO, JAPAN

T. -, DOJIRI & CRESSEY 1987: 8, 9, 119-124, FIGS.

83-86, SYNONYMY; HOST P. PERCOIDES, JAPAN; TRANS-
FERRED TO TAENIACANTHUS; 128

T. -, DOJIRI & HO 1987: 34, FIG. 1B, HOST PSEUDOBLENNIUS
COTTOIDES, JAPAN

Taeniacanthus sabafugu Yamaguti & Yamasu, 1959

--, Ho, 1969, p. 112, = T. lagocephali, p. 128

n. sp. Yamaguti & Yamasu, 1959, p. 102-4, pl. VI,
figs. 77-89; Host SPHOEROIDES SPADICEUS, INLAND
SEA, JAPAN

-- DOJIRI & CRESSAY 1987: 54, 60, SYN. OP T. LAGOCEPHALI

T. SUBAFUGA, BALARAMAN 1983b: 42

Taeniocanthus sauridae Yamaguti & Yamasu, 1959

n. sp. Yamaguti & Yamasu, 1959, p. 106-108, pl. V,
figs. 90-99.

-- DOJIRI & CRESSEY 1987: 9, 124, 80, 114

-- CRESSEY & CRESSEY 1979: 14-15, FIGS. 27, 28,
REDESCR. ♀♂, HOSTS SAURIDA 4 spp.

-- BALARAMAN 1983b: 42

Ergasilidae - Cyclopoida

Taeniacanthus sebastichthydis Yamaguti ♀

— — Yamaguti, 1939, p. 399; pl. 4, f. 38; pl. 5, figs. 39-48.

--, Yamaguti, & Yamasu, 1959, p. 90

--, LEWIS, 1967: 10

-- DOJIRI + CRESSEY 1987: 9, 124-128, FIGS. 87-89; HOST

SEBASTES INERMIS; JUNIOR SYNONYM T. SEBASTISCI YAMAGUTI.

Host. Gills, Sebastichthys oblongus (Gunther)

Sea of Japan

Taeniacanthus sebastichthydis Yamaguti 1939

card 2

-- Dojiri & Ho 1987: 36, host Sebastes hubbsi, Japan;

+ SEBASTISCUS MARMORATUS

-- SHEN 1957a: 326-

Ergasilidae - Cyclopoidea

Taeniacanthus sebastisci Yamaguti ♀

— — Yamaguti, 1939, p. 405: pl. 9, figs. 81-85

-- DOJIRI + CRESSEY 1987: 124, 128, JUNIOR SYNONYM OF
T. SEBASTICHTHYDIS YAMAGUTI.

Host, Gills, *Sebastiscus marmoratus* (Cuv. & Val.)

Ise Bay, Japan.

TAENIACANTHUS SIMILIS DOJIRI & CRESSEY, 1987

-- DOJIRI & CRESSEY 1987: 10, 128-130, FIGS. 90, 91, n. sp.

♂; TYPE HOST MEUSCHENIA CONVEXIROSTRIS, NEW
ZEALAND; OTHER HOSTS CANTHERHINES HIPPOCREPIS &
ALUTERA SCRIPTA, PACIFIC; 32, 84, 87, 236.

-- DOJIRI & HO 1987: 36, FIG. 1 C-G, HOST DIDON
HOLACANTHUS, JAPAN

TAENIACANTHUS SUBAFUGA —

SEE T. SABAFUGU

TAENIACANTHUS TETRADONIS (BASSETT-SMITH, 1898) CARD 1

BOMOLOCHUS TETRADONIS, BASSETT-SMITH, 1898a: 4, pl. I,
FIGS. 2a-h, n. sp.

B. TETRODONTIS, BASSETT-SMITH, 1899: 442

IRODES / B. TETRODONTIS, WILSON, 1911: 386, 390.

IRODES TETRAODONTIS, YAMAGUTI, 1936: PL. 3, FIGS. 30-39,
PL. 4, FIGS. 40-48

I. TETRAODONTIS, YAMAGUTI + YAMASU, 1959: 106

I. TETRAODONTIS, PILLAI, 1937: 1562, FIG. 8

TAENIACANTHUS TETRADONIS (BASSETT-SMITH, 1898) CARD 2

BOMOLOCHUS TETRADONTIS, STOCK 1965: 223

B. / IRODES TETRADONTIS, HO 1969: 127, = TAENIACANTHUS
TETRADONTIS.

B. / I. TETRADONIS, DOJIRI + CRESSEY 1987: 8, 128, 31 - GIVE
SYNONYMY; 236.

I. -, BAKARAMAN 1983b: 41-42

Taeniacanthus upenei Yamaguti, 1954

1954---Yamaguti, S., pp. 377-378, pl. I figs. 8-10,

pl. III, fig. 20.

--, Ho, 1969, p. 128

-- DOJINI & CRESSEY 1987: 163, 180-184, FIGS. 124-126,

REDESCRIBED ♀♂, NEW HOST RECORDS; TRANSFERRED TO

IRODES.

Taeniacanthus upenei upeneoides Yamaguti

1954--Yamaguti, S., pp. 378-379, pl. II, figs. 17-18.

--, Ho, 1969, p. 128

TAENIACANTHUS WILLIAMSII DOJIRI & CRESSEY 1987

-- DOJIRI & CRESSEY 1987: 4, 8, 131-137, FIGS. 92-95, N.SP.

♀ ♂ ; HOSTS CIRRIPECTES SPP.; TYPE HOST CIRRIPECTES

CASTANEUS; TYPE LOCALITY KWAZULU REEF, S. AFRICA;

22, 36, 47, 48, 84, 109

Ergasilidae - Cyclopoida.

Taeniacanthus wilsoni A. Scott.

— — A. Scott, 1929, p. 84: pl. 1, figs. 1-10: t. f. 2.
—, Ho, 1969, p. 127

-- DOJIRI + CRESSEY 1987: 143, 137

Host. Gills of Taia fullonica, IRISH SEA

-- KABATA 1992: 202; FIG. 44E, F, HOST LIST

Taeniacanthus yamagutii (Shiino, 1957)

CARD 1

--, Yamaguti & Yamasu, 1959, p. 95, 104-6, pl. V,
figs. 100-112

-- DOJIRI + CRESSEY 1987: 4, 5, 10, 137-142, FIGS. 96-99,
REDESCRIBED ♀♂; HOST TAKIFUGU RUBRIPES, KOJIMA
BAY, JAPAN; SYNONYMS IRODES TETRAODONTIS SENSU
YAMAGUTI, 1936; + IRODES YAMAGUTII; 41, 54, 96, 163, 236.

IRODES TETRAODONTIS, YAMAGUTI 1936: pl. 3, FIGS. 30-39,
pl. 4, FIGS. 40-48.

IRODES TETRAODONTIS, HO 1969: 127, = TAEVIACANTHUS T.

IRODES YAMAGUTII, SHIINO 1957: 376-383, FIGS. 1-3

TAENIACANTHUS YAMAGUTI (SHIINO, 1957) CARD 2

-- DOJIRI + HO 1987:36, HOST FUGU POECILONOTUS,

F. STICTONOTUS, JAPAN

TAEINIACANTHUS ZEUGOPTERI (T. SCOTT, 1902)

CARD 1

BOMOLOCHUS -, T. SCOTT 1902a: 290, pl. 13, FIGS. 23-25,

N.S.P.; HOST ZEUGOPTERUS PUNCTATUS, BRITISH SEAS.

B. -, BASSETT-SMITH 1903: 108

B. -, WILSON 1911a: 368 (KEY)

TAEINIACANTHUS -, ^{N. COMB.} DOBIRI & CRESSEY 1987: 8, 142, TRANSFERRED
TO TAEINIACANTHUS; GIVE SYNONYMY.

ANCHISTROTOS ZEUGOPTERI, HOLMES 1985: 22, 23

T. -, KABATA 1992: 200, FIG. 44 C-D, SYNONYMY,

HOST LIST

TAENIACANTHUS ZEUGOPTERI (T. SCOTT, 1902) CARD 2

ANCHISTROTOS -, HUMES + ROSENFELD 1960:186

ANCHISTROTOS -, AUDEEV 1977:135

ANCHISTROTOS -, HOLMES 1985:22,23

TAENIACANTHUS -, N. COMB., DOJIRI + CRESSEY 1987:

142, 143