

TANYPLEURIDAE KABATA, 1969

- KABATA 1988: 8, 72

in/ Lernaeopodidae-Lernaeopodoida
Tanypleurus, valid,
Sp. & Ltk., 1861, T. alicornis.

Syn. Tanypleurus S. & L., 1861, p.
Tanypleurus-Taffray-Insects-1890
Ismaila-Bergh-1867,

Τανύπλευρος = long-sided, huge.

Body flattened, very wide, produced on either side into a digitate process like an elk's horn, but bent around ventrally.

Fastened to its host by means of a short peduncle, corneous, simple or double, sending out a cirrous disk of attachment, and itself coming from anterior margin of body.

Egg-sacs bent & partially concealed -
Mxp's, & thorax legs entirely wanting.

Male unknown

Tanypleuridae: Siphonostomatoida

TANYPLEURUS

-2-

- KABATA 1988: 72

Chondracanthidae.
Tanypleurus alicornis, Stp. & Ltk. ♀

- —, Stp. & Ltk., 1861, p. 425: pl. XV, fig. 38.
— —, B. Smith, 1899, p. 496.
— —, Stephensen, 1913, p. 342
— —, Wilson, 1920, p. 16 L.

Host. Cyclopterus spinosus: Scymnus
microcephalus: Laemargus borealis.

Greenland.

— — Hansen, 1923, p. 49.

--, Kabata, 1968⁹, pp. 1407-14, 12 figs., new family.

- ALCICORNIS, KABATA 1988: 72, FIG. 39 A-C;

HOST LIST.

- ALCICORNIS, KABATA 1988b: 5