

Clausidiidae-Cyclopoida

Teredicola C.B. Wilson

Genotype-T. typica

Wilson 1942. ♀ ♂. Host=Teredo, internal. Hawaii

- WILSON & KELLY 1955: PASSIM
- O'REILLY 1995: 54-

CLAUSIIDAE-POECILOSTOMATONDA Clausidiidae-Cyclopoidea

Teredicola typica C. B. Wilson

— C. B. Wilson 1942, pp. 6-62, fig. 1, a-h

— C.H. Edmondson, 1942 pp. 145-147, fig. 13

— C.H. Edmondson, 1945, p. 220, figs. 1-3.

— C.B. Wilson, 1944, p. 539, pl. 31, figs. 172-179

— M.S. Wilson & Illg, 1955, p. 132.

— M.S. Wilson, 1957, p. 265-274, fig. 1-19.
(redescription) - Hawaii

Teredicola typicus C. B. Wilson, 1942; Humes &
Turner, 1972, pp. 63-72, 16 figs., AUSTRALIA,
NEW ZEALAND, JAPAN

Teredicola typicus C.B. Wilson

card 2

--, McKoy, 1975, p. 417-421, fig. 1, tbl. 1

- O'Reilly 1995: 56

-- Bonnet 1948: 7