

Fam. TETRAGONICEPSIDAE, nov.

Harpacticoida

_____ Lang 1948, p. 880

TETRAGONICIPITIDAE, BECKER + KUNZ 1981: 34-37,
INCLUDE OMISCOPSIS (CHAPPUIS)

in

Canthocamptidae - Harpacticoida,

Tetragoniceps

Brady, 1880.

T. scotti (M)

T. malleolatus.

Syn. Tetragoniceps Brady, 1880², p. 65.

Tetragoniceps G.O. Sars, 1911, p. 410.

Nicholls 1939b & 1940, p. 286 Key

Τέτρα, four γόνικος, angled

Elongated, cylindrical; head fused with thorax; abdomen elongated. 1st. antennae 8-jointed and slender; 2nd. pair 3-jointed, with a 1-jointed endopod. Mandible palp slender, biramous; maxillar palp moderately developed. 2nd. mxpd. forming a clawed hand. Endopod of 1st. legs elongate, 2-jointed, exopod 3-jointed. 2nd, 3rd. & 4th. pairs similar, 5th. pair uniramous.

TETRAGONICIPITIDAE - HARPACTOIDA

TETRAGONICEPS BRADY

(2)

- AULYS 1992: 71-

- KUNZ 1984c: 33; FEARIA COULL IS A SYNONYM
(NEW SYNONYMY)

FEARIA, COULL 1971: 215, N. G.

- KUNZ 1994b: 60

Tetragoniceps arenicolous Krishnaswamy, 1957

-- Krishnaswamy 1957d:55-57, fig. 9, n. sp. ♀ only,
Madras, India; unpublished thesis.

T. arenicolus, Coull 1971:219

T. arenicolus, Coull 1973a:12,14, Tab. 1

T. ARENICOLUS, Kunz 1984a:35-

Tetragoniceps bergensis Por

-- -- Por, 1965, pp. 4-6, figs. 9-22

--, COULL, 1971: 219

--, COULL, 1973a: 10; TAB. 1

-- KUNZ 1984c: 35-

TETRAGONICEPS BOOKHOUTI COULL, 1971

-- COULL, 1971: 219-221 ♀♂; FIG. VI-XII

--, COULL & HERMAN, 1970: 397

--, COULL, 1973a: 12; TAB. 1

-- KUNZ 1984c: 35-

Canthocamptidae - Harpacticoida

Tetragoniceps bradyi T. Scott,

— — T. Scott, 1892, p. 253: pl. 9, figs. 19-32.

— — Thompson, 1893, p. 197: pl. 27, f. 8, b-f.

A synonym of Phyllopodopsyllus bradyi,

(Sars, 1907, p. 231).

--, Vervoort, 1964, p. 276, 277, 279

--, Lang, 1944, p. 28, a syn. of Phyllopodopsyllus b.

- A. Scott 1896: 143

Anthracampidae - Harpacticoida

Tetragoniceps brevicauda T. Scott,

-- T. Scott, 1900. b. p, 392: pl. 14, figs. 18-22,

-- T. Scott, 1906. b. p, 343,

--, LANG, 1948, P. 582.

--, COLL, 1973a: 14; TAB. 1

-- KUNZ 1984c: 35-

Habitat British Seas,

TETRAGONICEPS BROWNET WELLS, 1967

— Wells, 1967: 310-313, fig. 59-60

--, COLL, 1971: 219

--, COLL, 1973a: 12, 14; TAB. 1

--, MIEHKE 1989b: 107

- BROWNI, KUNZ 1984c: 35-

Canthocamptidae-Harpacticoida.

Tetragoniceps consimilis T. Scott. ♀.

-- T. Scott, 1894, p. 244: pl. 7, fig. 4-12.

A synonym of Pteropsyllus consimilis.
(T. Scott, 1906, b. p. 343).

-- A. Scott 1896: 143, ISLE OF MAN

Canthocamptidae - Harpacticoida.

Tetragoniceps dubia Thompson & Scott, ♀.

— Thompson & Scott, 1903, p. 267: pl. 8, fig. 17-22.

— JS, LANG, 1948, p. 882.

-- COULL, 1971: 201

-- COULL, 1973a: 12; TAB. 1

Habitat. Pearl oyster washings, Ceylon.

-- KRISHNASWAMY 1957d: 57-58, MADRAS, INDIA

-- KUNZ 1984c: 35 - (DUBIUS)

Tetragoniceps galapagoensis Mielke, 1989

-- Mielke 1989b: 98108, Figs. 1-7, n. sp., Galapagos

Canthocamptidae - Harpacticoida.

Tetragoniceps incertus T. Scott.

— — Th. Scott, 1892, p. 253: pl. 12, fig. 1-17.

— — Th. Scott, 1903, p. 16.

A synonym of Evansula incerta.

(T. Scott, 1906, b, p. 342).

--, Pesta, 1932, p. 86

E. Finmark,

Canthocamptidae-Harpacticoida

Tetragoniceps longicaudata Nicholls

Nicholls 1939 b, p. 288, figs. 18⁻¹⁹, St. Lawrence ♀ ♂
Nicholls 1940, p. 288, figs. 18-19

--, COULL, 1971: 319

--, COULL, 1973a: 12; TAB. 1

-- KRISHNASWAMY 1957d: 57

-- MIELKE 1989b: 108

-- KUNZ 1984c: 35-

Tetragoniceps longiremis

--, Vervoort, 1964, p. 316

Tetragoniceps macronyx T. Scott

— — T. Scott, 1892, p. 253: pl. 10, fig. 19-28.

A synonym of Leptastacus macronyx,
(T. Scott, 1906.b, p. 342),

— —, Wells, 1970, p. 265

— —, Pesta, 1932, p. 89

— — Huys 1992: 27

--, Dolzonolskaya, 1970, p. 96, a syn. of Leptastacus m.

Canthocamptidae - Harpacticoida.

Tetragoniceps malleolata Brady, ♀.

— Brady, 1880, vol. 2, p. 66: pl. 78, §. 1-11.

Not — T. Scott, 1892, p. 252: pl. 8, §. 11-12.

Not — T. Scott, 1900, b. p. 391: pl. 14, §. 9-17.

Not — T. Scott, 1906, b. p. 343.

Monard 1935a, p. 62, Fig. 172-173. Roscoff, France

Habitat, British Seas.

— TJS, LANG, 1948, p. 882.

—, COULL, 1971: 221

-- --, Wells, 1970, p. 264

-- --, Guille & Soyer, 1966, p. 376

--, Jakobi, 1959, p. 280

--, COULL, 1973a: 12; TAB. 1

- malleolatus, BODIN 1970: p. 419; Tab. B; Pl. 25.

- malleolatus, BODIN 1968: p. 281.

- MALLEOLATA, KRISHNASWAMY 1957d: 57

- MALLEOLATUS, BODIN 1964: 192, Pl. VIII FIG. 48,

GULF OF MARSEILLES

- MALLEOLATUS, KUNZ 1984c: 35 -

Canthocamptidae - Harpacticoida.

Tetragoniceps minor Thompson & Scott, ♀

— — Thompson & Scott, 1903, p. 268: pl. 8, f. 23-28.

--, Vervoort, 1964, p. 277; 279

Habitat. Pearl oyster washings, Ceylon.

Tetragoniceps prima (Coull, 1971)

Fearia prima, Coull 1971: 215-218, fig. IX-X, n. sp.

female + male

Fearia prima, Coull & Herman 1970: 397

Fearia prima, Coull 1973a: 14

Tetragoniceps prima, n. comb., Kunz 1984c: 33-36

Canthocamptidae - Harpacticoida.

Tetragoniceps pygmaeus T. Scott, ♀.

— — T. Scott, 1903, c. p. 117: pl. 4, §. 11-19.
—, Pesta, 1932, p. 87

A synonym of Evansula pygmaea.
(T. Scott, 1906, b, p. 342).

Canthocamptidae - Harpacticoida.

Tetragoniceps scotti G. O. Sars, ♂. ♀.

— — Sars, 1911, p. 411: Suppl. pl. 36: pl. 37, fig. 1.

— malleolata T. Scott, 1892, p. 252: pl. 8, fig. 11-12.

— —, LANG, 1948, p. 553.

— —, Wells, 1970, p. 264

— —, Jakobi, 1959, p. 280

Scottish Coast: Norway Coast:

— — KUNZ 1984c: 35 —

— —, COUL, 1973a: 14; TAB. 1

— — ROUCH 1962: 238, 239 — PUNTA CANTERAS, ARGENTINA

Tetragoniceps trispinosus A. Scott - see Syrticola

Tetragoniceps truncata Nicholls

Nicholls 1939 b, p. 288, fig. 17, St. Lawrence ♀
Nicholls 1940, p. 288, fig. 17

--, COULL, 1971: 219

--, COULL, 1973a: 12, 14; TAB. 1

-- KRISHNASWAMY 1957d: 57

-- KUNZ 1984c: 35 -

TETRAGONICEPS SP.

-- HUYS, OHTSUKA + BOXSHALL 1994: 205, OKINAWA