

in)

Trifur valid  
Wilson, 1917

Caligoida

T. tortuosus.

Syn. Trifur, Wilson, 1917, p. 101.

Trifur = a notorious rascal in Plautus.

Pennellidae: Siphonostomatoida

Trifur

-, Kabata, 1972, p. 321, key to genera of lernaeoceridae

-, Kabata 1979, 291, 292, 296, 299.

Lernaeidae - Caligoida

Trifur chlorophthalmi Yamaguti, ♀.

— — Yamaguti, 1939, p. 481: pl. 32, f. 184; pl. 33, figs. 189-192

Host Pectoral fin, *Chlorophthalmus albatrossis*. Jor. & Starks

Tosa Bay, Japan

Trifur lotellae ( Thomson, 1890)

--, Hewitt & Hine, 1972, p. 93

TRIFUR MERLUCCII TALICE

Trifur merluccii Talice, 1936, pp. 160-161, pl. fig. A-D.

On Merluccius hubbsi, north of Río de la Plata, Uruguay.

a syn. of T. tortuosus Wilson - cf. Ringuelet, 1947, pp.  
93-95.

Trifur physiculi Heegaard

-- --, Heegaard 1962. p. 187, fig. 214-220

-- THOMÉ 1963: 8-10

TRIFUR PUNTANIGER THOMÉ, 1963

-- THOMÉ 1963: 1-10, FIG. 1, OFF PUNTA NEGRA,  
URUGUAY; UNIDENTIFIED FISH HOST. N.SP.

Trifur tortuosus Wilson, ♀.

— — Wilson, 1917, a, p, 102: pl. 20 & 21, fig. 158-160.

Trifur merlucii Talice, 1936, pp. 160-161, fig. A-D.

— Tortuosus. Brian, 1944, pp. 209-212, pl. 6, fig. 45-54.

— — Ringeleit, 1947, pp. 93-95.

— — Thomsen, 1949, pp. 36-38, pl. 13, fig. 1-11.

Host. Salilota australis, Merluccius hubbsi Marini

Merluccius gayi (Guich.).

South America.



Trifur tortuosus Wilson, 1917

Card 2

--, Kabata, Z., and J..Ho, 1981, p. 387

--, Szidat, 1973, p. 122-124, fig. 1

— Stuardo & Fagetti, 1960: table

- Kabata 1979, 299

F.-, THOMÉ 1963: 1, 8-10; T. MERLUCCII A SYNONYM (IS  
AN UNIDENTIFIABLE SPECIES).

Trifur sp.

—Castro R. & Baeza K., 1986: 171-174, fig. 13-23