

Tropocyclops TIEFFER, 1927

- Lindberg, 1955g: 480-482 key.
- Lindberg, 1955i: 7-10
- , Borutzky 1960: 158
- REID 1986a: 595
- REID 1985b: 32, 36-37, KEY TO SOUTH AMERICAN spp.
- SHEN + TAI 1964c: 371, TAB. 3
- HADEL + CARVALHO 1988: 571-, IN BRONELWADS
- DUMONT + VERHEYE 1984: 320
- KABATA 1988d: 7

Tropocyclops Kiefer, 1927

card 2

- Reid 1990f:105, subtle characters

- REID 1991a: 14-15, KEY TO AMERICAN SPECIES

- WILLIAMSON 1991: 808-

- REID 1994b: 347

TROPOCYCLOPS AFFINIS - SEE PARACYCLOPS

Cyclopidae-Cyclopoida

Tropocydops breviramus Hsiao

Hsiao, 1950, pp. 178-181, fig. 23. ♂, LAKE ERH HAI, CHINA

-- -- Lindberg, 1955, p. 9.

--, SHEN-TA, 1964d: 616, 618; TAB. 1, 2

T. PRASINUS BREVIRAMUS, ACADEMIA SINICA, 1979: 334

TROPOCYCLOPS BREVIS DUSSART, 1970

-- DUSSART, 1970: 869-872; FIG. 1

TROPOCYCLOPS BREVISPINUS SHEN & TAI, 1962

--, SHEN & TAI, 1962b: 402, fig. 407

--, ACADEMIA SINICA 1979: 332, 338-339; FIG. 95

--^{SHEH}, _n^{TAI}, Chia-jui & Hsiung, 1962, pp. 225, 235-236,

figs. 33-35, N.S.P., WU-LI LAKE, KIANG-SU PROV., CHINA

--^{SHEH}, _n^{TAI}, Chia-jui & Ta-hsiang, 1965, passim

-- REID 1991a: 12

TROPOCYCLOPS CANDIDUS (HARADA, 1931)

--, ACADEMIA SINICA, 1979: 332, 337; FIG. 193; SYN:

EUCYCLOPS (T.) PRAESINUS CANDIDUS; E. (T.) c.;

--, LINDBERG, 1955: 460

-- UEDA, ISHIDA & MAI 1996: 55

(TROPO-) Eucyclopinae - Cyclopoida
Eucyclops confinis Kiefer ♀ ①

E., KIEFER 1930: 119-120, FIGS. 3-5, MADAGASCAR

E. — Kiefer, 1931, p. 508 : figs. 5-6

— — Kiefer, 1934, p. 160

= Tropocyclops confinis, (SHEN-YAI, 1964: 449)

— Lindberg, 1942a: 77 — , fig. 4.

Habitat. North America, Madagascar,

Tropocyclops confinis (Kiefer)

card 2

- , Kiefer, 1956, p. 264
— Lindberg, 1951g: 58 , fig. 10.
— Lindberg, 1950f: 107

Tropocyclops —, Lindberg, 1951, p. 430

- — Lindberg, 1958, p. 115.
-- — Lindberg, 1959, p. 11.
-- — Lindberg, 1955, p. 106.
-- — Lindberg, 1949b p:5., fig. d - f.
-- — Lindberg, 1951, p. 12.
--. LINDBERG 1955: 482

--- Lindberg, 1953, pp. 11-17.

--- Lindberg, 1953^a, pp.: ~~pp.~~ 98.

--- Lindberg, 1950 ~~pp.~~ 10, chart.

--- Lindberg, 1952 ~~pp.~~ ~~53-67~~ 61

--- Lindberg, 1951 ~~pp.~~ ~~427-435~~ 430

--- Lindberg, 1949 ~~pp.~~ ~~38-46~~ : 42-43 fig. 3

--, Por, 1967, p. 1

--, Kiefer, 1952, p. 93,

--, SHEN-TAI, 1964b: 449-450, 458, 461; FIG. 24-26; TAB. 1
SYN: EUCYCLOPS (T.) C.

--, SHEN-TAI, 1964d: 616, 617, 618; TAB. 1, 2

Tropocyclops confinis (Kiefer)

card 3

-- Lindberg, 1951, p. 188, 192

-- Fernando, 1980: fig. 1

-- YEATMAN 1983: 71-72, FIG. 9j-k

-- DUSSART 1981b: 162

-- DUSSART 1981c: 162

-- Dussart, 1982: 52-53, pl. II B, MADAGASCAR

-- KIEFER 1949: 71-73, FIGS. 6 A, B, GERMANY, MADAGASCAR

-- DAUMONT 1981b: 99, 107-108, FIG. 9(5, 6, 10, 12), W. AFRICA

-- DAUMONT & MAAS 1988b: 4, 6, IVORY COAST

Tropocyclops confinis (Kiefer)

card 6

-- Dumont et al. 1981: 165, Mali

-- VAN DE VELDE & DUMONT 1982: 124, SENEGAL

-- LÖFFLER 1961c: 393

-- FIERS & VAN DE VELDE 1984: 183, FIG. 5e,
TANGANYIKA

-- REID 1991a: 12-

-- BOSSHALL & BRAIDE 1991: 186, FIGS. 14, 21, NIGERIA;
?= OXYCLOPS VIRESSENS OF BRADY, 1910

-- REID 1992d: 265-

Tropocyclops confinis (Kiefer)

card 5

-- Riera 1981: 164-

-- DEFAYE 1988: 104-, TAB. I, ETHIOPIA; FIGS. 66-69

-- ONABAMIRO 1957: 129

-- JEJE + FERNANDO 1992: 241-, NIGERIA

-- EINSLE 1971: 38-39, 43, FIG. 10, TAB. 3, CONGO/
ZAIRE

-- KIEFER 1962: 119-121, FIGS. 8-11, CONGO/BRAZZAVILLE

Tropocyclops confinus confinis (Kiefer, 1930)

----, Kiefer, 1952, p. 93

TROPOCYCLOPS CONFUSIS AWIENSIS ONABAMIRO, 1957
-- - ONABAMIRO 1957: 127-, FIGS. 13-18, N. 551,
RIVER OMI, AWA, NIGERIA
-- DUSSART, 1972: 822
-- DUMONT 1981b: 114
-- BOXSHAW & BRAIDE 1991: 186, NIGERIA

Tropocyclops confinis forma frequens (Kiefer, 1931) ✓
Eucyclops (T.) confinis f. frequens, Kiefer 1931:509-,
new form, Africa, Asia
- see T. frequens

Tropocyclops confinis ssp. longifurca

Dussart

- Dussart, 1982: 319-320, fig 3C
- DUSSART & FERNANDO 1986a: 43
- REID 1990g: 182
- REID 1991a: 13, 14
- REID 1991d: 265 -

Eucyclopinae - Cyclopoida

TROPO.

Eucyclops extensus Kiefer ♀

— F. Kiefer, 1931, p. 591:

— Kiefer, 1931, p. 508: figs. 3 - 4

E. (Tropocyclops) -, KIEFER 1931: 591, 611, NEW JERSEY, 582

Habitat North America

TROPOCYCLOPS EXTENSUS (KIEFER) ②

-- REID & MARTEN 1995: 40-, TAB. I, LA/MI, USA

-- WILLIAMSON 1991: 810

--, LINDBERG, 1955: 480, 481, 484-485

-- DUSSART & FERNANDO 1986a: 43

EUCYCLOPS -, COLLADO ET AL. 1984: 115

-- DUSSART & FERNANDO 1990: 2600 - 2602, FIGS. 33-39,
ONTARIO

-- REID 1990g: 182

-- REID 1991a: 13, 14

-- REID 1991d: 265 -

TROPOCYCLOPS EXTENSUS KIEFER

3

-- WYNGAARD, TAYLOR & MAHONEY 1991: 222-230,

SOUTH CAROLINA, USA

-- DODSON & SILVA-BRIANO 1996: 168, FIG. 3, AGUAS -
CALIENTES, MEXICO

Tropocyclops extensus f. *longispina* KIEFER 1931

-- -- Lindberg, 1955, p. 7.

-- -- Lindberg, 1955, sp. 459, 460, 461, 462, 479-480,
481, 483, 484-485; FIG. 5 a-b

E. -- KIEFER 1931: 582, 611, NEW JERSEY

T. -- REID 1990g: 182

T. -- REID 1991^a: 13, 14

T. -- REID 1991d: 264-

T. -- RIERA 1981: 164 -

Tropocyclops federensis Reid, 1991

-- Reid 1991a: 3, 8-10, 14, figs. 14-20, Table III,
n. sp. ♀ only, Brazil (DF)

-- REID 1991d: 265-, FIG. 1

-- REID 1993(1994)a: 60; CENTRAL BRAZIL

-- HAMER ET AL. 1996: 92

(=TROPOCYCLOPS PRASINUS) Cyclopidae - Cyclopoida.

Cyclops fluviatilis Herrick, ♂. ♀.

— Herrick, 1882, p. 231: pl. 7, figs. 1-9.

— Herrick, 1884, p. 159: pl. Q⁵, figs. 1-9.

— Herrick, 1887, p. 15

— Herrick, 1895, p. 114: pl. 26, figs. 1-8; pl. 30, fig. 1.

— Marsh, 1894: 808

Habitat, North America.

- Stromsten, 1920 b : 269

- KIEFER 1949: 69, SYNONYM OF Tropocyclops
PRASINUS (FISCHER)

- — Cragin, 1883,
— — Turner, 1892,
— — Marsh, 1893, p. 214: pl. 5, figs. 14-15: pl. 6, fig. 1.
— magnocavus Cragin, 1883, p. 5: pl. 2, figs. 14-23.
— — Brady, 1891, p. 19: text-figs. 1-4,
— — Gluviafilis Marsh, 1897, p. 18.
— — Brewer, 1898, p. 135.
— — (= C. prasinus) Schmeil, 1898, p. 157.

a synonym of Cyclops prasinus
(Marsh, 1910, p. 1097).

— — King, 1947, Levee Ponds, Louisiana. U.S.A.

Tropocyclops frequens (Kiefer, 1931) card 1

Eucyclops (Tropocyclops) confinis f. frequens, new form,

Kiefer 1931:509-, Africa, Asia

E. (T.) confinis f. frequens, Lindberg 1939b:passim,
fig. 2a-c

Tropocyclops confinis frequens, Kiefer 1952:9, 93, 11, 12, 13-
15, 16

I. FREQUENS, Dumont 1981:108, NOMEN NUDUM
(but Dumont assumed that Kiefer gave no description
or figures, which is incorrect, so is not a nomen nudum)

CARD 2

TROPOCYCLOPS FREQUENS KIEFER, 1931

--, SHEN & TAI, 1964b : 450, 458, 461 ; FIG. 27-29; TAB. 1;

Syn. Eucyclops (T.) confusus FREQUENS

--, SHEN & TAI, 1964d : 616 ; TAB. 1, 2

--, ACADEMIA SINICA, 1979 : 322, 337-338 ; FIG. 194 ;

TROPOCYCLOPS JAMAICENSIS REID & JANETZKY, 1996
-- REID & JANETZKY 1996:

-- JANETZKY 1997: 4, 5 (FIG.), 6, 8

= *Tropocyclops jerseyensis*

Tropocyclops prasinus jerseyensis (Kiefer, 1931) ①
(*T.*)

Eucyclops prasinus jerseyensis, Kiefer 1931:508-, n. ssp.,
New Jersey, USA

E. (*T.*) --, Kiefer 1931:611, 614, 617, 582, New Jersey

T. --, Lindberg 1955:481

T. --, Lindberg 1955:9

T. --, Shen & Tai 1962:225, 233-234, figs. 27-29

T. --, Shen & Tai 1962b:404, 407

T. --, Shen & Sung 1965:passim

T. JERSEYENSIS, ACADEMIA SINICA, 1979: 335-336, 337,
FIG. 182.

= T. JERSEYENSIS

Tropocyclops prasinus jerseyensis (Kiefer, 1931) card 2

--- Reid 1990g:182

--- REID 1991a:14

--- REID 1991d:265-

--- ONABAMIRO 1957:131

T. JERSEYENSIS, UEDA, ISHIDA + IMAI, 1996: 55

T. P. JERSEYENSIS, PLESA 1981:33, CUBA

Tropocyclops levequei Dumont 1981

-- Dumont 1981b: 99, 106-107, fig. 8, n. sp. ♀, W.Africa

-- REID 1991a: 8-

-- REID 1991d: 273

1962

TROPOCYCLOPS LONGIABDOMINALIS SHEN YU TAI,

--, SHEN YU TAI, 1962b: 402, 404, 407

= T. JERSEYENSIS, ACADEMIA SINICA, 1979: 335

--^{SHEN}, Chia-jui &^{TAI}, H.-yung, 1962, pp. 225, 234-235,
figs. 30-32, N.S.R., LAKE WU-LI, KIANO-SU PROV., CHINA

--^{SHEN}, Chia-jui &^{TAI}, Ia-hsiang, 1965, passim

Tropocyclops mellanbyi Onabamiro, 1952

1952---Onabamiro, Sanya D., pp. 258-260, figs. 6-12.

-- LINDBERG 1955 g:10 -

-- DA MONT 1981b: 114

-- BOXSHALL + BRAIDE 1991: 187, FIG. 16, NIGERIA

Tropocyclops meridionalis f. peruviana -

SEE T. PRASINUS MERIDIONALIS f. PERUVIANA

-- -- Lindberg, 1955, p. 7.

Tropocyclops miser (Brehm, 1953)

Eucyclops -, Brehm 1953:60-, n. sp., Cleveland Lagoon,
Tasmania

Eucyclops -, Lindberg 1955: 10

Tropocyclops -, n. comb., Morton 1990: 668

Tropocyclops nananae Reid, 1991

-- Reid 1991a: 3, 8-13, 14, Figs. 21-28, Table IV, n. sp.
♀♂, Brazil (DF)

-- REID 1991d: 265-

-- REID 1993(1994)a: 60-, CENTRAL BRAZIL

-- HAKER 1996: 92

Tropocyclops nigroviridis (Harada, 1931) ✓

Eucyclops (Tropocyclops) - , Harada 1931: 151-153, figs.
4-6, n.sp., Formosa

E. (T.)- , Lindberg 1955: 10

Tropocyclops - , Kiefer 1938j: 57

Tropocyclops - , Ueno 1938:164

Tropocyclops onabamiroi Lindberg

- — Lindberg, 1950c (Bull. Soc. Zool. Fr. 75:1~~E~~) : 146 - 147, fig. 3,
— — Lindberg, 1955, p. 9.
- - Lindberg, 1961, p. 13.
-- LINDBERG, 1955: 480
- CF. -, DUMONT 1981b: 99, 108-109, FIG. 9(3, 4, 11),
WEST AFRICA
-- BOKSHALL + BRAIDE 1991: 187, FIG. 15, NIGERIA
-- RIERA 1981: 164 -
-- KIEFER 1962: 119-121, FIGS. 4-7, CONGO / BRAZZAVILLE

(TROPOCYCLOPS)

Eucyclopinae - Cyclopoida

Eucyclops parvus (Kiefer) ♀

1

— — Kiefer, 1931, p. 509 : fig., N. S^t, GUATEMALA

Habitat North America, South America,
Guatemala

Tropocyclops parvus (TIEFER, 1931)

CARD 2

-- -- Lindberg, 1958, p. 115.

-- -- Lindberg, 1955, p. 9.

--, ACADEMIA SINICA, 1979: 332, 339-340; FIG. 196; 540:
EUCYCLOPS (T.) PARVUS

--, LINDBERG, 1955: 482, 484-485

-- DUSSART & FERNANDO 1986a: 43; ? = T.
TENELLUS

-- REID 1990g: 182, POSSIBLY = T. TENELLUS

-- REID 1991a: 13

-- REID 1991d: 265-

Tropocyclops parvus (Kiefer, 1931)

card 3

-- Collado et al. 1984: 98

Tropocyclops piscinalis Dussart 1984

-- Dussart 1984d: 256-257, fig. 2, n. sp. ♀, Brazil

-- REID 199/a: 15

-- REID 199/a: 265-

Tropocyclops polkianus Einsle, 1971

-- EINSLÉ 1971: 38-40, FIG. II, TAB. 3, N.J.R.,
CONGO/ZAIRE

- cf. -, Dumont 1981b: 99, 108, 109, Fig. 9(1,2,9),
West Africa

-- REID 1991a: 13

see also Tropocyclops Cyclopidae - Cyclopoida.

Cyclops prasinus Fischer, ♀.

- Fischer, 1860, p. 652 : pl. 20, fig. 19-25, 26a.
- pentagonus Tusseler, 1886, p. 191 : pl. 5, fig. 32-37
- — var. richensis Richard, 1887, p. 162 [pl. 6, fig. 11-12]
- — Richard, 1891, p. 233 : pl. 6, fig. 8.
- Chappuis, 1922 : 169

Habitat. Europe : Massachusetts.

A synonym of Eucyclops prasinus.

- *pentagonus* Schmeil, 1891, p. 31
prasinus Schmeil, 1892, p. 150: pl. 5, fig. 1-5.
— *longicornis* Vernet, 1871, p. 44: text-fig. 3.
— *prasinus* Herrick, 1895, p. 113:
— — E. B. Forbes, 1897, p. 57: pl. 19, fig. 1-2: pl. 20, fig. 1-2.
— — M. Rathbun, 1905, p. 107.
— — Marsh, 1918, p. 779: Text-fig. 1227.
C. fluvialis Byrnes, 1909, p. 28: pl. 15, fig. 1-2 (per.
C. prasinus Fowler, 1912, p. 486. [Fowler, 1912, p. 486])
— — Juday, 1902, p. 62 (Lake Max.).
— — Marsh, 1913, p. 13.
— — Pearse, 1905, p. 151.

- *fluviatilis* Herrick & Turner, 1895, p. 114: pl. 26, f. 1-8.
- *fluviatilis* Brewer, 1898, p. 135.
- *prasinus* Graeter, 1903, p. 486: pl. 15, fig. 3-4.
- *prasinus* Marsh, 1910, p. 1098: pl. 79, f. 1, 2, 3, 10.
- — Brian, 1925, p. 190.
- — Ewers, 1930, p. 21 (naupliar stages).
- — Gurney, 1933, p. 87.
- — Forbes, 1897, p. 57
- Pesta, 1927, p. 79
- Pesta, 1928, p. 111, fig. 93, (Eucyclops-Tropocyclops)
- Kiefer, 1952, p. 51
- Chappuis, 1927: 42.
- Manfredi, 1923: passim
- Lindberg, 1950e: 10

Stromsten, 1920b: 269

Cyclops C. prasinus (2).

C-prasinus Scourfield, 1894, p. : 1898, p. 326.

C-magnocavus Brady, 1891, p. 19. (fide Scourfield, 1898).

— prasinus Scourfield, 1903, p. 536.

— fluviatilis Herrick, 1882, p. 231: pl. 8, f. 1-9.

— magnocavus Cragin, 1883, p. 5: pl. 2, f. 14-23.

— fluviatilis Herrick, 1884, p. 159: pl. Q⁵, f. 1-9.

— fluviatilis Herrick, 1887, p. 15.

— prasinus Richard, 1888, p. 65.

— pentagonus Blanchard & Richard, 1891, p. 515.

— fluviatilis Marsh, 1893, p. 214: pl. 5, f. 14-15
pl. 6, f. 1: 1895, p. 18.

- , Coker, 1926, p. 233-, 248-9, p. 40, figs. 1,2,8
- , Wilson, 1960, p. 164
- , Andreæ, 1955: 285
- , Briand 1927: p. 28.
- , Cederström 1893: 152.
- , Dodds 1926: 26.
- , Brehm 1909c: 215.
- , Daday, 1905:134-135, pl.8, fig 5
- , Bajkov 1929: 361, CANADIAN LAKES

Cyclops prasinus Fischer

card 4

-- Chandler, D. 1940: 325, L. Erie

- Kiefer, 1925: 339-343

-- CLAUS 1893 et 1906, C. LONOICORNIS OF VERNET, 1871 = C. p.; 335; 345, PENTAGONUS Voss, A syn.

TROPO -

Cyclopidae - Cyclopoida

Eucyclops prasinus (Fischer) ♂♀.

Cyclops - Fischer, 1860, p. 652: pl. 20, figs. 19-25.

Eucyclops - Claus, 1893, p. 348.

— — Kiefer, 1928, p. 393, p. 555; 1929, p. 39, fig. 13; 1931,
p. 281; p. 506, figs. 1-2; 1933, p. 599.

--, ComITA, 1951: 368-369; TAB 1

Habitat. Mammoth Cave

— Hutchinson, et al., 1932: 34,

— de Lepiney, 1962: 220

— de Lepiney, 1962a: 215

- — Chappuis, 1931, p. 347.
— — Wilson, 1932, p. 339; fig. 202.
— , Sramek-Husek, 1941, p. 40
- (Tropocyclops) - , Herbst, 1953, p. 148
- " " Kiefer, 1956, p. 246 , a syn. of
Tropocyclops p.
— Aguesse & Dussart, 1957, p. 504
— Lindberg, 1942a: 76-77, fig. 3.
— Rioja, 1942: 521
— Rioja, 1940: 474
— Pearse & Wilson, 1938: 154
— Claus 1893e: 348 (SYNONYM E. PENTAGONUS Voss.)

Tropocyclops prasinus (FISCHER, 1860) !

- --- Lindberg, 1959, p. 11.
- --- Lindberg, 1962, p. 35.
- --- Lindberg, 1962, p. 266.
- --- Lindberg, 1962, pp. 5-19. 11
- --- Lindberg, 1957, p. 138.
- --- Lindberg, 1956, p. 12.
- --- Lindberg, 1956, p. 101. ~~462~~ 102, 114.
- --- Lindberg, 1955, p. 461, 462, 478, 481, 484-485
- --- Lindberg, 1955, p. 106.
- --- Lindberg, 1955, chart
- --- Lindberg, 1954, p. 71.
- Lindberg, 1949e: 45-46

-- -- Lindberg, 1946a:89-92.

-- -- Lindberg, 1949b p:5.

-- -- Lindberg, 1950b p:25.

-- -- Lindberg, 1950f p. 105-107.

Lindberg 1950d: 303

-- -- Lindberg, 1951f p:9-11

-- -- Lindberg, 1949, p. 6.

-- -- Lindberg, 1950, pp. 7-10, chart.

-- -- Lindberg, 1952, pp. 193-196.

-- -- Lindberg, 1953, pp. 149-185.

-- -- Lindberg, 1953, pp. 19-39.

-- -- Lindberg, 1946, pp. 84-95.

Lindberg, 1948b: 65

Tropocyclops prasinus

(2)

--- --- Lindberg, 1949, pp. 38-46. : 42 , fig. 2.

--- --- Lindberg, 1953, pp. 3-6, fig. 2A

--- --- Lindberg, 1950, pp. : 301-312. 303

--- ---, Ito, 1964, p. 123, tbl. 4

---, Dussart, 1968:130 fig. 1a-c

---, Dussart, 1967: 92

---, Kiefer, 1958, p. 160

---, Kiefer, 1958, p. 113-

---, Kiefer, 1957, p. 137

---, Tash, Siefert Swanson, 1966, p. 431.

— Lindberg, 1952f: 64

--, Por, 1967, p. 1

--, Sterba, 1964, p. 194, 199

--, Ueno, 1938, p. 164

--, Kiefer, 1956, p. 246-7, figs. 30-34, p. 235:
T. prasinus prasinus. see *Eucyclops* p.

--, Kiefer, 1957, p. 55, 56, 58-60, 62, 64

--, Kiefer, 1958, p. 49

--, Brooks & Dodson, 1965, p. 28

--, Aguesse & Dussart, 1957, p. 480

--, MAGADZA, 1977: 2

--, GALHANO, ET AL., 1978: 13, 16, 17; TAB. 2

--, GOURBAULT & LESCHER-MOUTOUÉ, 1979: TAB. 1

--, HARRIS, 1978: 28, 32, 33, 34

--, LESCHER-MOUTOUÉ, 1976b: 93

TROPOCYCLOPS PRASINUS

CARD 3

- , Amores-Jereaño, 1978: 18
- , CARTER, 1969: 2546, 2549; FIG. 3, 4
- , CARTER, 1971: 223
- , SHEN + TAI, 1962b: 404, 407
- , SHEN + TAI, 1964b: 449, 458, 461; TAB. 1
- , SHEN + TAI, 1964d: TAB. 1, 2
- PRASINUS, ACADEMIA SINICA, 1979: 332, 333-334;
FIG. 190; SEE p. 333 FOR SYNONYMIES
- , ITO, 1955: 62, 63; TAB. 4

- , HALL & WATERMAN, 1968: TAB. 1, 2
- , TOLLEY, 1966: 731; TAB. 4
- , DUMONT & DECRAEMER, 1977: 258, 275
- , PENNAK, 1963: 358; PL. 1
- Zuniga & Dominguez, 1978: 91-95.
- Armengol, 1978: 79-80, fig. 69
- Löffler, 1958: 20
- Blanchet, 1984: *passim*, table 2 & 5
- Pesce, 1985: 128-131

Tropocyclops prasinus

card 4

--, Kiefer, 1973, p. 49, 55, 57, 58

--, Lescher-Moutoué, 1978-79, p. 83, 86, 98

--, Lescher-Moutoué & Gourbault, 1971, p. 297

--, Petkovski, 1972, p. 21

--, Uéno, 1939, p. 108

--, Pesce & Maggi, 1979, p. 168, 172-173, 189-190.

--, Chia-jui & Ai-yung, 1962, pp. 225, 232-233, figs.
23-26.

--, Chia-jui & T'a-hsiang, 1965, *passim*

- Dussart, 1982: 319, fig 3.
- Fryer, 1980: ~~tbl~~ 1
- Fernando, 1980: ~~tbl~~ 1
- Granath & Esch, 1983: passim.
- Dominguez & Zuniga, 1979: 54-55
- Pesce & Febrizi, 1979: 60-~~61~~
- Roben, 1974: 117
- Smrcek, 1973: 192
- Torres, et al 1980: 208
- PESCE & PACE 1984: 133, 137
- DUSSART 1984: 64
- PESCE & MAOAI 1983a: 272, 274-6

Tropocyclops prasinus (FISCHER)

card 5

-- Watson & Lawler 1965: 1337

-- K.S. BRICKER ET AL. 1978: 5, 13.

-- SENDACZ ET AL. 1984: 1628, 1629.

-- CAMPOS 1984: 1325 - CHILE

-- RÖBEN 1970: 115-146, GERMANY

-- ZUÑIGA & DOMÍNGUEZ 1977: 109-120, Chilean lakes

-- WHITTAKER & FAIRBANKS 1958: 49-65, WASHINGTON STATE

-- MÄEMETS & VELDRE 1956a: 20, ESTONIA

-- VELDRE & MÄEMETS 1956: 22, PL. III FIGS. 16-19, ESTONIA

- Alonso & Comelles. 1984: 1701

Tropocyclops prasinus (Fischer)

card 6

--Sage et al 1976: 85,87, Tabs.1,3, Potomac River

--COLE 1957: 93-100, KENTUCKY LAKE.

--ELMORE ET AL 1984: 464-475, FLORIDA

TROPHOCYCLOPS-, DORRIS 1958: 96

- DASSART 1981b: 162

--DEFAYE & DUSSART 1979: 79, TABLE I.

— Guimaraes, 1984: 1-11

— Ito, 1953a: 27-28, fig. 14-18

— Pesce, ~~et al~~, 1982: 53

— Bello F, 1985: 6 , fig. 7-11

- Pesce, 1980: 561
- Riera & Estrada, 1985: 3159-3163
- Borutzky, 1960: 74, in key; FIG. 29(4); 158, FIG. 74(4)
- Sooksri 1967: 57
- Kieffer 1949: 65, 66, 69-73, FIGS. 3-6; pp. 96-97, 103, 106-110, SIWA OASIS, LIBYA; GIVES SYNONYMY.
? C. spinulosus Claus; C. longicornis of Vernet,
C. fluviatilis Herrick; C. magnocornis Gragin;
C. horvathi Daday; C. pentagonus Vosseler; C. p.
var. vichensis Richard
- Kiefer, 1978: 214

TROPOCYCLOPS PRASINUS (FISCHER)

CARD 7

- RIGGS + ESCH 1987: 887-889, BELEWS LAKE, N.C.
- DÉCAMPY + ROUCH 1973: 90
- REDDELL 1981: 81
- STELLA + MARGARITORA 1975/6: 4-, SARDINIA
- HARRIS, H.J. 1973: 12-, Pl. 7 FIGS. 37-39, MISSISSIPPI
- EUCYCLOPS^(I.), KIEFER 1931: 611, CYCLOPS. FLUVIATICIS
HERRICK A SVN. ; 614,
- DAGGETT + DAVIS 1975: 52-, NEWFOUNDLAND
- BRANDL + FERNANDO 1986: 255, ONTARIO

Tropocyclops prasinus (Fischer)

card 8

Cyclops horváthi, Forró 1986: 559

Eucyclops (I.)-, OSORIO TAPALL 1993: 49; CAVES, MEXICO

E. (I.)-, OSORIO TAFALL 1944: 207, L. PÁTZCUARO, MEXICO

E. (I.)-, RYLOV 1932: 257-258, Pl. III FIGS. 7-9, E. SIBERIA

-- Green, et al. 1978: 24, 33 tabs IV & VI Bali

E. -, LAWLER + WATSON 1958: 210-, MANITOBA

I. -, DUMONT + MAAS 1988b: 6

E. -, GAUTHIER 1951: 3

I. -, ROUCH 1988c: 225-, FRANCE

Tropocyclops prasinus (Fischer)

card 9

-- Tonolli & Tonolli 1951: 53-136, Italian Alps

-- BRANCELJ 1987: 3, CAVE, YUGOSLAVIA

C., ZIESENHENNE 1938: 9-, WILLAMETTE NATIONAL FOREST

C., BREHN 1908a: 451-

C., WECKERL 1914: 198

C., VAN DOUWE 1909b: 33, FIGS. 117-119, GERMANY

I., LÖFFLER 1959c: 340-, AUSTRIA

I., LÖFFLER 1961c: 391-, IRAN

I., SMITH & FERNANDO 1978b: 39-, FIGS. 143-144, ONTARIO

Tropocyclops phasinus (Fischer)

card 10

-- Ishida, T. 1990:39-, SW Japan

-- ZUÑIGA 1988: 7-, CHILE - NORTHERN PATAGONIA

-- PEACOCK & SMYLY 1983: 250-, BRITISH COLUMBIA

-- KIEFER 1938j: 56-57, FORMOSA

Cyclops fluvialis, PENN 1947: 193, NEW ORLEANS, LA

-- BUNTING 1973: 140, TENNESSEE

-- BRANCELT 1990: 22, YUGOSLAVIA

Eucyclops-, COLLADO ET AL. 1984: 115-; Tropocyclops;
116-, CUBA, HAITI

-- Fiers & Van de Velde 1984:183-, Fig. 5d, Algeria;

FIG. 5g, BELGIUM

-- TAYLOR & MAHONEY 1988: 1538-, SOUTH CAROLINA

-- TAYLOR & MAHONEY 1990: 613, RAINBOW BAY, S.C.

-- COX & HENDRICKSON 1991: 39

-- TORKE 1976: 3-, FIG. 2d, WISCONSIN

-- HARDING & SMITH 1974: 267, FIG. 11b, 14e, BRITAIN; AS

CYCLOPS (TROPOCYCLOPS) -

-- REID 1990g: 182

-- S.LAT., REID 1991a: 6-, FIGS. 5-12, BRAZIL (AMAZONAS)

Tropocyclops prasinus prasinus (Fischer)

CARD 12

--- Yeatman 1983: 71.

— Damian - Georgescu, 1963: 88-91, fig. 47

--- REID 1985b: 36, FIGS. 89-91

-- typ., REID & JOSE' 1987: 70, 71, CAVE IN CENTRAL BRAZIL.

-- SSTR., REID 1988b: 191, 193 - COLOMBIA

--- DUSSART & FERNANDO 1986a: 43

--- DUMONT 1981b: 109

--- DUSSART & FERNANDO 1990: 2600-2601, ONTARIO

I.P., NORDHUE 1976: 74, FLORIDA

Tropocyclops prasinus (Fischer)

card 13

-- Dawes et al. 1987:188-, Florida

C., Ward, 1940: 646, passim, table 1

T., Williamson 1991: 810

T., Reid 1989: 233-, NEW ORLEANS, LOUISIANA

T., Kim & Chang 1991: 300, Tokchok Is., KOREA, WELLS

C., McKee & Coker 1940: 179-, NORTH CAROLINA

C. (Eucyclops)-, Coker 1938: 84, NORTH CAROLINA

T., Reid 1992a: 251

T., Boxshall & Braide 1991: 186, Fig. 17, EGYPT, SCOTLAND

Tropocyclops prasinus (Fischer)

card 14

-- Pandourski 1992: 93, cave, Bulgaria

-- RÖBEN 1976: 460, 466, TENERIFFE, CANARY ISLANDS

-- KIEFER 1955d: 112, TURKEY

-- BOONSOOM 1984: 227-, THAILAND

-- REID 1991d: 263-

-- S.L. & S. STR., REID 1991d: 265-

-- RIERA 1981: 163-, ENGLAND, ALGERIA, FRANCE,
BIRMANIA, ITALY, CONGO, SPAIN

T.P.A., COLLADO ET AL. 1984: 91, 96-98, TAB., COSTA RICA

Tropocyclops prasinus (Fischer)

card 15

-- Taylor et al. 1993: 136-, L Lake, South Carolina

-- PLESA 1989: 39, CAVE, ROMANIA

-- PESCE 1984b: 293-, ITALY

-- REID 1993(1994)a: 60-, CENTRAL BRAZIL

-- S.L., REID 1993(1994)b: 75-, " "

-- TUNDISI & MATSUMURA TUNDISI 1981: 206-, RIO
DOCE SYSTEM, MINAS GERAIS, BRAZIL

-- BOXSHALL 1990: 210

-- DEFAYE 1988: 104-, TAB., ETHIOPIA; FIGS. 70-72

Tropocyclops prasinus (Fischer)

card 16

- Pesce & Galassi 1987d: 202-, Italy
- LANSAC TÔHA & LIMA 1993: 91-, TAB. 1, S. PAULO, BRAZIL
- KAWABATA & DEFAYE 1994: 144, LAKE KAHOKU-OATA,
JAPAN
- REID & MARTEN 1995: 40-, TAB. 1, LA/MI, USA
- PANDOURSKI 1994: 5-, BULGARIA
- ISHIDA 1994d: 8, JAPAN
- FRANK 1983: 126, BRONELIAD RECORDS
- T.P.I., UEDA, ISHIDA + INAI 1996: 45, 53-55, FIGS. 42-52,
KYUSHU, JAPAN

TROPOCYCLOPS PRASINUS (FISCHER)

17

-- PLESA 1981: 25, FIG. 29, CUBA

-- WYNGAARD + CHINNAPPA 1982: 490-

EUCYCLOPS -, PROPHET ET AL. 1959: 189, KANSAS, USA

-- ANDERSON, K. ET AL. 1975: 52, VIRGINIA, USA

-- BINFORD 1978: 2527-2528, TABS. 4, 5,
LOUISIANA, USA

-- S.L., FIERS ET AL. 1996: 67, 78, 89, YUCATÁN,
MEXICO

EUCYCLOPS -, KIEFER 1927: 72-73, FIG. 6

TROPOCYCLOPS PRASINUS (FISCHER)

18

EUCYCLOPS -, KIEFER 1927:117, URUGUAY

E. -, KIEFER 1927:200, FIG.1, GERMANY

E. -, KIEFER 1930:118

CYCLOPS FLUVIATILIS, HERRICK 1887: 14, 15-16, ALABAMA, USA;
SYN. C. MAGNOCTAVUS.

T. -, UEDA + ISHIDA 1997:41

T. -, JANETZKY 1997: 4, 9

T. -, SANTOS + ANDRADE 1997: 221-225, SÃO PAULO, BRAZIL

T. -, LOPES ET AL. 1997: 45, TAB. 1c, PARANÁ, BRAZIL

TROPOCYCLOPS PRASINUS (FISCHER)

19

-- MIZUNO + MORI 1970: 95, TAB. II B, MALAYSIA

CYCLOPS-, BREHM 1924: 64, YUNNAN PROVINCE, CHINA

CYCLOPS-, BREEKEN, VAN 1907: 33, PL. I FIGS. 37, 38,
NETHERLANDS

T.P.P., REID 1996: 6, DC, USA

T.P.P., ISHIDA 1995: 299, TAB. 1, HOKKAIDO, JAPAN

T.P.P., UEDA ET AL. 1996: 305

T.P.P., KIEPER 1962: 119-121, FIGS. 1-3, CONGO / BRAZZAVILLE

TROPOCYCLOPS PRAEINUS AZTEQUEI LINDBERG, 1953

- LINDBERG, 1955g: 459, 460, 461, 462, 476-478 ♀♂
482, 483, 484; FIG. 3 a-b.
- , LINDBERG, 1956: 9
- DASSART & FERNANDO 1986a: 43
- REID 1990g: 182
- REID 1991a: 14
- REID 1991d: 265-
- RIERA 1981: 166-, MEXICO

Tropocyclops prasinus breviramus (Hsiao, 1950)

--, ACADEMIA SINICA, 1979: 332, 334-335; FIG. 1915

540. T. breviramus

-- UEDA, ISHIDA + IMAI 1996: 55

Tropocyclops prasinus candidiusi (Harada, 1931)

Eucyclops prasinus candidiusi, Harada 1931: 150=151,
figs. 1-3, n. sp.

T. --, Ueno 1938: 164

T. --, Lindberg 1955: 7

T. --, KIEFER 1938j: 57

Tropocyclops prasinus divergens Dussart, 1982

--- DUSSART 1982:

--- Dussart & Fernando 1986a: 43

--- REID 1990g: 182

--- REID 1991a: 14

--- REID 1991d: 265 -

Tropocyclops prasinus forma guawana (Kiefer)

----- Onabamiro 1957: 131

TROPOCYCLOPS PRASINUS JERSAYENSIS - SEE

T. JERSAYENSIS

Tropocyclops prasinus meridionalis(Kiefer¹⁹³¹) p. 1

-- --, Loffler, 1962, pp. 171-172

---, Kiefer, 1957, pp. 137-8.

--, LINDBERG, 1955: 481

- Loffler, 1958: 21

- Ringuet, 1955: 444

Eucyclops (L.) PRASINUS MERIDIONALIS, KIEFER
1931: 508-, n. ssp., URUGUAY

Tropocyclops prasinus meridionalis Kiefer

p. 2

--- Lindberg, 1955, p. 8.

--- Lindberg, 1954c pp. 193-222, 205-

---, Kiefer, 1956, p. 234-5, 247-8, figs. 35-39
see Eucylopc p. m.

---, Kiefer, 1959, p. 53, 55, figs. 4,5

---, Ringuet, 1959, p. 317

---, Sendacz & Kubo, 1982, p. 51, 72, 74, figs. 36-43

---, Cicchino, 1974: 39-40, fig 41-46

---, REID & ESTEVEZ, 1984: 312, 318

--- DUSSART 1984: 64

Tropocyclops prasinus meridionalis(Kiefer 1931) card 3

--- Dussart 1984b: 301, 302, 303, figs. 10-13, New
Caledonia

-- DUSSART 1981b: 162

-- REID 1985b: 36; T. PRASINUS f. PERUVIANA LINDBERG
A SYNONYM.

-- REID ET AL. 1988: 527-, DISTRIBUTION

T.M., HARDING 1955: 220, 241, FIG. 65, BOLIVIA

--, DEL RÍO + VALDIVIA 1989: 73-, PL. 2 (19-21),
PERU

Tropocyclops prasinus meridionalis (Kiefer, 1931) 4

--- Defaye & Dussart 1988(89):110, 111, French Guiana

--- KIEFER 1935: 26, cf. SCHUBART!

-- REID 1991a: 3, 14, BRAZIL

--- BALSEIRO & MODENUTTI 1990: 479-, ARGENTINA

--- REID 1991d: 265-

--- MATSUMURA-TUNDISI & TUNDISI 1986: 36-, TAB. I,
LAGO DOM HELVÉCIO, MINAS GERAIS, BRAZIL

--- RIERA 1981: 166-, TIERRA DEL FUEGO, BRAZIL

--- REID 1993(1994)a: 60-, CENTRAL BRAZIL

TROPOCYCLONS PRASINUS MERIDIONALIS (KIEFER)
--- PIZZOLON ET AL. 1995: 70, TAB. 5, ARGENTINA
(PATAGONIA)

Tropocyclops prasinus meridionalis (Kiefer, 1931) card 5

--- Reid 1993(1994)b: 69-, central Brazil

--- ONABAMIRO 1957: 131

Eucyclops (Tropocyclops) prasinus meridionalis (Kiefer)

-- --, Herbst, 1959. pp. 53-55

----, Kiefer, 1956, p. 247, a syn. of T. p. m.

TROPOCYCLOPS PRA SINUS MERIDIONALIS F. PERUVIANA
LINDBERG, 1955

T. PRA SINUS F. PERUVIANA, LINDBERG 1955: 5-7;
ALSO AS "T. MERIDIONALIS F. PERUVIANA"; N. FORMA,
PERU.

Tropocyclops prasinus mexicanus Kiefer 1938 CARD 1

1938---- pages 277-279, Abb. 10-~~17~~ 14, N. ssp., Mexico

-- -- Lindberg, 1955, p. 9.

-- -- Lindberg, 1955, sp. 459, 460, 461, 462, 478-479, 483,
484-485; FIG. 4 a-c

--, HARRIS, 1978: 28, 32, 33, 34

--, CARTER, 1971: 223, 224, 227; FIG. 4-8

--, Robertson & Gannon, 1981, p. 386-387

--, Smith & Fernando, 1978, passim

--, PATALAS & SALKI, 1984: 616 TAB. I, 628

-- GANNON ET AL. 1984: 526-7, 529

Tropocyclops prasinus mexicanus Kiefer, 1938 card 2

--- Delisle et al. 1985: 137, 138

--- CHENG-ALATH ET AL. 1984: 425, 427

--- EVANS 1984: 489

--- GANNON ET AL. 1984: 1-23, 68, 70, 73

--- BRICKER ET AL. 1976: 267.

--- F.J. BRICKER + GANNON 1976: 39.

--- GANNON 1974: 32-49.

--- GANNON 1975: 82-89.

--- GANNON 1980: 101

--- GANNON 1981a: 23-36.

Tropocyclops prasinus mexicanus Kiefer

card 3

- - - J.E. Gannon & Stockwell 1978: 25, 32, 67.

- - - YEATMAN 1983: 71-72.

- - - SMITH & FERNANDO 1980a: 11, 15, FIGS. 6I-H, CUBA

- - - SMITH & FERNANDO 1980b: 12, FIGS. 46-50, CUBA

- - - DUSSART 1984b: 303

- - - YEATMAN 1986: 87, RECORD - NORTH CAROLINA

- - - TAYLOR ET AL. 1987: 2181, 2183 - LAKE ONTARIO

- - - HARRIS, M.J. 1973: 13-, Pl. 7 FIGS. 40, 41 - MISSISSIPPI

- - - REID 1988b: 191-193, MEXICO

Tropocyclops prasinus mexicanus Kiefer, 1938 card 4

--- Balcer et al. 1984: 101-, Pl. 36, Great Lakes; give synonymy.

--- DUSSART & FERNANDO 1986 a: 43

--- EVANS, M.S. ET AL. 1986: 629, LAKE MICHIGAN

-- cf. m., LAESSLER 1961: 504-, JAMAICA, BROMELIADS

--- MALLEY ET AL. 1988: 4-, ONTARIO

--- MALLEY ET AL. 1989: 3-, ONTARIO

--- SMITH & FERNANDO 1978b: 39-, FIGS. 138-142, ONTARIO

--- PEACOCK & SMYLY 1983: 250-

Tropocyclops prasinus mexicanus Kiefer, 1938 card 5

--- Malley et al. 1988:2240-, Ontario

--- DAVIS, J. 1979: 96-47, TEXAS CAVE

--- TORKE 1976: 9, NOT A VALID SUBSPECIES

--- DUSSART + FERNANDO 1990: 2601, 2602, CUBA;
NOT IN ONTARIO.

--- REID 1990g: 182

--- REID 1991a: 6-7, FIGS. 5-12, BRAZIL (AMAZONAS)

--- KRIEGER + KLARER 1991: 260; LAKE ERIE MARSH

--- WILLIAMSON 1991: 810

--- SCHINDLER + NOUÉN 1971: 249; ONTARIO, CANADA

Tropocyclops prasinus mexicanus Kiefer, 1938 card 6

--- Reid 1992a: 232, Florida Everglades

--- REID 1991d: 265 -

--- CZAIIKA 1978: 19-, LAKE ERIE

-- RIERA 1981: 164 -

--- CZAIIKA 1978b: 1-, LAKE ONTARIO

--- CZAIIKA 1982: 441-, FIGS. - , DEVELOPMENT;
NEW YORK, MICHIGAN

-- CZAIIKA 1974b: 8-, TAB. 1, LAKE ONTARIO

-- REID & MARTEN 1995: 40

Tropocyclops prasinus mexicanus Kiefer, 1938 card 7

--- Onabamiro 1957: 131

--- MALLEY & CHANG 1995: 276-285, ONTARIO, CANADA

--- WYNGAARD & CHINNAPPA 1982: 508, TAB. 5

--- WYNGAARD, TAYLOR & MAHONEY 1991: 222-230, SOUTH CAROLINA, USA

--- COLE & WATKINS 1977: 180, ARIZONA

--- REID 1996: 7, DC, USA

--- CARTER, J. ET AL. 1980: 1358, 1380, FIG. 4, TABS. 1, 2,
SE CANADA

Tropocyclops prasinus multicolor

-- -- Lindberg, 1955, p. 8.

--, LINDBERG, 1955: 481

-- RIERA 1981: 164 -

Tropocyclops prasinus palniensis

-- -- Lindberg, 1955, p. 8.

-- -- Lindberg, 1946 ~~a~~ 93-95

-- -- Lindberg, 1946, pp. 84-95.

--, LINDBERG, 1955: 481

Tropocyclops prasinus f. peruviana Lindberg. 1955 h:6

-- -- Lindberg, 1955, p. 5-6 , fig. 3.

Lindberg, 1955, p. 8.

--, Kiefer, 1957, p. 138

—Lindberg, 1955; 5-6 , fig. 3.

-- DUSSART 1984: 64

-- REID 1985b: 36, SYNONYM OF T. P. MERIDIONALIS

-- DEL RÍO & VALDIVIA 1989: 73-,

-- REID 1991a: 14

-- REID 1991d: 265-

-- PIERA 1981: 164 -

Tropocyclops prasinus shagamiensis Onabamiro, 1957

-- ONABAMIRO 1957: 129 -, FIGS. 19-24, N.S.P.,
SHAGAMI, NIGERIA

--- Dumont 1981b:109, 114

-- BOSSHALL & BRAIDE 1991: 186, NIGERIA

Tropocyclops prasinus Fischer, Schmeil var. *tenellus* Sars

Harding 1942, p. 183

Sterba, O. 1954, pp. 357, no Figs..

-- -- , Ito, T. 1954, PP. 383-384, Figs. 42-47. Japan

-- , Herzog, 1935.

-- , Agassiz, 1957, p. 242 (in list). Mouth of Rhône.

T. prasinus, Armitage, 1961. p. 32

Tropocyclops prasinus tjeefi Dumont 1981

--- Dumont 1981b:101, 108, 109, fig. 9(7,8,13), n. ssp.

♀ only, West Africa

Tropocyclops pseudoparvus Dussart & Fernando 1986

-- Dussart & Fernando 1986a: 41-43, figs. 10-15, n. sp.

♀, Fraijana, Alajuela Province, Costa Rica

-- REID 1990g: 182

-- REID 1991a: 8-

-- REID 1991d: 265-

TROPOCYCLOPS sp., COLLADO ET AL. 1984:91, 96-98,
COSTA RICA

Tropocyclops rarus Dussart 1983

-- Defaye & Dussart 1988(89):110, 111, French Guiana

-- REID 1991a: 13, 14

-- REID 1991d: 265-

Tropocyclops schubarti (Kiefer, 1935)

CARD

Eucyclops (Tropocyclops) Schubarti, Kiefer 1935:24-26, ♂♂,

Figs. 1-4, n. sp. ♀♂, Recife, Pernambuco, Brazil

Tropocyclops schubarti, Lindberg 1954:193-222.

T. s., Lindberg 1955:7

T. s., Lindberg 1955:480

E. (T.) s., Herbst 1959:55-58, figs. 9-12, Sao Paulo,
Brazil

T. s., Dussart 1984:64

T. s. SCHUBARTI, REID 1985b: 36-37, Figs. 9, 93

Tropocyclops schubarti (Kiefer, 1935)

card 2

T. s., Gonzalez de Infante 1988:108, Fig. 36(11)

T. s., Reid 1991a:3-6, 14, Figs. 1-4, Amazonas, Mato Grosso, Goiás, Distrito Federal, Brazil.

-- REID 1991d: 265 -

-- RIVERA 1981: 164 -

-- REID 1993(1994) a: 60; CENTRAL BRAZIL

Tropocyclops schubarti dispar Herbst

-- -- --, Herbst, 1962. pp. 266-268, fig. 18-23

--- DUSSART 1984: 64

--- REID 1986a: 595

--- REID 1985b: 37, FIGS. 94, 95

--- REID 1991a: 15

--- REID 1991d: 265 -

Cyclopidae - Cyclopoida

Cyclops Tenellus Sars, ♀.

— — Sars, 1909, p. 52: pl. 14, figs. 118-127.

Mesocyclops Tenellus. Gurney, 1928, p. 319.

Hafding, 1942, p. 183

Tropocyclops Tenellus, Lindberg, 1951, p. 430

Habitat. Lake Tanganyika. Madagascar.

-- -- Lindberg, 1955. p. 9

Tropocyclops tenellus (Sars) ②

see Cyclops tenellus Sars

--, Kiefer, 1956, p. 242-5, 261, 253-5, figs. 22-25,
p. 264. see Cyclops t., a syn.

--; DUSSART, 1970: 869, 870

--, LINDBERG, 1955: 482

- Lindberg, 1951e: 430.

- Lindberg, 1951g: 60, fig. 12

- Dussart, 1982: 50 - 51, pl. II A

-- DUSSART + FERNANDO 1986a: 93; ?SYN. T. PARVUS

Tropocyclops tenellus (Sars)

card 3

-- Reid 1990g:182

-- REID 1991a:12 -

-- RIERA 1981:164 -

-- EINSLE 1971: 38-42, FIG. 12, TAB. 3, CONGO/ZAIRE

= Tropocyclops

Cyclopidae - Cyclopoidea

Cyclops varicoides Brady, ♀

0

— — Brady, 1907, p. 423: pl. 33, figs. 3-4

-- Lindberg, 1955, p. 9

Habitat. Gold Coast.

Tropocyclops varicoides (BRADY 1908)

(Z)

-- Dussart 1981b: 162

-- Dumont 1981b: 114

TROPOCYCLOPS SP.

- BLOUIN ET AL. 1984: 902
- BLOUIN ET AL. 1984: 824, 828
- SP. 1, SP. 2, TIMMS & MORTON 1988: 162-, AUSTRALIA
- BOYDS & COWELL 1993: 30, LAKE PADGETT, FLORIDA
- OF COLLADO ET AL. 1984: 91, 96-98, COSTA RICA;
= T. PSEUDOPARVUS
- JANETZKY 1997: 8

TROPOCYCLOPS sp. INDET. DUMONT, 1981

-- DUMONT 1981b: 101, 109, FIG. 19, WEST AFRICA