

Calanidae. - Calanoidea.

Undina synonym.

Dana, 1849.

U. vulgaris (M)

- Syn. Not Undina Gould, birds, 1836.  
Not Undina Münsterberg, fish, 1842.  
Not Undina Gistel, fish, 1848.  
Not Undina Thioll, fish, 1854.  
Undina Dana, 1849, a, p. 279.  
Undina Claus, 1863, p. 186.  
Undina Wilson, 1924, p. 17.  
Changed to Undinola A. Scott, 1909, p. 16.

in

Caranoida - Calanidae

Undina

Dana, 1849a.

U. vulgaris,<sup>ⓐ</sup>

Preoccupied -

by Gould for genus of birds in 1836 -

by Münsterberg for fish genus in 1842 -

by Thioll for fish genus in 1854 -

by Gistel for fish genus in 1848 -

Undina Wilson, 1924, p. 17

Undina Dana 1849, p. 279; 1852, p. 1092.

Undina Clav. 1863, p. 186.

1° antennae 24-jointed, apical joint short, with very long setae, similar to Euchaeta. Joints 19 & 20 in ♂ right antenna fused - not geniculate, armed with stout appendages, apical joint obsolete, tubercular - Secondary ramus of 2° antennae much longer than the primary = chewing part of maxillae stout, primary ramus hardly produced into a lobe. Superior maxpds. stout, median part very short, 2-jointed, obsolete in ♂; inferior pair elongate, slender - 5° legs entirely lacking in ♀, in ♂ large, right one subcheliform - abdomen 5-jointed ♂ ♀ 4-jointed.

Danondina new name, Wilson, 192

Calanidae - Calanoida.

Undina danae Lubbock, ♀.

— — Lubbock, 1856, p. 15: pl. 9.

--Bradford, 1973, p. 136

A synonym of Scolecethrix danae.

(Giesbrecht, 1892, p. 265).

--, (= SCOLECITHRIX DANAE) VERVOORT, 1965: 85-87

Undina Darwinii, Lubbock - SEE COSMOCALANUS

--, Sato, 1913, in no. 6

= COSMOCALANUS D. (GREENWOOD, 1976: 8)

Udina helenae (Lubbock)

See.

Scottocalanus helenae

Park, 1983a.

Calanidae - Calanoidea.

Undina inornata Dana, ♂.

- — Dana, 1849, p. 22; 1852, p. 1095: pl. 77, f. 11, a-d  
— — (= *Calanus vulgaris* ♂) Giesbrecht, 1892, p. 92.

Habitat. Tropical Atlantic.

Calanidae - Calanoida.

Undina longipes Lubbock, ♂.

— — Lubbock, 1856, p. 17: pl. 6: 1860, p. 7.  
— — (= Calanus vulgaris) Giesbrecht, 1892, p. 92.

Habitat. Tropical Atlantic.

Aetideidae - Calanoida

Undina messinensis Claus, ♂. ♀.

— — Claus, 1863, p. 187: pl. 31.

— — Carus, 1885, p. 336.

-- , Von Vaupel Klein, 1982, p. 2-3

A synonym of Euchirella messinensis.

(Witt, 1915, p. 122).

(Giesbrecht, 1892, p. 232).

-- MAZZA 1965: 296, = E. MESSINENSIS

Undina plumosa Lubbock, ♀.

— — Lubbock, 1856, p. 18: pl. 9, figs. 3-5.

— — Giesbrecht, 1892, p. 302, undetermined —

— — Giesbrecht & Schmeil, 1898, p. 52 (doubtful).

A synonym of Undeuchaeta minor.  
(With, 1915, p. 132)

If the two really are the same, Lubbock's  
name takes precedence. A. Scott, 1909, p. 62.

Aetideidae - Calanoida.  
Undina pulchra Lubbock, ♂.

— — Lubbock, 1856, p. 26: pl. 4, f. 5-8; pl. 7, f. 6.  
— —, von Vaupel Klein, 1982, p. 2

A synonym of Euchirella pulchra.  
(Esterly, 1905, p. 153),  
(Giesbrecht, 1892, p. 233).

Actideidae — Calanoida

Undina rostrata Claus, ♂.♀.

— — Claus, 1866, p. 11: pl. 1, fig. 2

— — Carus, 1885, p. 336.

A synonym of Euchirella rostrata  
(Witt, 1915, p. 113).

(Giesbrecht, 1892, p. 233).

Calanidae - Calanoidea.

Undina simplex Dana, ♂,

— — Dana, 1849, p. 22; 1852, p. 1094; pl. 77,

— — (= *Calanus vulgaris* ♂) Giesbrecht, 1892, fig. 9, a-b  
p. 92, 98; pl. 8, f. 35. ♂.

Habitat. Pacific near Kingmill Islands.